

2014 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory

THERMA TRU[®]
DOORS



• Home begins at the door.

Table of Contents

NEW for 2014

Introduction

Door Systems 4-5
 Door System Components 6-7
 Door Selections 8-15
 Product Innovations 16-17
 Impact Products 18-19
 Decorative & Specialty Glass 20-22
NEW Products 23-28

Classic-Craft®

Decorative & Specialty Glass 29-35
 American Style Collection™ 36-43
 Mahogany Collection™ 44-53
 Rustic Collection™ 54-65
 Oak Collection™ 66-75
 Canvas Collection 76-89

Fiber-Classic® & Smooth-Star®

..... 90-171
 Decorative & Specialty Glass 94-100

Steel

Profiles™ 172,174-189
 Traditions 173-175,190-194
 Decorative & Specialty Glass 174-175

Fire Doors 195-199

Pulse® 200-207

Patio

Hinged 208-219
 Sliding 220

Door System Components

..... 221-228

Special Quote Program 229

Same-Day® Stain 229

Product Details 230-231

Index 232-243



Internal Blinds – Design & Low-E Option. Page 23



Simulated Divided Lites – Bars, Patterns, Sizes. Page 24



Grilles Between Glass – Bars, Colors, Patterns, Sizes. Page 25



Camber Top Glass Shape. Page 26



Fiber-Classic Mahogany – Door & Sidelite Styles. Page 27



Pulse – Mahogany Grain & Echo Design Options. Page 28

*Brand Use Studies, 2013 *Builder* and 2013 *Remodeling* magazines.
 Cover: Classic-Craft Canvas Collection, Cambridge Glass, Doors – CCV805026,
 Sidelites – CCV8106SL
 Right Page: Smooth-Star, Clear Glass with GBGs, Doors – S828



DISCOVER

• Therma-Tru. You're in expert hands.

Choosing Therma-Tru isn't about just selecting a door. It's about designing an inspired entrance. Creating a look everyone will love. And having confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers virtually unlimited choices to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With more than 50 years of industry experience and technical know-how, we've built a reputation for delivering high-quality, low-maintenance exterior door products for the whole house – from entry to patio.

We invented the fiberglass door because we believe it combines the best characteristics of wood and steel – beauty and performance – without the compromises. And we remain committed to making smart, innovative new products – such as the Classic-Craft Canvas Collection and vented sidelites – that are better and more beautiful every year.

Whatever the entrance needs – from energy efficiency to security – your search ends here. You'll find a range of Therma-Tru products to meet the criteria for the home and suit the homeowner's lifestyle.

**That's where the beauty of choosing
Therma-Tru begins.**

Therma-Tru® Door Systems

Uncompromising quality, inside and out.



A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. One that offers uncompromising quality, inside and out. We manufacture or specify every aspect – from the glass to the hinges – all engineered with craftsman precision for durability and reliability through the years. So you can be confident that it will perform as exceptionally as it looks.

• Backed by our lifetime limited warranty.

Lifetime Limited Warranty

We stand behind more parts of a door system for longer than other door companies because we make or specify everything that goes into it. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 90% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to guarantee that our products will live up to a homeowner's toughest quality and performance expectations.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6-7.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8-15.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 20-22.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?


Also consider:

- Regional weather conditions and building codes. See pages 18-19 for more.
- Therma-Tru 2014 new products. See pages 23-28 for more.




Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 2 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door and frame**.



- 5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components shown here are our premium options for long-lasting durability.



Composite Adjustable Sills ❖

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



Dual-Bulb / Dual-Fin Bottom Sweeps ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.




7-Shape Corner Seal Pads ❖ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



Removable Weatherstrip ❖

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



Multi-Point Locking Systems ❖ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



Ball-Bearing Hinges ❖

Hinges with ball bearings protecting each hinge pivot, or "knuckle," offer added support and stability.

(Recommended for Classic-Craft®, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs and mullions manufactured to our specifications.

For more, including these additional component options, see pages 221–228:

Sill Pans ❖, Rain Protection ❖, Strike Plate and Astragals ❖.



Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense system, which integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.* Look for the (❖) icon. For details, visit www.thermatru.com/trudefense.

Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500
Multi-Point Lock with NAMI-Certified Assembly: with a Therma-Tru Sill Pan:	\$1,000 \$2,000





*For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense. The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

Door Selections

Choose from our many door selections to complement the architectural style of the home in a variety of texture and material options. Wood-grained, stainable or smooth, paintable textures. Fiberglass or steel.

Classic-Craft® Collections

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that rival custom wood.





Rated a *Consumers Digest* Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions.

Fiber-Classic® Collections

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.




Smooth-Star®

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel

Bring style and affordability together to create very attractive results with our steel doors.



Pulse®

Pulse is form *and* function. Sleek, modern designs and retro glamour in entrances that perform to our standards.





See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



Feel the difference.

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.

• Extraordinary in every way.




Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And it's rated a *Consumers Digest* Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



Compare for yourself.



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.

Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

Architecturally correct for true classic beauty.
Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels*




Classic-Craft Premium Door

Standard Fiberglass Door



The look of real wood.
Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



Details that define a custom door.
Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.

*Compared to other standard fiberglass doors.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.
Left Page: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM305, Sidelites – CCM3305SL, Transom – ASRT



- Find options to fit every entrance.




Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood doors with the low-maintenance benefits of fiberglass. From front entry to patio to house-to-garage and service doors, the Fiber-Classic and Smooth-Star portfolio offers flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, and decorative, privacy and specialty glass, as well as innovative solutions like vented sidelites. Also available: Impact-, Fire- and Sound Transmission Class- (STC) rated options.


Portfolio versatility.

Interchangeability of door styles and glass designs between collections allows flexibility to find the right door, in the right texture, without compromises.



On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Grained images shown in Light Oak stain.)



High-definition panel embossments.

High-definition panel embossments are standard on all doors and sidelites.

Left Page Top: Fiber-Classic Oak Collection, Sedona Glass, Door – FC100, Sidelites – FC816SL
 Left Page Bottom Left: Smooth-Star, Screen Vented Lite, Door – S243
 Left Page Bottom Right: Smooth-Star, Clear Glass, Door – S8140

Door Construction

Therma-Tru fiberglass doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. We combine craftsmanship and innovation to build our doors for long-lasting energy efficiency, durability and security.

Classic-Craft® Premium Entryways



1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4- $\frac{1}{8}$ " wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

*Comparison of fiberglass to wood doors (both without glass).

Fiber-Classic® & Smooth-Star® Doors



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with 1- $\frac{1}{4}$ " engineered lumber lock and hinge stiles increase rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.*

What Makes Therma-Tru Different?

Classic-Craft® Canvas Collection.



• The premium smooth, paintable choice.

For years, Classic-Craft premium entryways have defined beauty and durability for fiberglass doors. The most recent innovation to join Classic-Craft – the Canvas Collection – delivers a high-performing alternative to custom wood and heavy-gauge steel. These doors pair durable Classic-Craft construction with crisp embossments and custom wood details. Find choices to match any home décor with a smooth surface that's paintable inside and out, and available in more than 300 door and glass combinations.

- The aesthetics of wood and the performance of fiberglass in a smooth, paintable door.
- Extraordinary in every detail with precision-engineered features and architecturally correct details.

- The largest line of door and glass combinations available in any Classic-Craft collection.
- Classic-Craft is rated a *Consumers Digest* Best Buy for the fiberglass entry door category.
- Available in many styles and sizes – including 8'0" heights – to complement more home styles.

For more, see page 77 for entry and page 208 for patio.



Fire-Rated
Options



WBDR /
HVHZ
Options



Tru-Defense
Eligible

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Augustine Glass, Door – CCV806027

What Makes Therma-Tru Different? Vented Sidelites



Ventilation and aesthetics second to none.



Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen or storm door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Therma-Tru re-invented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

- Works as a small, swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.
- Wide patio mullions provide required structural strength for years of dependable operation.

- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens are easy to operate and designed for years of worry-free use.
- **NEW** for 2014 – Now available in Fiber-Classic. Mahogany Collection™, featuring an in-demand hardwood grain to match trends in home interiors.

Available in Fiber-Classic and Smooth-Star®, starting on page 90 for entry and page 208 for patio.



Tru-Defense Eligible

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Smooth-Star, Flush-Glazed Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C

Bottom: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

Tough When You Need It

Impact-Rated Products

Therma-Tru Impact-rated doors and glass offer excellent protection to meet the harsh demands of extreme weather conditions in coastal areas, while providing added security. Constructed to endure flying debris and high-velocity winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including Florida, Texas and the Carolinas.*

Impact-Rated Doors

- Many Classic-Craft®, Fiber-Classic, and Smooth-Star® fiberglass doors can be ordered with an HVHZ Impact-rated option, featuring a built-in 24-gauge steel plate lining that helps protect the home from weather-related damage.
- Impact-rated fiberglass doors with the optional steel plate lining are engineered to withstand wind forces up to 236 mph (DP-100).**

Impact-Rated Glass

- Multiple decorative and clear glass lites for Fiber-Classic, Smooth-Star, Profiles™ and Traditions fiberglass and steel doors can be ordered with an Impact-rated option, featuring special laminated glass construction that helps protect the interior of the home.
- Impact-rated glass lites with the optional laminated glass construction are engineered to withstand wind forces up to 195 mph (DP-65) when installed in an approved Therma-Tru HVHZ Impact-rated door*** and up to 167 mph (DP-50) in a Therma-Tru non-HVHZ Impact-rated door.

HVHZ Impact-Rated Door with 24-Gauge Steel Plate

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



WBDR-Compliant:

Many of our fiberglass door and sidelite styles are WBDR-compliant.* Look for the “WBDR” (6) icon in our catalog.

HVHZ-Compliant Standard:

Most of our solid panel / opaque steel door styles come standard as HVHZ-compliant.* Look for the “HVHZ Standard” (6) icon in our catalog.

*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Visit www.thermatru.com for product approvals and full details on WBDR- / HVHZ-compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

**Impact and structural performance of a single Classic-Craft door.

***Impact and structural performance of a single Therma-Tru fiberglass door with multi-point locking system.



Therma-Tru. Impact Lip-Lite Frame

The Therma-Tru Impact Lip-lite frame features durable, paintable aluminum construction with an attractive scrolled profile for a thin, sleek appearance and a screw channel cover to hide unsightly screws.

Other Considerations

🔥 Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 195-199.

🏠 Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 170.

Beautiful always.

6 WBDR- / HVHZ-Compliant Options:

Many Classic-Craft, solid panel doors, and Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors with glass are available with options to upgrade to WBDR- and / or HVHZ-compliant.* Look for the “WBDR / HVHZ” (6) options icon in our catalog.

- To upgrade these Fiber-Classic and Smooth-Star doors with glass to WBDR-compliant, choose the Impact-rated glass option.
- To upgrade these Fiber-Classic and Smooth-Star doors with glass to HVHZ-compliant, choose both the Impact-rated glass and HVHZ Impact-rated door options.
- To upgrade these Profiles and Traditions doors with glass to WBDR- / HVHZ-compliant, choose the Impact-rated glass option.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Numerous glass colors, textures, shapes and coming options are available to complement any Therma-Tru door.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Our glass designs offer varying levels of privacy and light to suit homeowner needs.
- All clear and Low-E glass panels are tempered to help provide added safety.

Doors come to life with Therma-Tru® glass.

More than 10%
wider glass*



**Classic-Craft
Premium Glass**

Standard Glass

*Compared to other standard fiberglass doors.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Classic-Craft® Premium Entryways

- An exclusive collection of 11 decorative glass families, starting on page 29.
- High-end glass produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass* welcomes more light into the home and creates a distinctive entryway.
- Matching grained fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.



Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 229.



Triple-Pane Construction

Most decorative and privacy glass features triple-pane construction for reduced outside noise and increased energy efficiency.

Fiber-Classic® & Smooth-Star® Doors

- A portfolio of 16 interchangeable decorative glass designs, starting on page 94.
- Standard 22" glass width with Lip-lite frame and flush-glazed options with 25"–27" glass width invite light into the home for a more brilliant interior. See page 150 for flush-glazed options.
- Lip-lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for clear glass, providing exceptional energy efficiency.



Contributes to an energy-efficient home.

Privacy Glass

All Therma-Tru doors and sidelites can be fitted with our four elegant privacy glass designs – Chord, Chinchilla, Rainglass and Granite. Each of them enhances a home with privacy, peace of mind and the beauty of textured glass, while still allowing natural light to brighten the interior.

- Varying opacity levels range from 8–10 to find the right balance of privacy and light for the home.
- ENERGY STAR® qualified options provide excellent energy efficiency.
- All privacy glass options are triple-pane, providing added security, thermal efficiency and reduced sound transmission.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




Convenient choices for more light.

Low-E Glass

Factory-coated Low-E glass, available as an option for clear glass, delivers exceptional energy efficiency. All Classic-Craft and Pulse clear glass is Low-E. And Low-E is available for clear glass in Fiber-Classic, Smooth-Star, Profiles and Traditions. Look for the (☀️) icon.



In cold weather, Low-E glass reduces the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, keeping the interior of the home cool.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a high-performance weather seal. Flush-glazed glass features clean lines and eliminates the need for screw plugs.

Available in Classic-Craft, Fiber-Classic and Smooth-Star. Look for the (🔥) icon.



Features frameless design.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Chinchilla Glass, Door – CCV05020XJ, Sidelites – CCV100XJSL; Clear Glass, Transom – 19220T

NEW

Internal Blinds Design & Low-E Option



Light control at your fingertips.

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single-hand operator to open, close and tilt the blinds. Now with an improved design and functionality, featuring optional energy-efficient Low-E glass that can help reduce energy costs.

Available in Fiber-Classic® and Smooth-Star®, starting on page 90, Profiles™ and Traditions, starting on page 172, and Pulse® starting on page 200.




Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S130



- 1 Single-Hand Operator
- 2 Privacy Bar

Available Glass Shapes



NEW

Simulated Divided Lites Bars, Patterns & Sizes



24

Dress up the door.

Tailor the look of entry and patio doors with simulated divided lites (SDLs) in wood-grained or smooth-textured bars. Designed to add visual interest and complement a variety of home styles, SDLs can extend a home's divided lite look to every entry point, creating a cohesive exterior appearance. SDLs can also be layered over GBGs to create a high-end, authentic divided lite look.

Available in Fiber-Classic® and Smooth-Star®, starting on page 90, and Profiles™ and Traditions, starting on page 172.




Fiberglass




Steel



NEW Glass Shapes & Grid Patterns



Available Glass Designs



Chord

Chinchilla

Rainglass



Granite

Low-E / Clear

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs / GBGs, Door – S92, Transom – 19200T

NEW

Grilles Between Glass Bars, Colors, Patterns & Sizes



Add character with convenience.

Build interior and exterior appeal with grilles between glass (GBGs). Now available in a variety of colors and lite sizes in Low-E or clear glass, this easy-to-maintain option is designed to complement and enhance multiple home styles.

Available in Fiber-Classic® and Smooth-Star®, starting on page 90, and Profiles™ and Traditions, starting on page 172.




*Available in Special Quote Program.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with GBGs, Door – S1089, Transom – 19200T


Contour & Flat Bar Options



Color Options



NEW Glass Shapes, Grid Patterns & Color Options



NEW

Camber Top Glass Shape



• The beauty of glass on a modest scale.

Experience natural light in the home, while maintaining the sense of security that comes with the privacy of a solid panel door. The camber top puts handcrafted glass within reach, adding a touch of appealing design at an exceptional value.

Available for Fiber-Classic® and Smooth-Star®, starting on page 90, and Profiles™ and Traditions, starting on page 172.



Available Glass Designs




Maple Park.



Saratoga™



Wellesley™



Concorde™



6-Lite Grilles Between Glass



Prairie Fixed Grilles



6-Lite Fixed Grilles



Chord



Chinchilla



Rainglass



Granite



Low-E / Clear

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

• Top: Smooth-Star, Clear Glass with Prairie Fixed Grilles, Door – S704

NEW

Fiber-Classic® Mahogany Door & Sidelite Styles



• An extension of elegance.

New additions to the Fiber-Classic Mahogany Collection™ are designed to appeal to more homeowners. Popular door and sidelite styles feature the same deep Mahogany graining and high-definition panel embossments that embody the elegance of this collection.

Available with decorative, privacy, specialty, Low-E or clear glass, starting on page 90.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Fiber-Classic Mahogany Collection, Sedona Art Glass, Door – FCM604-A, Sidelites – FCM816SL-A, Transom – 19520T-A

NEW Door & Sidelite Styles



2-Panel Square Top




2-Panel Plank Soft Arch



2-Panel Craftsman




Flush Door



Flush Sidelite

Available Glass Shapes



NEW

Pulse®

Mahogany Grain & Echo Design Options



28

Modern design. Upbeat living.

Pulse delivers form *and* function – clean lines and crisp right angles configured in unique ways to deliver vintage style and modern appeal.

Now available in Mahogany-grained fiberglass material and new Echo designs for doors and sidelites.



Door & Sidelite Styles



Material Choices



Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Pulse Solei, Granite Glass, Door – S87XN; Echo, Granite Glass, Sidelite – S85XNSL

Mix and match door and sidelite styles, material choices and glass designs to create a modern entrance without missing a beat, starting on page 200.

Classic-Craft® Decorative & Specialty Glass Designs

Hazelton™

Inspired by traditional Arts and Crafts design, Hazelton uses **1** medium amber artique glass, **2** iridescent, rainbow-hued seeded glass, **3** clear bevels, **4** pale amber rough rolled glass and coming to create a welcoming warmth.

Available in:
American Style Collection™
Canvas Collection.

1 **7** 10
Glass Privacy Rating



Black Nickel



Brushed Nickel


Villager™

Villager beautifully interprets the Craftsman chevron design with **1** bronze waterglass, **2** seeded glass, **3** clear bevels, **4** gray artique glass and coming. Artistically authentic in every detail.

Available in:
American Style Collection™
Canvas Collection®



Glass Privacy Rating



Black Nickel



Brushed Nickel


Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive **1** clear bevels, **2** seeded glass and **3** gray artique glass. An ideal complement for a Transitional home design.

Available in:
American Style Collection™
Canvas Collection®



Glass Privacy Rating



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Arcadia™

With its timeless petal design, Arcadia combines **1** gray baroque glass, **2** seeded glass, **3** clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.

1 **5** 10
 Glass Privacy Rating



Black Nickel



Brass



Brushed Nickel

Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and **1** granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:
 Rustic Collection™
 Canvas Collection.

1 **10**
 Glass Privacy Rating



Wrought Iron


Note: Features lite frame with authentic wrought-iron look in black finish. See image on page 65 to see how it appears on a home.

Ashurst™

Ashurst recalls the familiar feel of American-crafted sophistication. ① Clear bevels, ② double waterglass and coming come together to provide modest privacy with a traditional vibe.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®

1 **8** 10
 Glass Privacy Rating



Black Nickel




Brushed Nickel

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass ③ rainglass, ④ seeded glass, ⑤ bronze waterglass or granite glass and coming.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®

1 **6** 10
 Glass Privacy Rating



Bronze Waterglass / Black Nickel



Bronze Waterglass / Brushed Nickel



Granite Glass / Black Nickel



Granite Glass / Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Glass Privacy Rating



Black Nickel



Brass



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using ① crystalline glue chip glass, ② clear curved bevels, ③ double waterglass and coming.

Available in:
 Rustic Collection™
 Oak Collection™
 Canvas Collection®

1 8 10
 Glass Privacy Rating



NEW Black Nickel



Brass



Brushed Nickel

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®

1 7 10
 Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Privacy Glass



Chord Glass

A vertical flowing pattern reminiscent of waves on the water.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Glass Privacy Rating



Chinchilla Glass

A free-flowing configuration, presenting quiet lines and curves.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Glass Privacy Rating



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Glass Privacy Rating



Granite Glass

A coarse grained arrangement with surface detail over the entirety of glass.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Glass Privacy Rating



Classic-Craft®
Collection™
Entry Doors

THERMA TRU
DOORS



INSPIRE

Classic-Craft® American Style Collection™

- Vertical Douglas Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways create a timeless look perfect for Craftsman-inspired Cottage- and Bungalow-style homes.

Classic-Craft® American Style Collection™

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed doors and sidelites.
- Exclusive glass designs.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates re-railing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.


Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

- Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.
- ✚ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



Same-Day® Stain Kit Finish Colors



*Compared to other standard fiberglass doors.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Right Page: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf

Decorative Glass Designs



Black Nickel

Hazelton™ Page 40
Glass Privacy Rating: **7**



Brushed Nickel



Black Nickel

Villager™ Page 40
Glass Privacy Rating: **5**



Brushed Nickel



Black Nickel

Homeward™ Page 40
Glass Privacy Rating: **4**



Brushed Nickel

Also Available:

Privacy Glass Page 41

Low-E Glass Page 42

Glass Privacy Rating Scale




Hazelton™



CCA214 ▲
:: ◆
3'0" x 6'8"

CCA8214 ▲
:: ◆
3'0" x 8'0"



CCA224 ▲
:: ◆
3'0" x 6'8"

CCA8224 ▲
:: ◆
3'0" x 8'0"



CCA234 ▲
:: ◆
3'0" x 6'8"

CCA8234 ▲
:: ◆
3'0" x 8'0"



CCA3404SL ▲
:: ◆
12" x 6'8"
14" x 6'8"

CCA3504SL ▲
:: ◆
12" x 8'0"
14" x 8'0"



CCA214SL ▲
:: ◆
12" x 6'8"
14" x 6'8"




HART :: ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only




HA30T :: ◆
3'0" Door Only

Villager™



CCA212 ▲
:: ◆
3'0" x 6'8"

CCA8212 ▲
:: ◆
3'0" x 8'0"



CCA222 ▲
:: ◆
3'0" x 6'8"

CCA8222 ▲
:: ◆
3'0" x 8'0"



CCA232 ▲
:: ◆
3'0" x 6'8"

CCA8232 ▲
:: ◆
3'0" x 8'0"



CCA3402SL ▲
:: ◆
12" x 6'8"
14" x 6'8"

CCA3502SL ▲
:: ◆
12" x 8'0"
14" x 8'0"



CCA212SL ▲
:: ◆
12" x 6'8"
14" x 6'8"




VGRT :: ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only




VG30T :: ◆
3'0" Door Only

Homeward™



CCA211 ▲
:: ◆
3'0" x 6'8"

CCA8211 ▲
:: ◆
3'0" x 8'0"



CCA221 ▲
:: ◆
3'0" x 6'8"

CCA8221 ▲
:: ◆
3'0" x 8'0"



CCA231 ▲
:: ◆
3'0" x 6'8"

CCA8231 ▲
:: ◆
3'0" x 8'0"




CCA3401SL ▲
:: ◆
12" x 6'8"
14" x 6'8"

CCA3501SL ▲
:: ◆
12" x 8'0"
14" x 8'0"



CCA211SL ▲
:: ◆
12" x 6'8"
14" x 6'8"



HWRT :: ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T :: ◆
3'0" Door Only

Privacy Glass



CCA210XC
CCA210XJ
CCA210XR
CCA210XN
▲
3'0" x 6'8"

CCA8210XC
CCA8210XJ
CCA8210XR
CCA8210XN
▲
3'0" x 8'0"



CCA220XJ
CCA220XC
CCA220XR
CCA220XN
▲
3'0" x 6'8"

CCA8220XJ
CCA8220XC
CCA8220XR
CCA8220XN
▲
3'0" x 8'0"



CCA230XR
CCA230XC
CCA230XJ
CCA230XN
▲
3'0" x 6'8"

CCA8230XR
CCA8230XC
CCA8230XJ
CCA8230XN
▲
3'0" x 8'0"



CCA240XN
CCA240XC
CCA240XJ
CCA240XR
▲
3'0" x 6'8"

CCA8240XN
CCA8240XC
CCA8240XJ
CCA8240XR
▲
3'0" x 8'0"



CCA260XC
CCA260XJ
CCA260XR
CCA260XN
▲
3'0" x 6'8"

CCA8260XC
CCA8260XJ
CCA8260XR
CCA8260XN
▲
3'0" x 8'0"




CCA3400XJSL
CCA3400XCSL
CCA3400XRSL
CCA3400XNSL
▲
12" x 6'8"
14" x 6'8"

CCA3500XJSL
CCA3500XCSL
CCA3500XRSL
CCA3500XNSL
▲
12" x 8'0"
14" x 8'0"




CCA3450XRSL
CCA3450XCSL
CCA3450XJSL
CCA3450XNSL
▲
12" x 6'8"
14" x 6'8"

CCA3560XRSL
CCA3560XCSL
CCA3560XJSL
CCA3560XNSL
▲
12" x 8'0"
14" x 8'0"



CCA210XNSL
CCA210XCSL
CCA210XJSL
CCA210XRSL
▲
12" x 6'8"
14" x 6'8"



CCA220XCSL
CCA220XJSL
CCA220XRSL
CCA220XNSL
▲
12" x 6'8"
14" x 6'8"

Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Features Key

- Simulated Divided Lites (SDL)
- ▲ Flush-Glazed Glass (FG)

Optional Dentil Shelf

Available option for all American Style Collection doors.



4-Block Dentil Shelf




16-Block Dentil Shelf

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass


Low-E Glass



CCA210
3'0" x 6'8"



CCA8210
3'0" x 8'0"



CCA220
3'0" x 6'8"



CCA8220
3'0" x 8'0"



CCA230
3'0" x 6'8"



CCA8230
3'0" x 8'0"



CCA240
3'0" x 6'8"



CCA8240
3'0" x 8'0"



CCA260
3'0" x 6'8"



CCA8260
3'0" x 8'0"



CCA3400SL
12" x 6'8"
14" x 6'8"



CCA3500SL
12" x 8'0"
14" x 8'0"



CCA3450SL
12" x 6'8"
14" x 6'8"



CCA3560SL
12" x 8'0"
14" x 8'0"




CCA210SL
12" x 6'8"
14" x 6'8"



CCA220SL
12" x 6'8"
14" x 6'8"



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems






19200T
3'0" Door Only



Classic-Craft American Style Collection,
Low-E Glass with SDLs, Door – CCA8230,
Sidelites – CCA3500SL, Dentil Shelf

Features Key

-  Simulated Divided Lites (SDL)
-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)

Optional Dentil Shelf

Available option for all American Style Collection doors.



4-Block Dentil Shelf



16-Block Dentil Shelf

Note: See page 231 for important product details that may help with your purchase decision.

Right Page: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA260XC, Sidelites – CCA220XC, Dentil Shelf





Classic-Craft[™]
Collection[™]
Entry Doors

THERMA TRU
DOORS

D R E A M



Classic-Craft[®]

Mahogany Collection[™]

45

- Rich, warm Mahogany wood tones.

Especially suited to European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Matching fiberglass lite frames.
- Exclusive glass designs.

Heavier Construction


- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates re-railing to fit 80"-82-1/2" and 96"-98-1/2" rough openings.



Same-Day® Stain Kit Finish Colors



Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.

- 6 Many Classic-Craft solid panel doors are available with options to upgrade from WBDR- (Wind-Borne Debris Region) to HVHZ- (High Velocity Hurricane Zone) compliant.**
- 🔥 Fire-rated options available on solid panel doors. See page 195.
- ⊕ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

*Compared to other standard fiberglass doors.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL

Decorative Glass Designs



Brass



Brushed Nickel

Black Nickel

Arcadia[™] Page 48
Glass Privacy Rating: **5**



Brushed Nickel

Black Nickel

Ashurst[™] Page 48
Glass Privacy Rating: **8**



Bronze Waterglass /
Brushed Nickel



Granite Glass /
Black Nickel



Granite Glass /
Brushed Nickel

Bronze Waterglass /
Black Nickel

Bella[™] Page 49
Glass Privacy Rating: **6**



Brushed Nickel

Black Nickel

Longford[™] Page 50
Glass Privacy Rating: **8**



Brushed Nickel

Black Nickel

Lucerna[®] Page 50
Glass Privacy Rating: **7**

Also Available:

Privacy Glass Page 51

Low-E Glass Page 52

Glass Privacy Rating Scale



Arcadia[™]



CCM109
❖ ❖ ❖
3'0" x 6'8"

CCM209
❖ ❖ ❖
3'0" x 6'8"

CCM894
❖ ❖ ❖
3'0" x 8'0"

CCM309
❖ ❖ ❖
3'0" x 6'8"

CCM409
❖ ❖ ❖
3'0" x 6'8"

CCM509
❖ ❖ ❖
3'0" x 6'8"

CCM609
❖ ❖ ❖
3'0" x 6'8"

CCM709
❖ ❖ ❖
3'0" x 6'8"



CCM809
❖ ❖ ❖
3'0" x 6'8"

CCM3409SL
❖ ❖ ❖
12" x 6'8"
14" x 6'8"

CCM8003SL
❖ ❖ ❖
12" x 8'0"
14" x 8'0"

CCM3309SL
❖ ❖ ❖
10" x 6'8"
12" x 6'8"
14" x 6'8"

CCM3509SL
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



ARHRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T ❖ ❖ ❖
3'0" Door Only

Ashurst[™]



CCM105
❖ ❖
3'0" x 6'8"

CCM205
❖ ❖
3'0" x 6'8"

CCM893
❖ ❖
3'0" x 8'0"

CCM305
❖ ❖
3'0" x 6'8"

CCM405
❖ ❖
3'0" x 6'8"

CCM505
❖ ❖
3'0" x 6'8"

CCM605
❖ ❖
3'0" x 6'8"

CCM705
❖ ❖
3'0" x 6'8"



CCM805
◆ ◆
3'0" x 6'8"

CCM3405SL ◆
◆ ◆
12" x 6'8"
14" x 6'8"

CCM8002SL ◆
◆ ◆
12" x 8'0"
14" x 8'0"

CCM3305SL ◆
◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"

CCM3505SL ◆
◆ ◆
12" x 6'8"
14" x 6'8"

ASHRT ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

ASRT ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

ASET ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

AS30T ◆ ◆
3'0" Door Only

Bella[™]

Note: Shown in bronze waterglass with black nickel caming.



CCM110B
■ ■
CCM110G
● ●
3'0" x 6'8"

CCM210B
■ ■
CCM210G
● ●
3'0" x 6'8"


CCM895B
■ ■
CCM895G
● ●
3'0" x 8'0"

CCM310B
■ ■
CCM310G
● ●
3'0" x 6'8"

CCM610B
■ ■
CCM610G
● ●
3'0" x 6'8"

CCM710B
■ ■
CCM710G
● ●
3'0" x 6'8"

CCM810B
■ ■
CCM810G
● ●
3'0" x 6'8"



CCM3410BSL ◆
■ ■
CCM3410GSL ◆
● ●
12" x 6'8"
14" x 6'8"

CCM8004BSL ◆
■ ■
CCM8004GSL ◆
● ●
12" x 8'0"
14" x 8'0"

CCM3310BSL ◆
■ ■
CCM3310GSL ◆
● ●
10" x 6'8"
12" x 6'8"
14" x 6'8"

CCM3510BSL ◆
■ ■
CCM3510GSL ◆
● ●
12" x 6'8"
14" x 6'8"

BEET-B / BEET-G ◆ ■ ■ ● ●
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

BERT-B / BERT-G ◆ ■ ■ ● ●
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- ■ Bronze Waterglass / Brushed Nickel Caming (1C)
- ■ Bronze Waterglass / Black Nickel Caming (1D)

- ● Granite Glass / Brushed Nickel Caming (1C)
- ● Granite Glass / Black Nickel Caming (1D)

Features Key

- ◆ Flush-Glazed Glass (FG)

Longford[™]



CCM103
◆
3'0" x 6'8"



CCM203
◆
3'0" x 6'8"



CCM892
◆
3'0" x 8'0"



CCM303
◆
3'0" x 6'8"



CCM403
◆
3'0" x 6'8"



CCM503
◆
3'0" x 6'8"



CCM603
◆
3'0" x 6'8"



CCM703
◆
3'0" x 6'8"



CCM803
◆
3'0" x 6'8"



CCM3403SL ◆
◆
12" x 6'8"
14" x 6'8"



CCM8001SL ◆
◆
12" x 8'0"
14" x 8'0"



CCM3303SL ◆
◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3503SL ◆
◆
12" x 6'8"
14" x 6'8"



LFHRT ◆◆
◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFRT ◆◆
◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFFET ◆◆
◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFF30T ◆◆
◆◆
3'0" Door Only

Lucerna[®]



CCM10022
◆
3'0" x 6'8"



CCM204
◆
3'0" x 6'8"



CCM898
◆
3'0" x 8'0"



CCM302
◆
3'0" x 6'8"




CCM612
◆
3'0" x 6'8"



CCM702
◆
3'0" x 6'8"



CCM822
◆
3'0" x 6'8"



CCM3412SL ▲ CCM8102SL ▲ CCM3302SL ▲ CCM3502SL ▲
 ■ ■ 12" x 6'8" ■ ■ 12" x 8'0" ■ ■ 10" x 6'8" ■ ■ 12" x 6'8"
 ■ ■ 14" x 6'8" ■ ■ 14" x 8'0" ■ ■ 12" x 6'8" ■ ■ 14" x 6'8"
 ■ ■ 14" x 6'8"




LCVRT ■ ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



LCRT ■ ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LCET ■ ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LC30T ■ ■ ◆
 3'0" Door Only

Privacy Glass



CCM100XC
 CCM100XJ
 CCM100XR
 CCM100XN
 3'0" x 6'8"

CCM200XJ
 CCM200XC
 CCM200XR
 CCM200XN
 3'0" x 6'8"

CCM891XR
 CCM891XC
 CCM891XJ
 CCM891XN
 3'0" x 8'0"

CCM300XN
 CCM300XC
 CCM300XJ
 CCM300XR
 3'0" x 6'8"

CCM600XC
 CCM600XJ
 CCM600XR
 CCM600XN
 3'0" x 6'8"

CCM3400XJSL
 CCM3400XCGL
 CCM3400XRSL
 CCM3400XNSL
 ▲ 12" x 6'8"
 14" x 6'8"

CCM8000XRSL
 CCM8000XCGL
 CCM8000XJSL
 CCM8000XNSL
 ▲ 12" x 8'0"
 14" x 8'0"

Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Features Key

- ▲ Flush-Glazed Glass (FG)

Privacy Glass


The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

Low-E Glass



CCM100 * 3'0" x 6'8"
 CCM200 * 3'0" x 6'8"
 CCM891 * 3'0" x 8'0"
 CCM300 * 3'0" x 6'8"
 CCM400 * 3'0" x 6'8"
 CCM500 * 3'0" x 6'8"
 CCM600 * 3'0" x 6'8"
 CCM700 * 3'0" x 6'8"



CCM800 * 3'0" x 6'8"
 CCM3400SL * 12" x 6'8"
 CCM8000SL * 12" x 8'0"
 CCM3300SL * 10" x 6'8"
 CCM3500SL * 12" x 6'8"
 DLHRT * 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 19220T * 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 19020T * 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 19200T * 3'0" Door Only

Solid Panel



CCM890 6 3'0" x 8'0"
 CCM60 6 3'0" x 6'8"
 CCM701 6 3'0" x 6'8"
 CCM801 3'0" x 6'8"

Options Key

6 WBDR / HVHZ

Features Key

* Low-E Glass (LE)
 ▲ Flush-Glazed Glass (FG)

Note: See page 231 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Mahogany Collection, Bella Bronze Waterglass, Door – CCM110B, Sidelites – CCM3410BSL





Classic-Craft®
Collection™
Entry Doors

THERMA TRU
DOORS

BEAUTY

Classic-Craft®

Rustic

Collection™

- Casually elegant wood graining.

Designed to complement American Southwest or Tuscan-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and Tuscan styling with rustic wood grains to evoke Old World charm.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Matching fiberglass lite frames.
- Exclusive glass designs.

Heavier Construction


- 20% heavier construction.*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability eliminates re-railing to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.



Same-Day® Stain Kit Finish Colors



Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.

- 6 Many Classic-Craft solid panel doors are available with options to upgrade from WBDR- (Wind-Borne Debris Region) to HVHZ- (High Velocity Hurricane Zone) compliant.**
- 🔥 Fire-rated options available on solid panel doors. See page 195.
- ⊕ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

*Compared to other standard fiberglass doors.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Decorative Glass Designs



Black Nickel



Brass



Brushed Nickel

Arcadia™ Page 58
Glass Privacy Rating: **5**



Wrought Iron

Augustine™ Page 58
Glass Privacy Rating: **10**



Black Nickel



Brushed Nickel

Ashurst™ Page 59
Glass Privacy Rating: **8**



Bronze Waterglass /
Black Nickel

Bella™ Page 59
Glass Privacy Rating: **6**



Bronze Waterglass /
Brushed Nickel



Granite Glass /
Black Nickel



Granite Glass /
Brushed Nickel



Black Nickel

Provincial™ Page 60
Glass Privacy Rating: **6**



Brass



Brushed Nickel



Black Nickel

Longford™ Page 60
Glass Privacy Rating: **8**



Brushed Nickel



NEW Black Nickel

Cambridge™ Page 60
Glass Privacy Rating: **8**



Brass



Brushed Nickel



Black Nickel

Lucerna™ Page 61
Glass Privacy Rating: **7**




Brushed Nickel

Also Available:

Privacy Glass Page 61


Low-E Glass Page 62

Glass Privacy Rating Scale



Arcadia[™]

Note: For transom options, see page 81.



CCR30029
❖ ❖ ❖
3'0" x 6'8"

CCR04029
❖ ❖ ❖
3'0" x 6'8"

CCR804029
❖ ❖ ❖
3'0" x 8'0"

CCR20529
❖ ❖ ❖
3'0" x 6'8"

CCR820529
❖ ❖ ❖
3'0" x 8'0"

CCR20029
❖ ❖ ❖
3'0" x 6'8"

CCR820029
❖ ❖ ❖
3'0" x 8'0"

CCR3409SL
❖ ❖ ❖
12" x 6'8"
14" x 6'8"

CCR8009SL
❖ ❖ ❖
12" x 8'0"
14" x 8'0"

Augustine[®]

Note: Product images show exterior side of door.



CCR30027
✗
3'0" x 6'8"

CCR04027
✗
3'0" x 6'8"

CCR804027
✗
3'0" x 8'0"

CCR04037
✗
3'0" x 6'8"

CCR804037
✗
3'0" x 8'0"
3'6" x 8'0"

CCR04037A
✗
3'0" x 6'8"

CCR804037A
✗
3'0" x 8'0"
3'6" x 8'0"

CCR20527
✗
3'0" x 6'8"

CCR820527
✗
3'0" x 8'0"



CCR20537
✗
3'0" x 6'8"

CCR820537
✗
3'0" x 8'0"
3'6" x 8'0"

CCR20537A
✗
3'0" x 6'8"

CCR820537A
✗
3'0" x 8'0"
3'6" x 8'0"

CCR20027
✗
3'0" x 6'8"

CCR820027
✗
3'0" x 8'0"

CCR20037
✗
3'0" x 6'8"

CCR820037
✗
3'0" x 8'0"

CCR20037A
✗
3'0" x 6'8"

CCR820037A
✗
3'0" x 8'0"

Ashurst™

Note: For transom options, see page 83.



CCR30025
◆
3'0" x 6'8"

CCR04025
◆
3'0" x 6'8"

CCR804025
◆
3'0" x 8'0"

CCR804035
◆
3'0" x 8'0"

CCR804035A
◆
3'0" x 8'0"

CCR20525
◆
3'0" x 6'8"

CCR820525
◆
3'0" x 8'0"

CCR820535
◆
3'0" x 8'0"

CCR820535A
◆
3'0" x 8'0"



CCR20025
◆
3'0" x 6'8"

CCR820025
◆
3'0" x 8'0"

CCR820035
◆
3'0" x 8'0"

CCR820035A
◆
3'0" x 8'0"

CCR3405SL
▲
12" x 6'8"
14" x 6'8"

CCR8001SL
▲
12" x 8'0"
14" x 8'0"

Bella™

Note: Shown in bronze waterglass with black nickel caming. For transom options, see page 83.



CCR30024B
■
CCR30024G
●
3'0" x 6'8"

CCR04024B
■
CCR04024G
●
3'0" x 6'8"

CCR804024B
■
CCR804024G
●
3'0" x 8'0"

CCR20524B
■
CCR20524G
●
3'0" x 6'8"

CCR820524B
■
CCR820524G
●
3'0" x 8'0"

CCR20024B
■
CCR20024G
●
3'0" x 6'8"

CCR820024B
■
CCR820024G
●
3'0" x 8'0"

CCR3410BSL
▲
CCR3410GSL
▲
12" x 6'8"
14" x 6'8"

CCR8010BSL
▲
CCR8010GSL
▲
12" x 8'0"
14" x 8'0"

Options Key

- ◆ Brass Caming (1A)
- Bronze Waterglass / Brushed Nickel Caming (1C)
- Bronze Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

Features Key

- ▲ Flush-Glazed Glass (FG)
- ✕ Wrought Iron (1W)

Provincial[™]

Note: For transom options, see page 84.



CCR30028
❖ ❖ ❖
3'0" x 6'8"



CCR04028
❖ ❖ ❖
3'0" x 6'8"



CCR804028
❖ ❖ ❖
3'0" x 8'0"



CCR20528
❖ ❖ ❖
3'0" x 6'8"



CCR820528
❖ ❖ ❖
3'0" x 8'0"



CCR20028
❖ ❖ ❖
3'0" x 6'8"



CCR820028
❖ ❖ ❖
3'0" x 8'0"



CCR3408SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



CCR8008SL ▲
❖ ❖ ❖
12" x 8'0"
14" x 8'0"

Longford[™]

Note: For transom options, see page 85.



CCR30023
❖ ❖
3'0" x 6'8"



CCR04023
❖ ❖
3'0" x 6'8"



CCR804023
❖ ❖
3'0" x 8'0"



CCR20523
❖ ❖
3'0" x 6'8"



CCR820523
❖ ❖
3'0" x 8'0"



CCR20023
❖ ❖
3'0" x 6'8"



CCR820023
❖ ❖
3'0" x 8'0"



CCR3407SL ▲
❖ ❖
12" x 6'8"
14" x 6'8"



CCR8007SL ▲
❖ ❖
12" x 8'0"
14" x 8'0"

Cambridge[™]

Note: For transom options, see page 85.



CCR30026
❖ ❖ ❖
3'0" x 6'8"



CCR04026
❖ ❖ ❖
3'0" x 6'8"



CCR804026
❖ ❖ ❖
3'0" x 8'0"



CCR20526
❖ ❖ ❖
3'0" x 6'8"



CCR820526
❖ ❖ ❖
3'0" x 8'0"



CCR20026
❖ ❖ ❖
3'0" x 6'8"



CCR820026
❖ ❖ ❖
3'0" x 8'0"



CCR3406SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



CCR8006SL ▲
❖ ❖ ❖
12" x 8'0"
14" x 8'0"

Lucerna

Note: For transom options, see page 86.



CCR10022
◆
3'0" x 6'8"

CCR04022
◆
3'0" x 6'8"

CCR804022
◆
3'0" x 8'0"

CCR20522
◆
3'0" x 6'8"

CCR820522
◆
3'0" x 8'0"

CCR20022
◆
3'0" x 6'8"

CCR820022
◆
3'0" x 8'0"

CCR820532
◆
3'0" x 8'0"



CCR820532A
◆
3'0" x 8'0"

CCR820032
◆
3'0" x 8'0"

CCR820032A
◆
3'0" x 8'0"

CCR804032
◆
3'0" x 8'0"

CCR804032A
◆
3'0" x 8'0"

CCR3412SL
◆
12" x 6'8"
14" x 6'8"

CCR8102SL
◆
12" x 8'0"
14" x 8'0"

Privacy Glass



CCR30020XC
CCR30020XJ
CCR30020XR
CCR30020XN
3'0" x 6'8"

CCR04020XJ
CCR04020XC
CCR04020XR
CCR04020XN
3'0" x 6'8"

CCR804020XJ
CCR804020XC
CCR804020XR
CCR804020XN
3'0" x 8'0"

CCR20520XR
CCR20520XC
CCR20520XJ
CCR20520XN
3'0" x 6'8"

CCR820520XR
CCR820520XC
CCR820520XJ
CCR820520XN
3'0" x 8'0"

CCR20020XN
CCR20020XC
CCR20020XJ
CCR20020XR
3'0" x 6'8"

CCR820020XN
CCR820020XC
CCR820020XJ
CCR820020XR
3'0" x 8'0"

CCR804030XC
CCR804030XJ
CCR804030XR
CCR804030XN
3'0" x 8'0"

CCR820530XJ
CCR820530XC
CCR820530XR
CCR820530XN
3'0" x 8'0"

Privacy Glass *Continues on next page.*

Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Features Key

- ◆ Flush-Glazed Glass (FG)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

Privacy Glass *Continued*



CCR820030XR
CCR820030XC
CCR820030XJ
CCR820030XN
3'0" x 8'0"



CCR804030AXN
CCR804030AXC
CCR804030AXJ
CCR804030AXR
3'0" x 8'0"



CCR820530AXC
CCR820530AXJ
CCR820530AXR
CCR820530AXN
3'0" x 8'0"



CCR820030AXJ
CCR820030AXC
CCR820030AXR
CCR820030AXN
3'0" x 8'0"



CCR3400XRSL	CCR8000XRSL
CCR3400XCSL	CCR8000XCSL
CCR3400XJSL	CCR8000XJSL
CCR3400XNSL	CCR8000XNSL
🔥	🔥
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Low-E Glass

Note: For transom options, see page 89.



CCR30020 *
3'0" x 6'8"



CCR04020 *
3'0" x 6'8"




CCR804020 *
3'0" x 8'0"



CCR804030 *
3'0" x 8'0"



CCR804030A *
3'0" x 8'0"



CCR20520 *
3'0" x 6'8"




CCR820520 *
3'0" x 8'0"

CCR820530 *
3'0" x 8'0"

CCR820530A *
3'0" x 8'0"



CCR20020 *
3'0" x 6'8"



CCR820020 *
3'0" x 8'0"




CCR820030 *
3'0" x 8'0"



CCR820030A *
3'0" x 8'0"

CCR3400SL	CCR8000SL
🔥	🔥
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Solid Panel



CCR205 6
3'0" x 6'8"

CCR8205 6
3'0" x 8'0"
3'6" x 8'0"



CCR205A
3'0" x 6'8"

CCR8205A
3'0" x 8'0"
3'6" x 8'0"



CCR8225 6
3'0" x 8'0"
3'6" x 8'0"



CCR8225R
3'0" x 8'0"
3'6" x 8'0"



CCR8005 6
3'0" x 8'0"



CCR8005A
3'0" x 8'0"



CCR040 6
3'0" x 6'8"

CCR8040 6
3'0" x 8'0"
3'6" x 8'0"



CCR040R
3'0" x 6'8"

CCR8040R
3'0" x 8'0"
3'6" x 8'0"



CCR200 6
3'0" x 6'8"

CCR8200 6
3'0" x 8'0"



CCR200A
3'0" x 6'8"

CCR8200A
3'0" x 8'0"



CCR8220 6
3'0" x 8'0"



CCR8220R
3'0" x 8'0"



CCR100
3'0" x 6'8"
3'6" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"



CCR100A
3'0" x 6'8"
3'6" x 6'8"

CCR8100A
3'0" x 8'0"
3'6" x 8'0"



CCR100R
3'0" x 6'8"
3'6" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"

Options Key

6 WBDR / HVHZ

Features Key

☀ Low-E Glass (LE)

🔹 Flush-Glazed Glass (FG)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

XC = Chord Glass

XR = Rainglass

XJ = Chinchilla Glass

XN = Granite Glass



Optional Decorative Hardware



Clavos & Strap Hinges

Decorative hardware in an authentic hand-forged black finish look. Includes round and pyramid clavos, available in three sizes, and 18" long strap hinges.







Classic-Craft[™]
Collection[™]
Entry Doors

THERMA-TRU[®]
DOORS

STRIKING

Classic-Craft®

Oak

Collection™

- Warm, White Oak grain.

With warm, White Oak wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with traditional styling.

Classic-Craft® Oak Collection™

Features warm, White Oak wood grains for the look of classic Oak, suitable for homes with traditional styling.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Matching fiberglass lite frames.
- Exclusive glass designs.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates re-railing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.






Same-Day® Stain Kit Finish Colors



Finish Options

Classic-Craft Oak entryways can be stained or painted any color.

- 
 Many Classic-Craft solid panel doors are available with options to upgrade from WBDR- (Wind-Borne Debris Region) to HVHZ- (High Velocity Hurricane Zone) compliant.**
- 
 Fire-rated options available on solid panel doors. See page 195.
- 
 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

*Compared to other standard fiberglass doors.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Right Page: Classic-Craft Oak Collection, Granite Glass, Door – CC90XN, Sidelites – CC2020XNSL

Decorative Glass Designs



Brass



Brushed Nickel

Black Nickel

Arcadia™ Page 70
Glass Privacy Rating: **5**



Bronze Waterglass /
Brushed Nickel



Granite Glass /
Black Nickel



Granite Glass /
Brushed Nickel

Bronze Waterglass /
Black Nickel

Bella™ Page 70
Glass Privacy Rating: **6**



Brass



Brushed Nickel

Black Nickel

Provincial™ Page 71
Glass Privacy Rating: **6**



Brass



Brushed Nickel

NEW Black Nickel

Cambridge™ Page 72
Glass Privacy Rating: **8**



Brushed Nickel

Black Nickel

Lucerna® Page 73
Glass Privacy Rating: **7**

Also Available:

Privacy Glass Page 73

Low-E Glass Page 74

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10
Clear Opaque



Arcadia™



CC109
❖ ❖ ❖
3'0" x 6'8"



CC889
❖ ❖ ❖
3'0" x 8'0"



CC99 | CC899
❖ ❖ ❖ | ❖ ❖ ❖
3'0" x 6'8" | 3'0" x 8'0"



CC839
❖ ❖ ❖
3'0" x 8'0"



CC59
❖ ❖ ❖
3'0" x 6'8"



CC45
❖ ❖ ❖
2'8" x 6'8"
3'0" x 6'8"



CC39
❖ ❖ ❖
3'0" x 6'8"



CC79
❖ ❖ ❖
3'0" x 6'8"



CC879
❖ ❖ ❖
3'0" x 8'0"



CC19
❖ ❖ ❖
3'0" x 6'8"



CC29
❖ ❖ ❖
3'0" x 6'8"



CC2060SL ▲ | CC8009SL ▲
❖ ❖ ❖ | ❖ ❖ ❖
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



CC2279SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



CC2160SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



CC1019SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



ARHRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC060T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T ❖ ❖ ❖
3'0" Door Only

Bella™

Note: Shown in bronze waterglass with black nickel caming.



CC111B
■ ■ ■
CC111G
● ● ●
3'0" x 6'8"




CC902B
■ ■ ■
CC902G
● ● ●
3'0" x 8'0"



CC114B
■ ■ ■ | CC901B
■ ■ ■ | CC901G
● ● ●
3'0" x 6'8" | 3'0" x 8'0"



CC900B
■ ■ ■
CC900G
● ● ●
3'0" x 8'0"



CC110B
■ ■ ■
CC110G
● ● ●
3'0" x 6'8"



CC113B
■ ■ ■
CC113G
● ● ●
3'0" x 6'8"



CC112B
■ ■ ■
CC112G
● ● ●
3'0" x 6'8"



CC2080BSL ▲ CC8010BSL ▲
 CC2080GSL ▲ CC8010GSL ▲
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



BEBHT / BEGHT ■ ■ ■ ● ● ●
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BEET-B / BEET-G ■ ■ ■ ● ● ●
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



BERT-B / BERT-G ■ ■ ■ ● ● ●
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Provincial™



CC107
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC887
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 8'0"

CC97
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC897
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 8'0"

CC837
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 8'0"

CC57
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC47
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 3'0" x 6'8"

CC37
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"



CC77
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC877
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 8'0"

CC17
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC27
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" x 6'8"

CC2040SL ▲
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

CC8007SL ▲
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

CC2277SL ▲
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

CC2140SL ▲
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

CC1017SL ▲
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

Provincial Glass Continues on next page.

Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- Bronze Waterglass / Brushed Nickel Caming (1C)
- Bronze Waterglass / Black Nickel Caming (1D)

- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

Features Key

- ▲ Flush-Glazed Glass (FG)

Provincial™ *Continued*



PRHRT ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC040T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC420T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC400T ❖ ❖ ❖
 3'0" Door Only

Cambridge™



CC106
 ❖ ❖ ❖
 3'0" x 6'8"



CC886
 ❖ ❖ ❖
 3'0" x 8'0"



CC96
 ❖ ❖ ❖
 3'0" x 6'8"

CC896
 ❖ ❖ ❖
 3'0" x 8'0"



CC836
 ❖ ❖ ❖
 3'0" x 8'0"



CC58
 ❖ ❖ ❖
 3'0" x 6'8"



CC44
 ❖ ❖ ❖
 2'8" x 6'8"
 3'0" x 6'8"



CC36
 ❖ ❖ ❖
 3'0" x 6'8"



CC76
 ❖ ❖ ❖
 3'0" x 6'8"



CC876
 ❖ ❖ ❖
 3'0" x 8'0"



CC16
 ❖ ❖ ❖
 3'0" x 6'8"



CC26
 ❖ ❖ ❖
 3'0" x 6'8"




CC2044SL ▲
 ❖ ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"

CC8006SL ▲
 ❖ ❖ ❖ ❖
 12" x 8'0"
 14" x 8'0"



CC2276SL ▲
 ❖ ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"



CC2144SL ▲
 ❖ ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"



CC1016SL ▲
 ❖ ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"



CBHRT ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC090T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC920T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC900T ❖ ❖ ❖
 3'0" Door Only

Lucerna®



CC10022 ♦ ♦ ♦ 3'0" x 6'8"
CC881 ♦ ♦ ♦ 3'0" x 8'0"
CC922 ♦ ♦ ♦ 3'0" x 6'8" | **CC898** ♦ ♦ ♦ 3'0" x 8'0"
CC833 ♦ ♦ ♦ 3'0" x 8'0"
CC612 ♦ ♦ ♦ 3'0" x 6'8"
CC78 ♦ ♦ ♦ 3'0" x 6'8"
CC822 ♦ ♦ ♦ 3'0" x 6'8"



CC3412SL ▲ ♦ ♦ 12" x 6'8"
CC8102SL ▲ ♦ ♦ 12" x 8'0"
CC2272SL ▲ ♦ ♦ 12" x 6'8"
CC2122SL ▲ ♦ ♦ 12" x 6'8"
CC3502SL ▲ ♦ ♦ 12" x 6'8"
CC3502SL ▲ ♦ ♦ 14" x 6'8"



LCVRT ♦ ♦ ♦
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



LCRT ♦ ♦ ♦
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LCET ♦ ♦ ♦
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LC30T ♦ ♦ ♦
 3'0" Door Only

Privacy Glass with Divided Lites



CC102XC
CC102XJ
CC102XR
CC102XN
 > 3'0" x 6'8"
CC882XJ
CC882XC
CC882XR
CC882XN
 > 3'0" x 8'0"
CC92XR
CC92XC
CC92XJ
CC92XN
 > 3'0" x 6'8"
CC892XR
CC892XC
CC892XJ
CC892XN
 > 3'0" x 8'0"
CC49XN
CC49XC
CC49XJ
CC49XR
 > 3'0" x 6'8"
CC832XC
CC832XJ
CC832XR
CC832XN
 > 3'0" x 8'0"
CC2025XCSSL
CC2025XJSL
CC2025XRSL
CC2025XNSL
 > 12" x 6'8"
 > 14" x 6'8"

- Options Key**
- ♦ Brass Caming (1A)
 - ♦♦ Brushed Nickel Caming (1C)
 - ♦♦♦ Black Nickel Caming (1D)

- Features Key**
- ▲ Flush-Glazed Glass (FG)
 - > Removable Wood Grilles (RG)

- Privacy Glass**
- The first style number listed under each image matches the privacy glass option shown.
- XC = Chord Glass** **XR = Rainglass**
XJ = Chinchilla Glass **XN = Granite Glass**

Privacy Glass


<p>CC100XJ CC100XC CC100XR CC100XN 3'0" x 6'8"</p>	<p>CC880XR CC880XC CC880XJ CC880XN 3'0" x 8'0"</p>	<p>CC90XN CC90XC CC90XJ CC90XR 3'0" x 6'8"</p>	<p>CC890XN CC890XC CC890XJ CC890XR 3'0" x 8'0"</p>	<p>CC48XC CC48XJ CC48XR CC48XN 3'0" x 6'8"</p>	<p>CC830XJ CC830XC CC830XR CC830XN 3'0" x 8'0"</p>	<p>CC20XR CC20XC CC20XJ CC20XN 3'0" x 6'8"</p>	<p>CC2020XNSL CC2020XCSSL CC2020XJSL CC2020XRSL ▲ 12" x 6'8" ▲ 14" x 6'8"</p>	<p>CC8000XNSL CC8000XCSSL CC8000XJSL CC8000XRSL ▲ 12" x 8'0" ▲ 14" x 8'0"</p>
--	--	--	--	--	--	--	---	---

Low-E Glass with Divided Lites

<p>CC102 ★ > 3'0" x 6'8"</p>	<p>CC882 ★ > 3'0" x 8'0"</p>	<p>CC92 ★ > 3'0" x 6'8"</p>	<p>CC892 ★ > 3'0" x 8'0"</p>	<p>CC49 ★ > 2'8" x 6'8" > 3'0" x 6'8"</p>	<p>CC832 ★ > 3'0" x 8'0"</p>	<p>CC2025SL ★ ▲ > 12" x 6'8" > 14" x 6'8"</p>	<p>19020T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only Grille Sticks Applied</p>	<p>19220T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only Grille Sticks Applied</p>	<p>19200T ★ 3'0" Door Only Grille Sticks Applied</p>
-------------------------------------	-------------------------------------	------------------------------------	-------------------------------------	---	-------------------------------------	---	--	--	--

Low-E Glass

<p>CC100 ★ 3'0" x 6'8"</p>	<p>CC880 ★ 3'0" x 8'0"</p>	<p>CC90 ★ 3'0" x 6'8"</p>	<p>CC890 ★ 3'0" x 8'0"</p>	<p>CC50 ★ 3'0" x 6'8"</p>	<p>CC48 ★ 2'8" x 6'8" 3'0" x 6'8"</p>	<p>CC830 ★ 3'0" x 8'0"</p>	<p>CC30 ★ 3'0" x 6'8"</p>
--------------------------------	--------------------------------	-------------------------------	--------------------------------	-------------------------------	---	--------------------------------	-------------------------------



CC70 *
3'0" x 6'8"

CC870 *
3'0" x 8'0"

CC10 *
3'0" x 6'8"

CC811 *
3'0" x 8'0"
3'6" x 8'0"

CC20 *
3'0" x 6'8"

CC61 *
3'0" x 6'8"

CC2020SL ▲ *
12" x 6'8"
14" x 6'8"

CC8000SL ▲ *
12" x 8'0"
14" x 8'0"



CC2270SL ▲ *
12" x 6'8"
14" x 6'8"

CC2120SL ▲ *
12" x 6'8"
14" x 6'8"

CC1010SL ▲ *
12" x 6'8"
14" x 6'8"



DLHRT *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T *
3'0" Door Only

Solid Panel



CC91
3'0" x 6'8"

CC831
3'0" x 8'0"

CC40
3'6" x 6'8"

CC11
3'0" x 6'8"

CC810
3'0" x 8'0"
3'6" x 8'0"

CC60
2'8" x 6'8"
3'0" x 6'8"

CC860
3'6" x 8'0"

Options Key

WBDR / HVHZ

Features Key

- ★ Low-E Glass (LE)
- ▲ Flush-Glazed Glass (FG)
- Removable Wood Grilles (RG)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass



EXCLUSIVE



Classic-Craft®

Canvas

Collection®

- Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

Classic-Craft® Canvas Collection®

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



Architectural Character

- Architecturally correct design – up to 25% wider panels.
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Matching fiberglass lite frames.
- Exclusive glass designs.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates re-railing to fit 80"-82-1/2" and 96"-98-1/2" rough openings.

Finish Options

Classic-Craft Canvas entryways can be painted any color.

Many Classic-Craft solid panel doors are available with options to upgrade from WBDR- (Wind-Borne Debris Region) to HVHZ- (High Velocity Hurricane Zone) compliant.**

Fire-rated options available on solid panel doors. See page 195.

Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



Decorative Glass Designs



Black Nickel



Brushed Nickel



Black Nickel



Brushed Nickel



Black Nickel



Brushed Nickel

Hazelton™ Page 80
Glass Privacy Rating: **7**

Villager™ Page 80
Glass Privacy Rating: **5**

Homeward™ Page 80
Glass Privacy Rating: **4**

*Compared to other standard fiberglass doors.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.



Brass



Brushed Nickel

Black Nickel

Arcadia™ Page 81
Glass Privacy Rating: **5**



Wrought Iron

Augustine® Page 82
Glass Privacy Rating: **10**



Black Nickel



Brushed Nickel

Ashurst™ Page 82
Glass Privacy Rating: **8**



Bronze Waterglass /
Black Nickel

Bella™ Page 83
Glass Privacy Rating: **6**



Bronze Waterglass /
Brushed Nickel



Granite Glass /
Black Nickel



Granite Glass /
Brushed Nickel



Black Nickel


Provincial™ Page 84
Glass Privacy Rating: **6**



Brass



Brushed Nickel



Black Nickel

Longford™ Page 84
Glass Privacy Rating: **8**



Brushed Nickel



NEW Black Nickel

Cambridge™ Page 85
Glass Privacy Rating: **8**



Brass



Brushed Nickel



Black Nickel

Lucerna® Page 86
Glass Privacy Rating: **7**



Brushed Nickel

Also Available:

Privacy Glass Page 86

Low-E Glass Page 88

Glass Privacy Rating Scale



Hazelton™



CCV914 ▲
 :: ◆
 3'0" x 6'8"



CCV924 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV934 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV914SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



CCV8114SL ▲
 :: ◆
 12" x 8'0"
 14" x 8'0"



CCV9014SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



HART :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



HA30T :: ◆
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Villager™



CCV912 ▲
 :: ◆
 3'0" x 6'8"



CCV922 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV932 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV912SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



CCV8112SL ▲
 :: ◆
 12" x 8'0"
 14" x 8'0"



CCV9012SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



VGRT :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



VG30T :: ◆
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Homeward™



CCV911 ▲
 :: ◆
 3'0" x 6'8"



CCV921 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV931 ▲ ■
 :: ◆
 3'0" x 6'8"



CCV911SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



CCV8111SL ▲
 :: ◆
 12" x 8'0"
 14" x 8'0"



CCV9011SL ▲
 :: ◆
 12" x 6'8"
 14" x 6'8"



HWRT :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



HW30T :: ◆
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Arcadia™



CCV10029
 ❖ ❖ ❖
 3'0" x 6'8"



CCV05029 | CCV805029
 ❖ ❖ ❖ | ❖ ❖ ❖
 3'0" x 6'8" | 3'0" x 8'0"



CCV20529 | CCV820529
 ❖ ❖ ❖ | ❖ ❖ ❖
 3'0" x 6'8" | 3'0" x 8'0"



CCV22029 | CCV822029
 ❖ ❖ ❖ | ❖ ❖ ❖
 3'0" x 6'8" | 3'0" x 8'0"



CCV45529
 ❖ ❖ ❖
 3'0" x 6'8"



CCV06029 | CCV806029
 ❖ ❖ ❖ | ❖ ❖ ❖
 3'0" x 6'8" | 3'0" x 8'0"



CCV803029
 ❖ ❖ ❖
 3'0" x 8'0"



CCV109SL ▲ | CCV8109SL ▲
 ❖ ❖ ❖ | ❖ ❖ ❖
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



ARHRT ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC620T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC060T ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC600T ❖ ❖ ❖
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.



Options Key

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)

Features Key

- 🔲 Simulated Divided Lites (SDL)
- 🔴 Flush-Glazed Glass (FG)

Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Augustine

Note: Product images show exterior side of door.



CCV10027
X
3'0" x 6'8"



CCV05027
X
3'0" x 6'8"




CCV805027
X
3'0" x 8'0"



CCV20527
X
3'0" x 6'8"



CCV820527
X
3'0" x 8'0"




CCV22027
X
3'0" x 6'8"



CCV822027
X
3'0" x 8'0"




CCV45527
X
3'0" x 6'8"



CCV20537
X
3'0" x 6'8"



CCV820537
X
3'0" x 8'0"



CCV45537
X
3'0" x 6'8"



CCV20537A
X
3'0" x 6'8"




CCV820537A
X
3'0" x 8'0"



CCV45537A
X
3'0" x 6'8"



CCV803027
X
3'0" x 8'0"



CCV806027
X
3'0" x 8'0"

Ashurst™



CCV10025
◆◆
3'0" x 6'8"



CCV05025
◆◆
3'0" x 6'8"



CCV805025
◆◆
3'0" x 8'0"



CCV20525
◆◆
3'0" x 6'8"



CCV820525
◆◆
3'0" x 8'0"



CCV22025
◆◆
3'0" x 6'8"



CCV822025
◆◆
3'0" x 8'0"



CCV45525
◆◆
3'0" x 6'8"



CCV820535
◆◆
3'0" x 8'0"



CCV06025
3'0" x 6'8"
CCV806025
3'0" x 8'0"



CCV803025
3'0" x 8'0"



CCV820535A
3'0" x 8'0"



CCV105SL
12" x 6'8"
14" x 6'8"
CCV8105SL
12" x 8'0"
14" x 8'0"



ASHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ASET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



ASRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.




AS30T
3'0" Door Only

Bella™

Note: Shown in bronze waterglass with black nickel caming.




CCV10024B
CCV10024G
3'0" x 6'8"



CCV05024B
CCV05024G
3'0" x 6'8"
CCV805024B
CCV805024G
3'0" x 8'0"




CCV20524B
CCV20524G
3'0" x 6'8"
CCV820524B
CCV820524G
3'0" x 8'0"




CCV22024B
CCV22024G
3'0" x 6'8"
CCV822024B
CCV822024G
3'0" x 8'0"



CCV45524B
CCV45524G
3'0" x 6'8"



CCV06024B
CCV06024G
3'0" x 6'8"
CCV806024B
CCV806024G
3'0" x 8'0"



CCV803024B
CCV803024G
3'0" x 8'0"




CCV104BSL
CCV104BSL
12" x 6'8"
14" x 6'8"
CCV8104BSL
CCV8104BSL
12" x 8'0"
14" x 8'0"



BEBHT / BEGHT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



BEET-B / BEET-G
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BERT-B / BERT-G
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Options Key

- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)

- Bronze Waterglass / Brushed Nickel Caming (1C)
- Bronze Waterglass / Black Nickel Caming (1D)

- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

Features Key

- Flush-Glazed Glass (FG)
- Wrought Iron (1W)

Provincial™



CCV10028
❖ ❖ ❖
3'0" x 6'8"



CCV05028
❖ ❖ ❖
3'0" x 6'8"



CCV805028
❖ ❖ ❖
3'0" x 8'0"



CCV20528
❖ ❖ ❖
3'0" x 6'8"




CCV820528
❖ ❖ ❖
3'0" x 8'0"



CCV22028
❖ ❖ ❖
3'0" x 6'8"



CCV822028
❖ ❖ ❖
3'0" x 8'0"



CCV45528
❖ ❖ ❖
3'0" x 6'8"



CCV06028
❖ ❖ ❖
3'0" x 6'8"




CCV803028
❖ ❖ ❖
3'0" x 8'0"



CCV108SL ▲
❖ ❖ ❖
12" x 6'8"
14" x 6'8"



CCV8108SL ▲
❖ ❖ ❖
12" x 8'0"
14" x 8'0"



PRHRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC420T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC040T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T ❖ ❖ ❖
3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Longford™



CCV10023
❖ ❖ ❖
3'0" x 6'8"



CCV05023
❖ ❖ ❖
3'0" x 6'8"



CCV805023
❖ ❖ ❖
3'0" x 8'0"



CCV20523
❖ ❖ ❖
3'0" x 6'8"



CCV820523
❖ ❖ ❖
3'0" x 8'0"




CCV22023
❖ ❖ ❖
3'0" x 6'8"



CCV822023
❖ ❖ ❖
3'0" x 8'0"



CCV45523
❖ ❖ ❖
3'0" x 6'8"



CCV06023
 :: ◆
 3'0" x 6'8"

CCV806023
 :: ◆
 3'0" x 8'0"



CCV803023
 :: ◆
 3'0" x 8'0"



CCV103SL ◆
 :: ◆
 12" x 6'8"
 14" x 6'8"

CCV8103SL ◆
 :: ◆
 12" x 8'0"
 14" x 8'0"



LFHRT :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



LFRT :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LFET :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LF30T :: ◆
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Cambridge[™]



CCV10026
 ◆ ◆ ◆
 3'0" x 6'8"



CCV05026
 ◆ ◆ ◆
 3'0" x 6'8"

CCV805026
 ◆ ◆ ◆
 3'0" x 8'0"



CCV20526
 ◆ ◆ ◆
 3'0" x 6'8"

CCV820526
 ◆ ◆ ◆
 3'0" x 8'0"




CCV22026
 ◆ ◆ ◆
 3'0" x 6'8"

CCV822026
 ◆ ◆ ◆
 3'0" x 8'0"



CCV45526
 ◆ ◆ ◆
 3'0" x 6'8"



CCV06026
 ◆ ◆ ◆
 3'0" x 6'8"

CCV806026
 ◆ ◆ ◆
 3'0" x 8'0"




CCV803026
 ◆ ◆ ◆
 3'0" x 8'0"



CCV106SL ◆
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

CCV8106SL ◆
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



CBHRT ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC920T ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC090T ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC900T ◆ ◆ ◆
 3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Features Key

- ◆ Flush-Glazed Glass (FG)

Lucerna®



CCV10022
3'0" x 6'8"

CCV05022
3'0" x 6'8"

CCV805022
3'0" x 8'0"

CCV20522
3'0" x 6'8"

CCV820522
3'0" x 8'0"

CCV22022
3'0" x 6'8"

CCV822022
3'0" x 8'0"

CCV45522
3'0" x 6'8"

CCV06022
3'0" x 6'8"

CCV806022
3'0" x 8'0"



CCV803022
3'0" x 8'0"

CCV820532
3'0" x 8'0"

CCV820532A
3'0" x 8'0"

CCV3412SL
12" x 6'8"
14" x 6'8"

CCV8102SL
12" x 8'0"
14" x 8'0"

LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LCHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LC30T
3'0" Door Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Privacy Glass with Divided Lites



CCV920XR
CCV920XC
CCV920XJ
CCV920XN
3'0" x 6'8"

CCV930XN
CCV930XC
CCV930XJ
CCV930XR
3'0" x 6'8"

CCV940XC
CCV940XJ
CCV940XR
CCV940XN
3'0" x 6'8"

CCV960XR
CCV960XC
CCV960XJ
CCV960XN
3'0" x 6'8"

CCV10015XR
CCV10015XN
CCV10015XJ
CCV10015XC
3'0" x 6'8"

CCV05012XN
CCV05012XJ
CCV05012XC
CCV05012XR
3'0" x 6'8"

CCV805015XN
CCV805015XJ
CCV805015XC
CCV805015XR
3'0" x 8'0"



CCV822012XJ
CCV822012XC
CCV822012XR
CCV822012XN
>
3'0" x 8'0"

CCV820512XC
CCV820512XR
CCV820512XN
CCV820512XJ
>
3'0" x 8'0"

CCV0609XR
CCV0609XN
CCV0609XJ
CCV0609XC
>
3'0" x 6'8"

CCV806012XR
CCV806012XN
CCV806012XJ
CCV806012XC
>
3'0" x 8'0"

CCV803012XJ
CCV803012XC
CCV803012XR
CCV803012XN
>
3'0" x 8'0"

CCV8950XCSSL
CCV8950XRSL
CCV8950XNSSL
CCV8950XJSL
▲
12" x 8'0"
14" x 8'0"

CCV950XCSSL
CCV950XRSL
CCV950XNSSL
CCV950XJSL
▲
12" x 6'8"
14" x 6'8"

CCV920XCSSL
CCV920XRSL
CCV920XNSSL
CCV920XJSL
▲
12" x 6'8"
14" x 6'8"

Privacy Glass



CCV10020XC
CCV10020XJ
CCV10020XR
CCV10020XN
3'0" x 6'8"

CCV05020XJ
CCV05020XC
CCV05020XR
CCV05020XN
3'0" x 6'8"

CCV805020XN
CCV805020XJ
CCV805020XC
CCV805020XR
3'0" x 8'0"

CCV20520XR
CCV20520XC
CCV20520XJ
CCV20520XN
3'0" x 6'8"

CCV820520XR
CCV820520XC
CCV820520XJ
CCV820520XN
3'0" x 8'0"

CCV22020XC
CCV22020XJ
CCV22020XR
CCV22020XN
3'0" x 6'8"

CCV822020XJ
CCV822020XC
CCV822020XR
CCV822020XN
3'0" x 8'0"

CCV45520XN
CCV45520XC
CCV45520XJ
CCV45520XR
3'0" x 6'8"

CCV803020XC
CCV803020XJ
CCV803020XR
CCV803020XN
3'0" x 8'0"



CCV06020XN
CCV06020XJ
CCV06020XC
CCV06020XR
3'0" x 6'8"

CCV806020XJ
CCV806020XC
CCV806020XR
CCV806020XN
3'0" x 8'0"

CCV820530XR
CCV820530XJ
CCV820530XC
CCV820530XN
3'0" x 8'0"

CCV820530AXJ
CCV820530AXC
CCV820530AXR
CCV820530AXN
3'0" x 8'0"

CCV910XJ
CCV910XC
CCV910XR
CCV910XN
▲
3'0" x 6'8"

CCV100XRSL
CCV100XCSSL
CCV100XJSL
CCV100XNSSL
▲
12" x 6'8"
14" x 6'8"

CCV8100XCSSL
CCV8100XRSL
CCV8100XJSL
CCV8100XNSSL
▲
12" x 8'0"
14" x 8'0"

CCV910XCSSL
CCV910XJSL
CCV910XRSL
CCV910XNSSL
▲
12" x 6'8"
14" x 6'8"

Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Features Key

- Simulated Divided Lites (SDL)
- ▲ Flush-Glazed Glass (FG)
- Removable Wood Grilles (RG)

Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

Low-E Glass with Divided Lites



CCV920
3'0" x 6'8"



CCV930
3'0" x 6'8"



CCV940
3'0" x 6'8"



CCV960
3'0" x 6'8"



CCV10015
> 3'0" x 6'8"



CCV05012 | CCV805015
> 3'0" x 6'8" | > 3'0" x 8'0"



CCV822012
> 3'0" x 8'0"



CCV820512
> 3'0" x 8'0"



CCV0609 | CCV806012
> 3'0" x 6'8" | > 3'0" x 8'0"



CCV803012
> 3'0" x 8'0"



CCV950SL
 12" x 6'8"
14" x 6'8"



CCV9020SL
 12" x 6'8"
14" x 6'8"

Low-E Glass



CCV10020
3'0" x 6'8"



CCV05020 | CCV805020
> 3'0" x 6'8" | > 3'0" x 8'0"



CCV20520 | CCV820520
> 3'0" x 6'8" | > 3'0" x 8'0"



CCV22020 | CCV822020
> 3'0" x 6'8" | > 3'0" x 8'0"



CCV45520
3'0" x 6'8"



CCV06020 * 3'0" x 6'8" | CCV806020 * 3'0" x 8'0" | CCV910 * 3'0" x 6'8" | CCV803020 * 3'0" x 8'0" | CCV820530 * 3'0" x 8'0" | CCV820530A * 3'0" x 8'0" | CCV100SL * 12" x 6'8" / 14" x 6'8" | CCV8100SL * 12" x 8'0" / 14" x 8'0" | CCV9010SL * 12" x 6'8" / 14" x 6'8"



DLHRT *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T *
3'0" Door Only



19210T *
12" & 14"
Sidelite Only

Transoms can be stained or painted to match a Classic-Craft wood-grained or smooth-textured door system.

Solid Panel




CCV400 6 3'0" x 6'8" | CCV205 6 3'0" x 6'8" | CCV8205 6 3'0" x 8'0" | CCV205A 3'0" x 6'8" | CCV8205A 3'0" x 8'0" | CCV455 6 3'0" x 6'8" | CCV455A 3'0" x 6'8" | CCV220 6 3'0" x 6'8" | CCV8220 6 3'0" x 8'0" | CCV200 6 3'0" x 6'8"



CCV060 6 3'0" x 6'8" | CCV860 6 3'0" x 8'0" | CCV831 6 3'0" x 8'0" | CCV050 6 3'0" x 6'8"

Panel Embossments



4-Panel Square Top | 2-Panel Plank Soft Arch | 2-Panel Square Top | 2-Panel 3/4 Top | Craftsman Lite
4-Panel Soft Arch | Arched 2-Panel Plank Soft Arch | 3-Panel | 1-Panel Plank
Arched 4-Panel Soft Arch | 5-Panel | 6-Panel

Options Key

6 WBDR / HVHZ

Features Key

- Simulated Divided Lites (SDL)
- Low-E Glass (LE)
- Flush-Glazed Glass (FG)
- Removable Wood Grilles (RG)

Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Fiber-Classic®

Mahogany Collection™ & Oak Collection™



90

- Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Oak Collection, Element Glass, Door – FC756; Sidelites – FC756LSL, FC756RSL; Transom – EMRT
 Bottom: Fiber-Classic Mahogany Collection, Wellesley Glass, Door – FCM6030, Sidelites – FCM105SL

Smooth-Star®



- Smooth, paintable surfaces.



Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Fiber-Classic® & Smooth-Star® Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. This interchangeability allows the homeowner to make a selection based on what's most important to them – whether it's the door style, texture (grained or smooth), finish (stained or painted) or glass design – with flexibility between lines.

Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
 - Composite top and bottom rails.
 - 1-¼" engineered lumber lock and hinge stiles.
 - 22-½" lock block in Fiber-Classic and 12-½" lock block in Smooth-Star.
 - Durable, long-lasting fiberglass skins.
- 6 Many fiberglass door and sidelite styles are WBDR- (Wind-Borne Debris Region) compliant.*
- 6 Many Fiber-Classic and Smooth-Star doors with glass are available with options to upgrade to WBDR- and / or HVHZ- (High Velocity Hurricane Zone) compliant.*
- 🔥 Fire-rated options available on solid panel doors. See page 195.
- ⊕ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.




Fiber-Classic® Mahogany Collection™



- Features deep Mahogany graining to complement homes with richer wood tones.
- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" widths in 6'6", 6'8", 7'0" and 8'0" heights.
- Sidelite Configurations: 10", 12" and 14" options in select styles; full-, 3/4- and 1/2-lite configurations available; **NEW** full-lite vented (●) options available.
- Glass Options: 16 decorative and four privacy glass families, as well as specialty, Low-E (☀) and clear glass available.
- Finish Options: Fiber-Classic Mahogany doors can be stained or painted any color.

Same-Day® Stain Kit Finish Colors (Shown on Fiber-Classic Mahogany.)



*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18. Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Fiber-Classic® Oak Collection™




- Features the warm look of Oak graining.
- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" widths in 6'6", 6'8", 7'0" and 8'0" heights.
- Sidelite Configurations: 10", 12" and 14" options in select styles; flush-glazed (🔥) available for full-, 3/4- and 1/2-lite configurations; full-lite vented (🟢) options available.
- Glass Options: 16 decorative and four privacy glass families, as well as specialty, Low-E (☀️) and clear glass available.
- Finish Options: Fiber-Classic Oak doors can be stained or painted any color.

Smooth-Star®



- Features smooth, ready-to-paint surfaces.
- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" and 3'6" widths in 6'6", 6'8", 7'0" and 8'0" heights.
- Sidelite Configurations: 10", 12" and 14" options in select styles; flush-glazed (🔥) available for full-, 3/4- and 1/2-lite configurations; full-lite vented (🟢) options available.
- Glass Options: 16 decorative and four privacy glass families, as well as specialty, Low-E (☀️) and clear glass available.
- Finish Options: Smooth-Star doors can be painted any color.


Same-Day® Stain Kit Finish Colors (Shown on Fiber-Classic Oak.)



Decorative & Specialty Glass Designs

Keystone™ Page 101

Reminiscent of the Victorian age, Keystone uses ① swirled gray baroque glass, ② clear curved bevels and coming to create an exquisite, time-honored design with historical significance.




Brushed Nickel



Brass

Blackstone® Page 103

Traditional English design meets ① clear curved bevels, ② rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Black Nickel



Brushed Nickel

Crystalline™ Page 106

This time-honored design features geometric styling brought to life with ① glue chip glass, ② glue chip bevels, ③ clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel



Brass



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Sedona Page 108


Art meets glass in Sedona where Arts and Crafts simplicity is designed with ① slump glass, ② clear bevels, ③ clear antique glass and coming. Sedona Art glass featuring ruby red granite glass is also available with black nickel coming.



Art Glass /
Black Nickel




Black Nickel



Brushed Nickel

Salinas Page 111

① Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Element Page 114

Clean lines and contemporary styling make Element the ideal choice for entries with a modern aesthetic. Modest privacy is achieved with the ① red and ② white wispy glass surrounded by black nickel coming.



Black Nickel

Maple Park® Page 115

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with **1** waterglass, **2** clear bevels, **3** granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

Avonlea® Page 117

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's **1** clear baroque glass and **2** bronze waterglass surrounded by black nickel coming.



Black Nickel



Saratoga™ Page 119

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Arden Page 122

Reminiscent of historic leaded glass with modern sensibilities, Arden glass features an architectural pattern of smooth, wavy **1** frosted delta glass, lightly textured **2** chinchilla glass and elegant **3** diamond bevels with flexible options to customize accent glass textures and coming.



Red Waterglass /
Black Nickel



Red Waterglass /
Brushed Nickel



Granite Glass /
Black Nickel



Granite Glass /
Brushed Nickel

Texas Star Page 124

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Brushed Nickel




Wellesley™ Page 126

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel



Brass



Brushed Nickel

Concorde™ Page 129

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and coming make up its Old World charm.



Black Nickel



Brass



Brushed Nickel

Kensington™ Page 132

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and coming.



Black Nickel



Brushed Nickel

Crystal Diamonds™

Page 134

Perfect for the place where friends and families meet. And with its 1 glue chip glass, 2 clear bevels and brass coming, Crystal Diamonds provides privacy with a welcoming touch.



Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Bevelline™

Page 137

Bevelline glass features designs that create the look of fine-cut facet crystal.



Frosted Images®

Page 138

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of

1 white-frosted glass.



Privacy Glass Page 140



Chord Glass



Chinchilla Glass



Rainglass



Granite Glass



Internal Blinds Page 147

NEW for 2014 – Improved design and functionality, and Low-E glass option. Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



Screen Vented Page 149

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Also Available:
Flush-Glazed Glass Page 150
Clear Glass Page 153

Divided Lites: **NEW** for 2014 — Expanded SDL & GBG Options




Enhance the beauty of any home with a variety of divided lite options for entry and patio doors.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy glass, energy-efficient Low-E and clear starting on page 140.

Simulated Divided Lites with Grilles Between Glass




Shown with flat bronze GBGs.

- Can be layered to create a more authentic divided lite look.
- Wood-grained or smooth-textured SDLs can be stained or painted to complement the door and home.
- We recommend applying SDLs over bronze GBGs with flat bars to achieve the most authentic divided lite look. Look for the (  ) icons.



Simulated Divided Lites (SDLs)



- Adhered to the interior and exterior panes of tempered glass.
- Wood-grained or smooth textures can be stained or painted to complement the door and home. Look for the () icon.

Grilles Between Glass (GBGs)




- Thermally sealed between two panes of tempered glass.
- Get a divided lite look with the convenience of a smooth, easy-to-clean glass surface. Look for the ( ) icons.

Removable Wood Grilles




Interior view.

- Snaps on and off the interior pane of tempered glass.
- Easily removable for cleaning.
- Can be stained or painted to complement home décor. Look for the () icon.

Fixed Grilles




- Molded as part of the lite frame on the interior and exterior panes of tempered glass.
- Can be stained or painted to complement home décor. Look for the () icon.






Contour & Flat GBG Bar Options



GBG Color Options



Options Key

-  Simulated Divided Lites (SDL)**
-  Flat White Grilles Between Glass Only (GBGFW)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Fixed Grilles (FXG)

*Available in Special Quote Program.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.


Fiber-Classic® Mahogany



FCM13
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1026 ■
 ✦ ✦ ✦
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡




FCM36
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM71
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM897
 ✦ ✦ ✦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM967
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM965
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM711
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM161
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM14101SL ■
 ✦ ✦ ✦
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM36SL
 ✦ ✦ ✦
 12" x 6'8"
 14" x 6'8"



FCM8106SL
 ✦ ✦ ✦
 12" x 8'0"
 14" x 8'0"



FCM705SL
 ✦ ✦ ✦
 12" x 6'8"
 14" x 6'8"



FCM71SL
 ✦ ✦ ✦
 12" x 6'8"
 14" x 6'8"



FCM897SL
 ✦ ✦ ✦
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC13
 ✦ ✦ ✦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC1026 ■
 ✦ ✦ ✦
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FC36
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM711
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81951P
 ✦ ✦ ✦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC71
 ✦ ✦ ✦
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81934P
 ✦ ✦ ✦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81976P
 ✦ ✦ ✦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC57
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC711
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC161
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC793
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Options Key

- ✦ Brass Caming (1A)
- ✦✦ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

- △ 6'6" Height Available
- ‡ 7'0" Height Available
- 6 WBDR
- 6 WBDR / HVHZ

Features Key

- No Stile Lines

Keystone Continues on next page.

Keystone™ *Continued*



FC80944
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86244
 ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC20
 ❖ ❖
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC13SL
 ❖ ❖ 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

14101SL
 ❖ ❖ 6
 12" x 6'8" ⚠
 14" x 6'8" ⚠

FC36SL
 ❖ ❖ 6
 12" x 6'8"
 14" x 6'8"

81951PSL
 ❖ ❖ 6
 12" x 8'0"
 14" x 8'0"

FC705SL
 ❖ ❖
 12" x 6'8"
 14" x 6'8"

FC57SL
 ❖ ❖ 6
 12" x 6'8"
 14" x 6'8"

81934PSL
 ❖ ❖ 6
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S961
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠

S1026
 ❖ ❖ 6
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠
 3'6" x 6'8"

S974
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S978
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85899
 ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S963
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S967
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S965
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S969
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85904
 ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S984
 ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S987
 ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S990
 ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S996
 ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S9344
 ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83144
 ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6122
 ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S961SL ❖ ❖ 6
12" x 6'8"
14" x 6'8"

S6133SL ❖ ❖ 6
10" x 6'8"
12" x 6'8" ⚠ ‡
14" x 6'8" ⚠ ‡

S974SL ❖ ❖ 6
12" x 6'8"
14" x 6'8"

S85899SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

S987SL ❖ ❖
12" x 6'8"
14" x 6'8"

S963SL ❖ ❖ 6
12" x 6'8"
14" x 6'8"

S85913SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

KSHRT ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19600T ❖ ❖
3'0" Door Only

19610T ❖ ❖
12" & 14" Sidelite Only

19060T ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19620T ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone®

Fiber-Classic® Mahogany



FCM108 ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM871 ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM310 ❖ ❖ 6
2'6" x 6'8" ⚠ ‡
2'8" x 6'8" ⚠ ‡
2'10" x 6'8" ⚠ ‡
3'0" x 6'8" ⚠ ‡

FCM816 ❖ ❖ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM765 ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM109 ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM863 ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6032 ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6052 ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM110 ❖ ❖
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM164 ❖ ❖
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM760 ❖ ❖
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM808SL ❖ ❖ 6
10" x 6'8"
12" x 6'8"
14" x 6'8"

FCM81918SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

FCM871SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

FCM765SL ❖ ❖ 6
12" x 6'8"
14" x 6'8"

FCM882SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

FCM109SL ❖ ❖ 6
12" x 6'8"
14" x 6'8"

FCM863SL ❖ ❖ 6
12" x 8'0"
14" x 8'0"

Blackstone Continues on next page.

Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR

- 6 WBDR / HVHZ
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Fiber-Classic® Oak



FC108
 ■ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81918P
 ■ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC310 ■
 ■ ◆ ◆ ◆
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FC816 ■
 ■ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC765
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FC770
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81952P
 ■ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC109
 ■ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81933P
 ■ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81975P
 ■ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC129
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC714
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC164
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC794
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC801
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80943
 ■ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86243
 ■ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC108SL
 ■ ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8"
 12" x 6'8"
 14" x 6'8"



81918PSL
 ■ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



FC808SL ■
 ■ ◆ ◆ ◆
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



81918SL ■
 ■ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



FC765SL
 ■ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



81952PSL
 ■ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"




FC109SL
 ■ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"




81933PSL
 ■ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



- | | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|--|
| S6002
:: ◆ ◆ 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | S85892
:: ◆ ◆ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S310 ■
:: ◆ ◆ 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡
3'6" x 6'8" | S816 ■
:: ◆ ◆ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0" | S975
:: ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S979
:: ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S894
:: ◆ ◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6000
:: ◆ ◆ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6032
:: ◆ ◆ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6052
:: ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|--|---|---|---|---|---|---|---|--|



- | | | | | | | | |
|---|---|--|---|--|---|--|--|
| S972
:: ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S85905
:: ◆ ◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6013
:: ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S771
:: ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6085
:: ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S997
:: ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6111
:: ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S9343
:: ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|---|--|---|--|---|--|--|



- | | | | | | | | | |
|---|--|---|--|---|---|---|--|---|
| S83143
:: ◆ ◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6002SL
:: ◆ ◆ 6
12" x 6'8"
14" x 6'8" | S85892SL
:: ◆ ◆ 6
12" x 8'0"
14" x 8'0" | S4570SL ■
:: ◆ ◆ 6
10" x 6'8"
12" x 6'8" ▲ ‡
14" x 6'8" ▲ ‡ | S85927SL ■
:: ◆ ◆ 6
12" x 8'0"
14" x 8'0" | S975SL
:: ◆ ◆ 6
12" x 6'8"
14" x 6'8" | S894SL
:: ◆ ◆ 6
12" x 8'0"
14" x 8'0" | S6000SL
:: ◆ ◆ 6
12" x 6'8"
14" x 6'8" | S85912SL
:: ◆ ◆ 6
12" x 8'0"
14" x 8'0" |
|---|--|---|--|---|---|---|--|---|



BSHRT :: ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BSRT :: ◆ ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- 6 WBDR
- 6 WBDR / HVHZ
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Crystalline™

Fiber-Classic® Mahogany



- | | | | | | | | | |
|---|---|--|--|---|---|---|---|---|
| <p>FCM16

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM8114

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM668

 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡</p> | <p>FCM814

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM38

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM45

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM898

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM6027

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM6047

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> |
|---|---|--|--|---|---|---|---|---|



- | | | | | | | | | | |
|--|--|---|---|---|---|---|--|--|--|
| <p>FCM124

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM802

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM18101SL

 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡</p> | <p>FCM81800SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM8114SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM38SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM8105SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM707SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM45SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM898SL

 12" x 8'0"
 14" x 8'0"</p> |
|--|--|---|---|---|---|---|--|--|--|

Fiber-Classic® Oak



- | | | | | | | | | | |
|---|--|---|---|--|---|--|---|--|--|
| <p>FC16

 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>81800P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC668

 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡</p> | <p>FC814

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC38

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC772

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>81953P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC45

 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>81935P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>81977P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> |
|---|--|---|---|--|---|--|---|--|--|



FC43
 ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC124
 ❖ ❖ ❖
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80941
 ❖ ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86241
 ❖ ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC21
 ❖ ❖ ❖
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC802
 ❖ ❖ ❖
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC46SL
 ❖ ❖ ❖ 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

81800PSL
 ❖ ❖ ❖ 6
 12" x 8'0"
 14" x 8'0"



18101SL
 ❖ ❖ ❖ 6
 12" x 6'8" † ‡
 14" x 6'8" † ‡



81800SL
 ❖ ❖ ❖ 6
 12" x 8'0"
 14" x 8'0"



FC707SL
 ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"



FC43SL
 ❖ ❖ ❖ 6
 12" x 6'8"
 14" x 6'8"

Smooth-Star®



S916
 ❖ ❖ ❖ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



S814
 ❖ ❖ ❖ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S668
 ❖ ❖ ❖ 6
 2'6" x 6'8" †
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8"

S815
 ❖ ❖ ❖ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



S977
 ❖ ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S981
 ❖ ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S888
 ❖ ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S926
 ❖ ❖ ❖ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6027
 ❖ ❖ ❖ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6047
 ❖ ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S38
 ❖ ❖ ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S85907
 ❖ ❖ ❖ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Crystalline *Continues on next page.*

Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

6 WBDR

- 6 WBDR / HVHZ
- † 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Crystalline™ Continued



S950
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S930
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6113
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9341
 ❖ :: 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83141
 ❖ :: ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6123
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S936
 ❖ :: ◆
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S916SL
 ❖ :: ◆ 6
 12" x 6'8"
 14" x 6'8"

S814SL
 ❖ :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S6130SL ■
 ❖ :: ◆ 6
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



S84586SL ■
 ❖ :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S758SL
 ❖ :: ◆ 6
 12" x 6'8"
 14" x 6'8"



S888SL
 ❖ :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S768SL
 ❖ :: ◆
 12" x 6'8"
 14" x 6'8"



S930SL
 ❖ :: ◆ 6
 12" x 6'8"
 14" x 6'8"



S85914SL
 ❖ :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S950SL
 ❖ :: ◆
 12" x 6'8"
 14" x 6'8"



BLHRT ❖ :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19080T ❖ :: ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19810T ❖ :: ◆
 12" & 14" Sidelite Only



19800T ❖ :: ◆
 3'0" Door Only



19820T ❖ :: ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Sedona

Fiber-Classic® Mahogany

Note: Shown in art glass with black nickel caming.



FCM100-A
 ▶
FCM100
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM241-A
 ▶
FCM241 ■
 ❖ :: ◆
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡




FCM822-A
 ▶
FCM822 ■
 ❖ :: ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM131-A
 ▶
FCM131
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM101-A
 ▶
FCM101
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM864-A
 ▶
FCM864
 ❖ :: ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6025-A
 ▶
FCM6025
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6045-A
 ▶
FCM6045
 ❖ :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

*Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.



FCM604-A ▶ FCM604 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM126-A ▶ FCM126 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM816SL-A ▶ FCM816SL ◆ 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FCM81968SL-A ▶ FCM81968SL ◆ 12" x 8'0" 14" x 8'0"	FCM872SL-A ▶ FCM872SL ◆ 12" x 8'0" 14" x 8'0"	FCM131SL-A ▶ FCM131SL ◆ 12" x 6'8" 14" x 6'8"	FCM883SL-A ▶ FCM883SL ◆ 12" x 8'0" 14" x 8'0"	FCM101SL-A ▶ FCM101SL ◆ 12" x 6'8" 14" x 6'8"	FCM864SL-A ▶ FCM864SL ◆ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	--	--

Fiber-Classic® Oak



FC100-A ▶ FC100 ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81968P-A ▶ 81968P ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC241-A ▶ FC241 ◆ 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	FC822-A ▶ FC822 ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC131-A ▶ FC131 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC773-A ▶ FC773 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81954P-A ▶ 81954P ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC101-A ▶ FC101 ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81936P-A ▶ 81936P ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	--	--	--	---	--



81978P-A ▶ 81978P ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC128-A ▶ FC128 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC126-A ▶ FC126 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80952-A ▶ FC80952 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86252-A ▶ FC86252 ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC100SL-A ▶ FC100SL ◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL-A ▶ 81968PSL ◆ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--

Sedona *Continues on next page.*

Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

6 WBDR

- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- No Stile Lines

Optional Dentil Shelf*



4-Block Dentil Shelf
Available for FCM604-A and
FCM604 only.

Sedona *Continued*



FC816SL-A
 ▶ ●
FC816SL
 ■ ◆
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



81968SL-A
 ▶ ●
81968SL
 ■ ◆
 12" x 8'0" ▲ †
 14" x 8'0" ▲ †



FC131SL-A
 ▶
FC131SL
 ■ ◆
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



81954PSL-A
 ▶
81954PSL
 ■ ◆
 12" x 8'0" ▲ †
 14" x 8'0" ▲ †



FC101SL-A
 ▶
FC101SL
 ■ ◆
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



81936PSL-A
 ▶
81936PSL
 ■ ◆
 12" x 8'0" ▲ †
 14" x 8'0" ▲ †

Smooth-Star®



S139-A
 ▶
S139
 ■ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S241-A
 ▶
S241
 ■ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †
 3'6" x 6'8" ▲ †



S822-A
 ▶
S822
 ■ ◆
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲ †
 3'0" x 8'0" ▲ †
 3'6" x 8'0" ▲ †



S95-A
 ▶
S95
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S91-A
 ▶
S91
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S211-A
 ▶
S211
 ■ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S6025-A
 ▶
S6025
 ■ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S6045-A
 ▶
S6045
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S35-A
 ▶
S35
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †

S833-A
 ▶
S833
 ■ ◆
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲ †
 3'0" x 8'0" ▲ †



S294-A
 ▶
S294
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S604-A
 ▶
S604
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S8604-A
 ▶
S8604
 ■ ◆
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲ †
 3'0" x 8'0" ▲ †



S12-A
 ▶
S12
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S9352-A
 ▶
S9352
 ■ ◆
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



S83152-A
 ▶
S83152
 ■ ◆
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲ †
 3'0" x 8'0" ▲ †



S139SL-A
 ▶
S139SL
 ■ ◆
 12" x 6'8" ▲
 14" x 6'8" ▲ †



S8604SL-A
 ▶
S8604SL
 ■ ◆
 12" x 8'0" ▲
 14" x 8'0" ▲ †

*Not recommended for placement behind storm doors.
 Note: See page 231 for important product details that may help with your purchase decision.



S604SL-A ▶▶ S604SL ◆◆ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85933SL-A ▶▶ S85933SL ◆◆ 12" x 8'0" 14" x 8'0"	S72SL-A ▶▶ S72SL ◆◆ 12" x 6'8" 14" x 6'8"	S887SL-A ▶▶ S887SL ◆◆ 12" x 8'0" 14" x 8'0"	S294SL-A ▶▶ S294SL ◆◆ 12" x 6'8" 14" x 6'8"	S85915SL-A ▶▶ S85915SL ◆◆ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--



19520T-A ▶
19520T ◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19055T-A ▶
19055T ◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Salinas

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



FCM113 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 X6 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FCM817 X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM115 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM114 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM865 X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6031 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6051 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM118 X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	--	--	--	---	---	---

Fiber-Classic® Oak



FCM814SL X6 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM81919SL X6 12" x 8'0" 14" x 8'0"	FCM873SL X6 12" x 8'0" 14" x 8'0"	FCM115SL X6 12" x 6'8" 14" x 6'8"	FCM884SL X6 12" x 8'0" 14" x 8'0"	FCM114SL X6 12" x 6'8" 14" x 6'8"	FCM865SL X6 12" x 8'0" 14" x 8'0"	FC113 X6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81919P X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 X6 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FC817 X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--	--	--	--	--

Salinas *Continues on next page.*

Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
(8'0" only in 14")

- 6 WBDR
- 6 WBDR / HVHZ
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- X Wrought Iron (1W)
- No Stile Lines

- Flush-Glazed Glass (FG)


Optional Dentil Shelf*

- 4-Block Dentil Shelf
Available for S604, S604-A, S8604
and S8604-A only.

Salinas® *Continued*



FC115 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC775 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81955P X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC114 X6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81937P X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81980P X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC130 X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC118 X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80953 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	--	---	---	---	---	--



FC86253 X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC113SL X6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL X6 12" x 8'0" 14" x 8'0"	FC814SL ■ X6 12" x 6'8" ‡ 14" x 6'8" ‡	81919SL ■ X6 12" x 8'0" 14" x 8'0"	FC115SL X6 12" x 6'8" 14" x 6'8"	81955PSL X6 12" x 8'0" 14" x 8'0"	FC114SL X6 12" x 6'8" 14" x 6'8"	81937PSL X6 12" x 8'0" 14" x 8'0"
--	--	---	--	--	--	---	--	---

Smooth-Star®



S6008 X6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S85893 X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 ■ X6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † 3'6" x 6'8"	S817 ■ X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6009 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6010 X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S895 X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6006 X6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6031 X6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	---	--	--	---	---	---



S6051
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S973
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S893
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6011
X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6014
X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6012
X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S9353
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83153
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6008SL
X 6
 12" x 6'8"
 14" x 6'8"



S85893SL
X 6
 12" x 8'0"
 14" x 8'0"



S6134SL ■
X 6 ●
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



S85931SL ■
X 6 ●
 12" x 8'0"
 14" x 8'0"



S6009SL
X 6
 12" x 6'8"
 14" x 6'8"



S895SL
X 6
 12" x 8'0"
 14" x 8'0"



S6006SL
X 6
 12" x 6'8"
 14" x 6'8"



S85916SL
X 6
 12" x 8'0"
 14" x 8'0"



SART
X
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Options Key

● **Vented Sidelite** (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

6 **WBDR**

6 **WBDR / HVHZ**

▲ **6'6" Height Available**

‡ **7'0" Height Available**

Features Key

X **Wrought Iron (1W)**

■ **No Stile Lines**

Element

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



FCM756
 ◆ 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1051 ■
 ◆ 9
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡



FCM811LSL ■
 ◆ 6
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



FCM811RSL ■
 ◆ 6
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



FCM8111LSL
 ◆ 9
 12" x 8'0"
 14" x 8'0"



FCM8111RSL
 ◆ 9
 12" x 8'0"
 14" x 8'0"



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.


Fiber-Classic® Oak



FC756
 ◆ 9
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC1051 ■
 ◆ 9
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡



81965P
 ◆ 9
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC756LSL
 ◆ 9
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC756RSL
 ◆ 9
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC811LSL ■
 ◆ 9
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



FC811RSL ■
 ◆ 9
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



81965LPSL
 ◆ 9
 12" x 8'0"
 14" x 8'0"



81965RPSL
 ◆ 9
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S6060
 ◆ 9
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S1051 ■
 ◆ 9
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8"



S85903
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6136LSL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S6136RSL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S6060LSL ■
 ◆ 6
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



S6060RSL ■
 ◆ 6
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



S85903LSL
 ◆ 6
 12" x 8'0"
 14" x 8'0"



S85903RSL
 ◆ 6
 12" x 8'0"
 14" x 8'0"



















EMRT
 ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

*Not recommended for placement behind storm doors.
 Note: See page 231 for important product details that may help with your purchase decision.

Maple Park®


Fiber-Classic® Mahogany

							
FCM900 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1006 ■ ◆ ◆ ◆ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	FCM902 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM901 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM886 ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6107 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6108 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM609 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
							
FCM904 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM736 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8736 ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM812SL ■ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" △ † 14" x 6'8" △ †	FCM902SL ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	FCM887SL ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	FCM901SL ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	FCM886SL ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"

Fiber-Classic® Oak

								
FC900 ◆ ◆ ◆ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC1006 ■ ◆ ◆ ◆ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	FC902 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC777 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81957P ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC901 ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81939P ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81982P ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC903 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park Continues on next page.

<p>Options Key</p> <ul style="list-style-type: none"> ◆ Black Nickel Caming (1D) ■ Brushed Nickel Caming (1C) ● Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 6 WBDR 9 WBDR / HVHZ △ 6'6" Height Available † 7'0" Height Available 	<p>Features Key</p> <ul style="list-style-type: none"> ■ No Stile Lines 	<p>Optional Dentil Shelf*</p>  <p>4-Block Dentil Shelf Available for FCM609 only.</p>
---	---	--

Maple Park. *Continued*

FC904
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC80955
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86255
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC736
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †

FC8736
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC900SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC812SL
 12" x 6'8" † ‡
 14" x 6'8" † ‡

FC902SL
 12" x 6'8"
 14" x 6'8"

81957PSL
 12" x 8'0"
 14" x 8'0"

FC901SL
 12" x 6'8"
 14" x 6'8"

81939PSL
 12" x 8'0"
 14" x 8'0"

Smooth-Star.

S6100
 2'8" x 6'8"
 2'10" x 6'8" †
 3'0" x 6'8" †

S1006
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8"

S6102
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6103
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85898
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6101
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6107
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6108
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6106
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85897
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6104
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S609
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8609
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6105
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S9355
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83155
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Not recommended for placement behind storm doors.
 Note: See page 231 for important product details that may help with your purchase decision.

S736
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8736
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6100SL
◆◆◆
12" x 6'8"
14" x 6'8"

S6131SL ■
◆◆◆
10" x 6'8"
12" x 6'8" △ ‡
14" x 6'8" △ ‡

S6102SL
◆◆◆
12" x 6'8"
14" x 6'8"

S85898SL
◆◆◆
12" x 8'0"
14" x 8'0"

S6101SL
◆◆◆
12" x 6'8"
14" x 6'8"

S85918SL
◆◆◆
12" x 8'0"
14" x 8'0"

FWRT ◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Avonlea®

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany

FCM758
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM1027 ■
◆◆◆
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡

FCM764
◆◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM761
◆◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM896
◆◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM968
◆◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM966
◆◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM785
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM788
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM800
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM807SL ■
◆◆◆
10" x 6'8"
12" x 6'8" △ ‡
14" x 6'8" △ ‡

FCM764SL
◆◆◆
12" x 6'8"
14" x 6'8"

FCM8104SL
◆◆◆
12" x 8'0"
14" x 8'0"

FCM761SL
◆◆◆
12" x 6'8"
14" x 6'8"

FCM896SL
◆◆◆
12" x 8'0"
14" x 8'0"

Fiber-Classic® Oak

FC758
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC1027 ■
◆◆◆
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡

FC764
◆◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea Continues on next page.

Options Key

- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- ◆ WBDR
- ◆ WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Optional Dentil Shelf*





- | | | | | | | | | |
|---|--|--|--|--|---|---|---|---|
| FC769
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 81967P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC761
◆ 6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 81932P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 81974P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC782
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC785
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC788
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC792
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|--|--|--|--|---|---|---|---|



- | | | | | | | | | |
|---|---|---|---|---|---|--|---|--|
| FC800
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC80956
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC86256
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC758SL
◆ 6
10" x 6'8"
12" x 6'8"
14" x 6'8" | FC807SL ■
◆ 6 9
12" x 6'8" † ‡
14" x 6'8" † ‡ | FC764SL
◆ 6
12" x 6'8"
14" x 6'8" | 81967PSL
◆ 6
12" x 8'0"
14" x 8'0" | FC761SL
◆ 6
12" x 6'8"
14" x 6'8" | 81932PSL
◆ 6
12" x 8'0"
14" x 8'0" |
|---|---|---|---|---|---|--|---|--|

Smooth-Star®



- | | | | | | | | |
|--|--|--|--|--|--|--|--|
| S962
◆ 6
2'8" x 6'8"
2'10" x 6'8" †
3'0" x 6'8" † | S1027 ■
◆ 6
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡
3'6" x 6'8" | S976
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S980
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S85900
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S964
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S968
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S966
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|--|--|--|--|--|

*Not recommended for placement behind storm doors.
Note: See page 231 for important product details that may help with your purchase decision.



<p>S970 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S85906 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S985 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S988 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S991 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S995 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S6121 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S9356 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>
---	---	---	---	---	---	--	--



<p>S83156 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S962SL ◆ 6 12" x 6'8" 14" x 6'8"</p>	<p>S6127SL ■ ◆ 6 ● 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡</p>	<p>S976SL S85900SL ◆ 6 ◆ 6 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"</p>	<p>S964SL S85911SL ◆ 6 ◆ 6 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"</p>	<p>AVRT ◆ 3'0" door + (2) 12" sidelites Continuous Sill Systems Only</p>
---	--	--	--	--	---

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Saratoga™

Fiber-Classic® Mahogany



<p>FCM905 ◆ ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FCM6093 ■ ◆ ◆ 6 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡</p>	<p>FCM907 ◆ ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FCM906 FCM888 ◆ ◆ 6 ◆ ◆ 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"</p>	<p>FCM6029 ◆ ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FCM6049 ◆ ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FCM602 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FCM909 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>
---	--	---	--	--	--	---	---

Saratoga Continues on next page.

Options Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- 6 WBDR
- 9 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available


Features Key

- No Stile Lines

Optional Dentil Shelf*



Fiber-Classic® Oak



FCM707
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8707
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM815SL
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



FCM81986SL
 12" x 8'0"
 14" x 8'0"



FCM893SL
 12" x 8'0"
 14" x 8'0"



FCM907SL
 12" x 6'8"
 14" x 6'8"



FCM889SL
 12" x 8'0"
 14" x 8'0"



FCM906SL
 12" x 6'8"
 14" x 6'8"



FCM888SL
 12" x 8'0"
 14" x 8'0"



FC905
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC6093
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡




FC907
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC776
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81956P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC906
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81938P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81981P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC908
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC909
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80954
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86254
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC707
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8707
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC905SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



81986PSL
 12" x 8'0"
 14" x 8'0"



FC815SL
 12" x 6'8" † ‡
 14" x 6'8" † ‡



81986SL
 12" x 8'0"
 14" x 8'0"



FC907SL
 12" x 6'8"
 14" x 6'8"



81956PSL
 12" x 8'0"
 14" x 8'0"



FC906SL
 12" x 6'8"
 14" x 6'8"

81938PSL
 12" x 8'0"
 14" x 8'0"

*Not recommended for placement behind storm doors.
 Note: See page 231 for important product details that may help with your purchase decision.

Smooth-Star®



S154
 :: ◆ 6
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △



S6093 ■
 :: ◆ 6
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"



S6092
 :: ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S982
 :: ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S891
 :: ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S213
 :: ◆ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6029
 :: ◆ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6049
 :: ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S41
 :: ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S85908
 :: ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S291
 :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S602
 :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8602
 :: ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S20
 :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9354
 :: ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83154
 :: ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S707
 :: ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8707
 :: ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S154SL
 :: ◆ 6
 12" x 6'8"
 14" x 6'8"



S8602SL
 :: ◆ 6
 12" x 8'0"
 14" x 8'0"



19740T :: ◆
 3'0" Door Only



19750T :: ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only



S85932SL ■
 :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S6092SL
 :: ◆ 6
 12" x 6'8"
 14" x 6'8"



S891SL
 :: ◆ 6
 12" x 8'0"
 14" x 8'0"



S291SL
 :: ◆ 6
 12" x 6'8"
 14" x 6'8"



S85917SL
 :: ◆ 6
 12" x 8'0"
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

- 6 WBDR
- 6 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for S602 and S8602 only.

Arden®

Fiber-Classic.® Mahogany

Note: Shown in red waterglass with black nickel caming.



FCM9021R FCM9021G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	NEW FCM922R FCM922G 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FCM918R FCM918G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM60221R FCM60221G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM860221R FCM860221G 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	NEW FCM6721R FCM6721G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	NEW FCM923R FCM923G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM701R FCM701G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	--	--



FCM920R FCM920G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM2321R FCM2321G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	NEW FCM806RSL FCM806GSL 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	FCM768RSL FCM768GSL 12" x 6'8" 14" x 6'8"	FCM81421RSL FCM81421GSL 12" x 8'0" 14" x 8'0"	FCM6721RSL FCM6721GSL 12" x 6'8" 14" x 6'8"	FCM86721RSL FCM86721GSL 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--

Fiber-Classic.® Oak



FC9021R FC9021G 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	NEW FC922R FC922G 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC918R FC918G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC919R FC919G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC803021R FC803021G 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC60221R FC60221G 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC860221R FC860221G 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC85901R FC85901G 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	---	--	--

Note: See page 231 for important product details that may help with your purchase decision.



FC924R
 FC924G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC701R
 FC701G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC920R
 FC920G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC921R
 FC921G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC2321R
 FC2321G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80921R
 FC80921G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86221R
 FC86221G
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC9021RSL
 FC9021GSL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC806RSL
 FC806GSL
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FC768RSL
 FC768GSL
 12" x 6'8"
 14" x 6'8"



FC81421RSL
 FC81421GSL
 12" x 8'0"
 14" x 8'0"



FC6721RSL
 FC6721GSL
 12" x 6'8"
 14" x 6'8"



FC86721RSL
 FC86721GSL
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S9021R
 S9021G
 2'8" x 6'8"
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



S922R
 S922G
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"



S918R
 S918G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S919R
 S919G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S803021R
 S803021G
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S60221R
 S60221G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6721R
 S6721G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S923R
 S923G
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Options Key

Red Waterglass / Brushed Nickel Caming (1C)
 Red Waterglass / Black Nickel Caming (1D)

Granite Glass / Brushed Nickel Caming (1C)
 Granite Glass / Black Nickel Caming (1D)

WBDR
 WBDR / HVHZ
 Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

6'6" Height Available
 7'0" Height Available

Features Key

No Stile Lines

Arden Continues on next page.



S924R
 ■ ■
 S924G
 ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S701R
 ■ ■
 S701G
 ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S920R
 ■ ■
 S920G
 ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S921R
 ■ ■
 S921G
 ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S2321R
 ■ ■
 S2321G
 ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9321R
 ■ ■ ● ●
 S9321G
 ● ● ● ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83121R
 ■ ■ ● ●
 S83121G
 ● ● ● ●
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S9021RSL
 ■ ■ ● ●
 S9021GSL
 ● ● ● ●
 12" x 6'8"
 14" x 6'8"



S806RSL
 ■ ■ ● ● ● ●
 S806GSL
 ● ● ● ● ● ●
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



S768RSL
 ■ ■ ● ● ● ●
 S768GSL
 ● ● ● ● ● ●
 12" x 6'8"
 14" x 6'8"



S81421RSL
 ■ ■ ● ● ● ●
 S81421GSL
 ● ● ● ● ● ●
 12" x 8'0"
 14" x 8'0"



S6721RSL
 ■ ■ ● ● ● ●
 S6721GSL
 ● ● ● ● ● ●
 12" x 6'8"
 14" x 6'8"



S86721RSL
 ■ ■ ● ● ● ●
 S86721GSL
 ● ● ● ● ● ●
 12" x 8'0"
 14" x 8'0"



ANRTR ■ ■
 ANRTG ● ●
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only
 Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Texas Star

Fiber-Classic® Mahogany



FCM142
 :: ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1029 ■
 :: ●
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FCM143
 :: ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM144
 :: ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM899
 :: ●
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6074
 :: ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6075
 :: ●
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM146
 ::
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Fiber-Classic® Oak



FCM165 :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM817SL ■ :: 6 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM143SL :: 6 12" x 6'8" 14" x 6'8"	FCM8103SL :: 6 12" x 8'0" 14" x 8'0"	FCM144SL :: 6 12" x 6'8" 14" x 6'8"	FCM899SL :: 6 12" x 8'0" 14" x 8'0"
---	---	---	--	---	---



FC142 :: 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC1029 ■ :: 6 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FC143 :: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--



FC778 :: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81958P :: 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC144 :: 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81940P :: 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81983P :: 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC145 :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC146 :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC795 :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80957 :: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	---	---	--	--	--	--

Smooth-Star®



FC86257 :: 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC142SL :: 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC817SL ■ :: 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FC143SL :: 6 12" x 6'8" 14" x 6'8"	81958PSL :: 6 12" x 8'0" 14" x 8'0"	FC144SL :: 6 12" x 6'8" 14" x 6'8"	81940PSL :: 6 12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	---



S6070 :: 6 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S1029 ■ :: 6 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S6071 :: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--

Texas Star Continues on next page.

Options Key

- Brushed Nickel Caming (1C)
- Granite Glass / Brushed Nickel Caming (1C)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Black Nickel Caming (1D)
- WBDR
- WBDR / HVHZ
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

Features Key

- No Stile Lines

- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Texas Star *Continued*



S6072

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85901

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6073

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6075

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6074

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6076

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6077

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6078

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6079

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S998

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S9357

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83157

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6070SL

12" x 6'8"
14" x 6'8"

S6135SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

S6071SL

12" x 6'8"
14" x 6'8"

85901SL

12" x 8'0"
14" x 8'0"

S6073SL

12" x 6'8"
14" x 6'8"

85919SL

12" x 8'0"
14" x 8'0"

Wellesley™

Fiber-Classic® Mahogany



FCM104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM874

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6094

2'4" x 6'8" Δ ‡
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

FCM821

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM147

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM105

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM866

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6030

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


FCM6050

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




FCM106 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM163 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM125 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM721 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8721 ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM818SL ■ ❖ ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	FCM81921SL ■ ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	FCM874SL ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--

Fiber-Classic® Oak



FCM147SL ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	FCM885SL ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	FCM105SL ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	FCM866SL ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	FC104 ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81921P ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC6094 ■ ❖ ❖ ❖ 2'4" x 6'8" † 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	FC821 ■ ❖ ❖ ❖ ❖ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC147 ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC779 ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81959P ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--	--	---	---	--



FC105 ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81941P ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81984P ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC127 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC713 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC163 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC796 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC125 ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	---	---	---

Wellesley *Continues on next page.*

Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR
- 6 WBDR / HVHZ

- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines



- | | | | | | | | | | | | |
|---|---|---|--|---|--|---|---|---|--|---|--|
| FC80949
❖ ❖ ❖ 6
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" | FC86249
❖ ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC721
❖ ❖ ❖ Δ
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | FC8721
❖ ❖ ❖ Δ
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC104SL
❖ ❖ ❖ 6
10" x 6'8"
12" x 6'8"
14" x 6'8" | 81921PSL
❖ ❖ ❖ 6
12" x 8'0"
14" x 8'0" | FC818SL ■
❖ ❖ ❖ 6
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡ | 81921SL ■
❖ ❖ ❖ 6
12" x 8'0"
14" x 8'0" | FC147SL
❖ ❖ ❖ 6
12" x 6'8"
14" x 6'8" | 81959PSL
❖ ❖ ❖ 6
12" x 8'0"
14" x 8'0" | FC105SL
❖ ❖ ❖ 6
12" x 6'8"
14" x 6'8" | 81941PSL
❖ ❖ ❖ 6
12" x 8'0"
14" x 8'0" |
|---|---|---|--|---|--|---|---|---|--|---|--|

Smooth-Star®



- | | | | | | | | | | |
|---|---|--|---|---|--|--|---|--|---|
| S155
❖ ❖ ❖ 6
2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ | S85896
❖ ❖ ❖ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6094 ■
❖ ❖ ❖ 6
2'4" x 6'8" Δ
2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8" | S821 ■
❖ ❖ ❖ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6091
❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S983
❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S892
❖ ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S214
❖ ❖ ❖ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6030
❖ ❖ ❖ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6050
❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|---|--|---|---|--|--|---|--|---|



- | | | | | | | | | |
|---|--|--|--|---|--|---|---|--|
| S42
❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S85909
❖ ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S292
❖ ❖ ❖ Δ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S774
❖ ❖ ❖ Δ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6082
❖ ❖ ❖ Δ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S999
❖ ❖ ❖ Δ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6117
❖ ❖ ❖ Δ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S9349
❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S83149
❖ ❖ ❖ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|--|--|--|---|--|---|---|--|

Fiber-Classic® Oak



- | | | | | | | | | | |
|--|--|--|--|---|---|--|--|--|--|
| <p>FC910

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡</p> | <p>81928P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC6095 ■

 2'4" x 6'8" △
 2'6" x 6'8" △‡
 2'8" x 6'8" △‡
 2'10" x 6'8" △‡
 3'0" x 6'8" △‡</p> | <p>FC820 ■

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC912

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC780

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>81960P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC911

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡</p> | <p>81942P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>81985P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> |
|--|--|--|--|---|---|--|--|--|--|



- | | | | | | | |
|---|---|---|---|---|---|---|
| <p>FC913

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC916

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC915

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC797

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC914

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC80947

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC86247

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> |
|---|---|---|---|---|---|---|



- | | | | | | | | | | | | |
|---|--|--|---|--|---|---|---|--|---|---|--|
| <p>FC735

 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡</p> | <p>FC8735

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC917

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC910SL ■

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"</p> | <p>81928PSL ■

 12" x 8'0"
 14" x 8'0"</p> | <p>FC809SL ■

 12" x 6'8" △‡
 14" x 6'8" △‡</p> | <p>81928SL ■

 12" x 8'0"
 14" x 8'0"</p> | <p>FC912SL

 12" x 6'8"
 14" x 6'8"</p> | <p>81960PSL

 12" x 8'0"
 14" x 8'0"</p> | <p>FC916SL


 12" x 6'8"
 14" x 6'8"</p> | <p>FC911SL ■

 12" x 6'8"
 14" x 6'8"</p> | <p>81942PSL ■

 12" x 8'0"
 14" x 8'0"</p> |
|---|--|--|---|--|---|---|---|--|---|---|--|

Note: See page 231 for important product details that may help with your purchase decision.

Smooth-Star®



S6090
 ✦ ✦ ✦ 6
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S85895
 ✦ ✦ ✦ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6095 ■
 ✦ ✦ ✦ 6
 2'4" x 6'8" △
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"

S820 ■
 ✦ ✦ ✦ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"


S912
 ✦ ✦ ✦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S97
 ✦ ✦ ✦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85902
 ✦ ✦ ✦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S426
 ✦ ✦ ✦ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6026
 ✦ ✦ ✦ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6046
 ✦ ✦ ✦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S37
 ✦ ✦ ✦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S837
 ✦ ✦ ✦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S450
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S430
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S400 ■
 ✦ ✦ ✦
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"

S773
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6084
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1000
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S17
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S9347
 ✦ ✦ ✦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83147
 ✦ ✦ ✦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S735
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8735
 ✦ ✦ ✦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S454
 ✦ ✦ ✦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S416SL
 ✦ ✦ ✦ 6
 12" x 6'8"
 14" x 6'8"

S85895SL
 ✦ ✦ ✦ 6
 12" x 8'0"
 14" x 8'0"

Concorde Continues on next page.

Options Key

- ✦ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)


- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR

- 6 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available


Features Key

- No Stile Lines

Concorde™ *Continued*



CNHRT ♦ ♦ ♦
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CNRT ♦ ♦ ♦
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

- | | | | | | | | | |
|---|--|---|--|--|--|--|--|--|
| S4070SL ■
♦ ♦ ♦ 6 ●
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡ | S85930SL ■
♦ ♦ ♦ 6 ●
12" x 8'0"
14" x 8'0" | S97SL ▲
♦ ♦ ♦
12" x 6'8"
14" x 6'8" | S757SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 6'8"
14" x 6'8" | S85902SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 8'0"
14" x 8'0" | S767SL ♦ ♦ ♦
♦ ♦ ♦
12" x 6'8"
14" x 6'8" | S430SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 6'8"
14" x 6'8" | S85920SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 8'0"
14" x 8'0" | S450SL ♦ ♦ ♦
♦ ♦ ♦
12" x 6'8"
14" x 6'8" |
|---|--|---|--|--|--|--|--|--|


Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Kensington™

Fiber-Classic® Mahogany



- | | | | | | | | |
|--|--|--|--|---|---|---|--|
| FCM148
♦ ♦ ♦ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM626 ■
♦ ♦ ♦ 6
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | FCM156
♦ ♦ ♦ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM149 ♦ ♦ ♦ 6
♦ ♦ ♦ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM8149 ♦ ♦ ♦ 6
♦ ♦ ♦ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6036
♦ ♦ ♦ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6056 ♦ ♦ ♦ 6
♦ ♦ ♦ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM151 ♦ ♦ ♦
♦ ♦ ♦
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|--|---|---|---|--|



- | | | | | | | |
|--|--|--|---|---|--|--|
| FCM789
♦ ♦ ♦
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM150
♦ ♦ ♦
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM813SL ■
♦ ♦ ♦ 6 ●
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡ | FCM1442SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 6'8"
14" x 6'8" | FCM8107SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 8'0"
14" x 8'0" | FCM149SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 6'8"
14" x 6'8" | FCM867SL ♦ ♦ ♦ 6
♦ ♦ ♦ 6
12" x 8'0"
14" x 8'0" |
|--|--|--|---|---|--|--|

Fiber-Classic® Oak



<p>FC148 ■ ■ ■ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>FC626 ■ ■ ■ ■ 6 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡</p>	<p>FC20042 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>81961P ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC156 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC149 ■ ■ ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>FC8149 ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC89701 ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC152 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>
--	--	--	---	--	---	---	--	--



<p>FC709 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC151 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC798 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC150 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC80942 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC86242 ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC148SL ■ ■ ■ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"</p>	<p>FC813SL ■ ■ ■ ■ 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡</p>
--	--	--	--	--	--	--	--

Smooth-Star®



<p>FC1442SL ■ ■ ■ 6 12" x 6'8" 14" x 6'8"</p>	<p>81961PSL ■ ■ ■ 6 12" x 8'0" 14" x 8'0"</p>	<p>FC149SL ■ ■ ■ 6 12" x 6'8" 14" x 6'8"</p>	<p>FC8867SL ■ ■ ■ 6 12" x 8'0" 14" x 8'0"</p>	<p>S160 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>S626 ■ ■ ■ ■ 6 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡ 3'6" x 6'8"</p>	<p>S20042 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S902 ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S156 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S161 ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>
---	---	--	---	---	--	---	---	---	---

Kensington Continues on next page.

Options Key

- Brass Caming (1A)
- ■ ■ Brushed Nickel Caming (1C)
- ■ ■ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR

- 6 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- Flush-Glazed Glass (FG)
- No Stile Lines

Crystal Diamonds™ *Continued*

Smooth-Star®



S716
 ❖6
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



S547 ■
 ❖6
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ‡
 2'10" x 6'8" Δ‡
 3'0" x 6'8" Δ‡
 3'6" x 6'8"



S86
 ❖6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S96
 ❖6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S886
 ❖6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S726
 ❖6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6024
 ❖6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6044
 ❖6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S36
 ❖6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S836
 ❖6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S730
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S700 ■
 ❖
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ‡
 2'10" x 6'8" Δ‡
 3'0" x 6'8" Δ‡
 3'6" x 6'8"



S772
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6083
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S993
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S16
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9358
 ❖6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83158
 ❖6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S754
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S716SL
 ❖6
 12" x 6'8"
 14" x 6'8"



S3570SL ■
 ❖6
 10" x 6'8"
 12" x 6'8" Δ‡
 14" x 6'8" Δ‡



S96SL ▲
 ❖
 12" x 6'8"
 14" x 6'8"



S756SL
 ❖6
 12" x 6'8"
 14" x 6'8"



S886SL
 ❖6
 12" x 8'0"
 14" x 8'0"



S766SL
 ❖
 12" x 6'8"
 14" x 6'8"



S730SL
 ❖6
 12" x 6'8"
 14" x 6'8"



S85923SL
 ❖6
 12" x 8'0"
 14" x 8'0"



S750SL
 ❖
 12" x 6'8"
 14" x 6'8"

Fiber-Classic® Mahogany



FCM12
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1025 ■
2'6" x 6'8" △‡
2'8" x 6'8" △‡
2'10" x 6'8" △‡
3'0" x 6'8" △‡



FCM68
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM69
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM70
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM15101SL ■
● 10" x 6'8"
12" x 6'8" △‡
14" x 6'8" △‡



FCM8108SL
12" x 8'0"
14" x 8'0"



FCM68SL
12" x 6'8"
14" x 6'8"

Fiber-Classic® Oak



FC12
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC1025 ■
2'6" x 6'8" △‡
2'8" x 6'8" △‡
2'10" x 6'8" △‡
3'0" x 6'8" △‡



81962P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC68
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC58
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC80948
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC86248
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC25
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC12SL
10" x 6'8"
12" x 6'8"
14" x 6'8"



15101SL ■
● 12" x 6'8" △‡
14" x 6'8" △‡



81962PSL
12" x 8'0"
14" x 8'0"



FC58SL
12" x 6'8"
14" x 6'8"

Options Key

- ❖ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- Ⓜ WBDR
- Ⓜ WBDR / HVHZ
- △ 6'6" Height Available
(8'0" only in 14")
- ‡ 7'0" Height Available

Features Key

- 🔥 Flush-Glazed Glass (FG)
- No Stile Lines


Frosted Images®

Fiber-Classic® Mahogany



- | | | | | | | | | |
|--|--|---|---|---|--|---|--|--|
| <p>FCM11
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM8113
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FCM669 ■
6
2'6" x 6'8" †
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †</p> | <p>FCM813 ■
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FCM763
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM66
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM895
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FCM6023
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM6043
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|--|---|---|---|--|---|--|--|

Fiber-Classic® Oak



- | | | | | | | | | | | |
|---|---|---|--|---|---|---|---|---|--|--|
| <p>FCM784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM13101SL ■
6
10" x 6'8" †
12" x 6'8" †
14" x 6'8" †</p> | <p>FCM81300SL ■
6
12" x 8'0"
14" x 8'0"</p> | <p>FCM8113SL
6
12" x 8'0"
14" x 8'0"</p> | <p>FCM8109SL
6
12" x 8'0"
14" x 8'0"</p> | <p>FCM66SL
6
12" x 6'8"
14" x 6'8"</p> | <p>FC11
6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †</p> | <p>81970P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC669 ■
6
2'6" x 6'8" †
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †</p> | <p>FC813 ■
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> |
|---|---|---|--|---|---|---|---|---|--|--|



- | | | | | | | | | |
|--|--|---|---|---|---|---|--|--|
| <p>FC763
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC768
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>81963P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC66
6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †</p> | <p>81931P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>81973P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC44
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|--|---|---|---|---|---|--|--|



FC791 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80945 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86245 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC806 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC11SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC8113SL 6 12" x 8'0" 14" x 8'0"	13101SL ■ 6 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	81300SL ■ 6 12" x 8'0" 14" x 8'0"	81963PSL 6 12" x 8'0" 14" x 8'0"	FC44SL 6 12" x 6'8" 14" x 6'8"
--	---	---	---	--	--	---	---	--	--

Smooth-Star®



S138 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S812 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S669 ■ 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡ 3'6" x 6'8"	S813 ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S84 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S94 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S884 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S206E 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6023 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6043 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	---	---	--	---	---	---



S34 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S834 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S250 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S289E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S103 ■ 2'6" x 6'8" Δ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡ 3'6" x 6'8"	S989 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6081 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	--	--	---	--	---

Frosted Images Continues on next page.

Options Key

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR

- 6 WBDR / HVHZ
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Frosted Images® *Continued*

										
S9345 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83145 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S260 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S138SL 9 12" x 6'8" 14" x 6'8"	S8113SL 9 12" x 8'0" 14" x 8'0"	S2070SL ■ 9 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S81300SL ■ 9 12" x 8'0" 14" x 8'0"	S94SL ▲ 9 12" x 6'8" 14" x 6'8"	S884SL 9 12" x 8'0" 14" x 8'0"	S289ESL 9 12" x 6'8" 14" x 6'8"	S250SL 12" x 6'8" 14" x 6'8"

Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 100.

Fiber-Classic® Mahogany

						
FCM138XC FCM138XJ FCM138XR FCM138XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285XN FCM1285XC FCM1285XJ FCM1285XR ■ ■ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FCM18XJ FCM18XC FCM18XR FCM18XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284XR FCM1284XN FCM1284XC FCM1284XJ ■ ■ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FCM82XC FCM82XJ FCM82XR FCM82XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM65XN FCM65XR FCM65XC FCM65XJ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6022XJ FCM6022XC FCM6022XR FCM6022XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
						
FCM6042XR FCM6042XC FCM6042XJ FCM6042XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8321XR FCM8321XC FCM8321XJ FCM8321XN ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM12102XCSSL FCM12102XJSL FCM12102XRSL FCM12102XNSL ■ ● ■ 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM92XJSL FCM92XCSSL FCM92XRSL FCM92XNSL ■ 12" x 6'8" 14" x 6'8"	FCM8101XNSL FCM8101XJSL FCM8101XCSSL FCM8101XRSL ■ 12" x 8'0" 14" x 8'0"	FCM65XRSL FCM65XCSSL FCM65XJSL FCM65XNSL ■ 12" x 6'8" 14" x 6'8"	FCM3487XCSSL FCM3487XRSL FCM3487XJSL FCM3487XNSL ■ 12" x 8'0" 14" x 8'0"
						
FCM605XC FCM605XJ FCM605XR FCM605XN ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"						

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.

Fiber-Classic® Oak



NEW
FCM606XJ
FCM606XC
FCM606XR
FCM606XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
FCM607XR
FCM607XC
FCM607XJ
FCM607XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
FCM608XN
FCM608XC
FCM608XJ
FCM608XR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




NEW
FCM6124XRSL
FCM6124XC
FCM6124XJSL
FCM6124XNSL
12" x 6'8"
14" x 6'8"



NEW
FCM6125XNSL
FCM6125XC
FCM6125XJSL
FCM6125XRSL
12" x 6'8"
14" x 6'8"




NEW
FCM6126XCJSL
FCM6126XJSL
FCM6126XRSL
FCM6126XNSL
12" x 6'8"
14" x 6'8"




NEW
FC138XJ
FC138XC
FC138XR
FC138XN
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
1285XN
1285XJ
1285XC
1285XR
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
FC18XR
FC18XJ
FC18XC
FC18XN
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
1284XJ
1284XC
1284XR
1284XN
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
FC82XN
FC82XC
FC82XJ
FC82XR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
FC92XC
FC92XR
FC92XJ
FC92XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
81945PXR
81945PXC
81945PXJ
81945PXN
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW
81946PXJ
81946PXR
81946PXC
81946PXN
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW
FC65XC
FC65XJ
FC65XR
FC65XN
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
FC8321XN
FC8321XC
FC8321XJ
FC8321XR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW
FC832XJ
FC832XC
FC832XR
FC832XN
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW
FC807XN
FC807XJ
FC807XC
FC807XR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
FC809203XR
FC809203XC
FC809203XJ
FC809203XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



NEW
FC862203XC
FC862203XJ
FC862203XR
FC862203XN
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW
FC18XCJSL
FC18XRSL
FC18XJSL
FC18XNSL
12" x 6'8"
14" x 6'8"



NEW
12102XNSL
12102XJSL
12102XCJSL
12102XRSL
12" x 6'8" ‡
14" x 6'8" ‡



NEW
FC92XRSL
FC92XCJSL
FC92XJSL
12" x 6'8"
14" x 6'8"

Options Key

- Simulated Divided Lites (SDL)*
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- WBDR
- 6'6" Height Available
- 7'0" Height Available

Features Key

- No Stile Lines
- Flush-Glazed Glass (FG)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass

Optional Dentil Shelf**



4-Block Dentil Shelf
Available for FCM605, FCM606,
FCM607 and FCM608 only.

Privacy Glass with Divided Lites *Continued*



81946PXJSL
81946PXNSL
81946PXCSL
81946PXRSL

■

12" x 8'0"
14" x 8'0"



FC63XCSSL
FC63XJSL
FC63XRSL
FC63XNSL

■

12" x 6'8"
14" x 6'8"



FC3487XNSL
FC3487XCSSL
FC3487XJSL
FC3487XRSL

■

12" x 8'0"
14" x 8'0"



FC06188XRSL
FC06188XCSSL
FC06188XJSL
FC06188XNSL

■

10" x 6'8"
12" x 6'8"
14" x 6'8"



FC06184XJSL
FC06184XCSSL
FC06184XRSL
FC06184XNSL

■ ■ ●

12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FC06189XNSL
FC06189XRSL
FC06189XCSSL
FC06189XJSL

■

10" x 6'8"
12" x 6'8"
14" x 6'8"



FC06185XCSSL
FC06185XJSL
FC06185XRSL
FC06185XNSL

■ ■ ●

12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FC06190XRSL
FC06190XCSSL
FC06190XJSL
FC06190XNSL

■

10" x 6'8"
12" x 6'8"
14" x 6'8"



FC06186XJSL
FC06186XCSSL
FC06186XRSL
FC06186XNSL

■ ■ ●

12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Smooth-Star®



S128XN
S128XC
S128XJ
S128XR

■

2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ



S141XR
S141XJ
S141XC
S141XN

■ ■

2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



S108XC
S108XJ
S108XR
S108XN

■


2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ



S6063XJ
S6063XC
S6063XR
S6063XN

■ ■


2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



S82XN
S82XC
S82XJ
S82XR

■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S92XR
S92XC
S92XJ
S92XN

■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S881XJ
S881XR
S881XC
S881XN

■

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S822XN
S822XR
S822XC
S822XJ

■

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S262XC
S262XJ
S262XR
S262XN

■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6022XJ
S6022XC
S6022XR
S6022XN

■


2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6042XR
S6042XC
S6042XJ
S6042XN

■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S32XN
S32XC
S32XJ
S32XR

■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S832XJ
S832XN
S832XC
S832XR

■

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S807XC
S807XJ
S807XR
S807XN









■

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"






*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Not recommended for placement behind storm doors.


Note: See page 231 for important product details that may help with your purchase decision.

							
NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW
S93203XJ S93203XN S93203XR S93203XC	S831203XR S831203XC S831203XJ S831203XN	S308XJSL S308XCSSL S308XRSL S308XNSL	S1170XJSL S1170XCSSL S1170XRSL S1170XNSL	S82XNSL S82XJSL S82XRSL S82XNSL	S881XRSL S881XJSL S881XCSSL S881XNSL	S263XCSSL S263XRSL S263XJSL S263XNSL	S3487XRSL S3487XCSSL S3487XJSL S3487XNSL
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

							
S605XJ S605XC S605XR S605XN	S8605XJ S8605XC S8605XR S8605XN	S606XR S606XC S606XJ S606XN	S8606XR S8606XC S8606XJ S8606XN	S607XN S607XC S607XJ S607XR	S8607XN S8607XC S8607XJ S8607XR	S608XC S608XJ S608XR S608XN	S8608XC S8608XJ S8608XR S8608XN
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

					
S605XRSL S605XCSSL S605XJSL S605XNSL	S6124XRSL S6124XCSSL S6124XJSL S6124XNSL	S606XNSL S606XCSSL S606XJSL S606XRSL	S6125XNSL S6125XCSSL S6125XJSL S6125XRSL	S607XCSSL S607XJSL S607XRSL S607XNSL	S6126XCSSL S6126XJSL S6126XRSL S6126XNSL
12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡

Options Key

-  Simulated Divided Lites (SDL)*
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

-  6'6" Height Available
-  7'0" Height Available

Features Key

-  No Stile Lines

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass

Optional Dentil Shelf**



4-Block Dentil Shelf
Available for S605, S8605, S606, S8606, S607, S8607, S608 and S8608 only.

Privacy Glass

Fiber-Classic.® Mahogany



FCM10XC
FCM10XJ
FCM10XR
FCM10XN
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870XC
FCM870XJ
FCM870XR
FCM870XN
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM1283XN
FCM1283XJ
FCM1283XR
FCM1283XN
6
2'0" x 6'8"
2'4" x 6'8" †
2'6" x 6'8" †‡
2'8" x 6'8" †‡
2'10" x 6'8" †‡
3'0" x 6'8" †‡

FCM81200XN
FCM81200XJ
FCM81200XR
FCM81200XN
6
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM32XJ
FCM32XC
FCM32XR
FCM32XN
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM62XR
FCM62XC
FCM62XJ
FCM62XN
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862XR
FCM862XC
FCM862XJ
FCM862XN
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6021XJ
FCM6021XC
FCM6021XR
FCM6021XN
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6041XC
FCM6041XR
FCM6041XJ
FCM6041XN
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM80XN
FCM80XC
FCM80XJ
FCM80XR
FCM80XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM160XC
FCM160XJ
FCM160XR
FCM160XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM601XC
FCM601XN
FCM601XJ
FCM601XR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


FCM132XJ
FCM132XC
FCM132XR
FCM132XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM708XN
FCM708XC
FCM708XJ
FCM708XR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8708XN
FCM8708XC
FCM8708XJ
FCM8708XR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM61XR
FCM61XC
FCM61XJ
FCM61XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861XR
FCM861XC
FCM861XJ
FCM861XN
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM12101XNSL
FCM12101XCSSL
FCM12101XJSL
FCM12101XRSL
6
10" x 6'8"
12" x 6'8" †‡
14" x 6'8" †‡

FCM81200XNSL
FCM81200XCSSL
FCM81200XJSL
FCM81200XRSL
6
12" x 8'0"
14" x 8'0"

FCM870XJSL
FCM870XCSSL
FCM870XRSL
FCM870XNSL
6
12" x 8'0"
14" x 8'0"

FCM32XJSL
FCM32XCSSL
FCM32XRSL
FCM32XNSL
6
12" x 6'8"
14" x 6'8"

FCM881XJSL
FCM881XCSSL
FCM881XRSL
FCM881XNSL
6
12" x 8'0"
14" x 8'0"

FCM62XRSL
FCM62XCSSL
FCM62XJSL
FCM62XNSL
6
12" x 6'8"
14" x 6'8"

FCM862XRSL
FCM862XCSSL
FCM862XJSL
FCM862XNSL
6
12" x 8'0"
14" x 8'0"

*Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.

Fiber-Classic® Oak



<p>1283XC 1283XJ 1283XR 1283XN</p> <p>6</p> <p>2'0" x 6'8" 2'4" x 6'8" † 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡</p>	<p>81200XC 81200XJ 81200XR 81200XN</p> <p>6</p> <p>2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC10XJ FC10XC FC10XR FC10XN</p> <p>6</p> <p>2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>81200PXJ 81200PXC 81200PXR 81200PXN</p> <p>6</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC766XR FC766XC FC766XJ FC766XN</p> <p>6</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>81943PXR 81943PXC 81943PXJ 81943PXN</p> <p>6</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC32XN FC32XC FC32XJ FC32XR</p> <p>6</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC62XC FC62XJ FC62XR FC62XN</p> <p>6</p> <p>2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>81929PXC 81929PXJ 81929PXR 81929PXN</p> <p>6</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	---	---	---	---	---	---	---



<p>81971PXJ 81971PXC 81971PXR 81971PXN</p> <p>6</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC48XJ FC48XC FC48XR FC48XN</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC710XR FC710XC FC710XJ FC710XN</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC160XN FC160XC FC160XJ FC160XR</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC789XC FC789XJ FC789XR FC789XN</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC132XR FC132XC FC132XJ FC132XN</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>
---	--	--	--	--	--



<p>FC86220XC FC86220XJ FC86220XR FC86220XN</p> <p>6</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC80920XR FC80920XC FC80920XJ FC80920XN</p> <p>6</p> <p>2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC708XJ FC708XR FC708XN FC708XC</p> <p>2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>FC8708XJ FC8708XR FC8708XN FC8708XC</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC803XN FC803XC FC803XJ FC803XR</p> <p>2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>FC61XC FC61XJ FC61XR FC61XN</p> <p>2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>FC861XC FC861XJ FC861XR FC861XN</p> <p>2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	--	--	--	--	--

Privacy Glass *Continues on next page.*

Options Key

- **Vented Sidelite** (No Impact)
(6'6" & 6'8" only in 12" & 14")
- 6 **WBDR**
- 6 **WBDR / HVHZ**
- ▲ **6'6" Height Available**
(8'0" only in 14")
- ‡ **7'0" Height Available**

Features Key

- **No Stile Lines**

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

XC = Chord Glass XR = Rainglass
XJ = Chinchilla Glass XN = Granite Glass

Optional Dentil Shelf*



4-Block Dentil Shelf
Available for FCM601 only.

Privacy Glass *Continued*



FC47XRSL | 81200PXNSL
 FC47XCSSL | 81200PXCSSL
 FC47XJSL | 81200PXJSL
 FC47XNSL | 81200PXNSL
 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



12101XJSL | 81200XJSL
 12101XCSSL | 81200XCSSL
 12101XRSL | 81200XRSL
 12101XNSL | 81200XNSL
 6
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡
 12" x 8'0"
 14" x 8'0"



FC32XNSL | 81943PXNSL
 FC32XCSSL | 81943PXCSSL
 FC32XJSL | 81943PXJSL
 FC32XRSL | 81943PXRSL
 6
 12" x 6'8"
 14" x 6'8"
 12" x 8'0"
 14" x 8'0"



FC48XCSSL | 81929PXCSSL
 FC48XJSL | 81929PXJSL
 FC48XRSL | 81929PXRSL
 FC48XNSL | 81929PXNSL
 6
 12" x 6'8"
 14" x 6'8"
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S140XC | S8140XC
 S140XJ | S8140XJ
 S140XR | S8140XR
 S140XN | S8140XN
 6
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"



S118XJ | S118XC
 S118XJ | S118XC
 S118XR | S118XR
 S118XN | S118XN
 6
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



S818XJ | S818XC
 S818XJ | S818XC
 S818XR | S818XR
 S818XN | S818XN
 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S90XR | S880XR
 S90XC | S880XC
 S90XJ | S880XJ
 S90XN | S880XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S80XN | S206XC
 S80XC | S206XJ
 S80XJ | S206XR
 S80XR | S206XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6021XJ | S6021XC
 S6021XJ | S6021XC
 S6021XR | S6021XR
 S6021XN | S6021XN
 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6041XR | S104XC
 S6041XC | S104XJ
 S6041XJ | S104XR
 S6041XN | S104XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S30XN | S830XC
 S30XC | S830XJ
 S30XJ | S830XR
 S30XR | S830XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S289XC | S770XJ
 S289XJ | S770XC
 S289XR | S770XR
 S289XN | S770XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6080XR | S6080XC
 S6080XR | S6080XC
 S6080XJ | S6080XJ
 S6080XN | S6080XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6080XR | S6080XC
 S6080XR | S6080XC
 S6080XJ | S6080XJ
 S6080XN | S6080XN
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

*Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.

								
S992XN S992XC S992XJ S992XR 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S601XC S601XJ S601XR S601XN 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8600XC S8600XJ S8600XR S8600XN 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S10XJ S10XC S10XR S10XN 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9320XN S9320XR S9320XC S9320XJ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120XC S83120XR S83120XJ S83120XN 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S708XN S708XC S708XJ S708XR 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8708XN S8708XC S8708XJ S8708XR 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S256XR S256XC S256XJ S256XN 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

							
S296XN S296XC S296XJ S296XR 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S896XN S896XC S896XJ S896XR 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S601XJSL S601XCSSL S601XRSL S601XNSL 6 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S81086XJSL S81086XCSSL S81086XRSL S81086XNSL 6 12" x 8'0" 14" x 8'0"	S100XJSL S100XCSSL S100XRSL S100XNSL 6 12" x 6'8" 14" x 6'8"	S880XJSL S880XCSSL S880XRSL S880XNSL 6 12" x 8'0" 14" x 8'0"	S210XRSL S210XCSSL S210XJSL S210XNSL 6 12" x 6'8" 14" x 6'8"	S85910XRSL S85910XCSSL S85910XJSL S85910XNSL 6 12" x 8'0" 14" x 8'0"

Internal Blinds

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany

						
FCM141 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 * 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FCM81225 * 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM140 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6035 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6055 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Internal Blinds *Continues on next page.*

Options Key

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
- 6 WBDR
- 6 WBDR / HVHZ

- ★ Low-E Glass (LE)
- Δ 6'6" Height Available
(8'0" only in 14")
- ‡ 7'0" Height Available

Features Key

- No Stile Lines

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass

Optional Dentil Shelf*



Internal Blinds *Continued*

Fiber-Classic® Oak



FCM1286SL ■	FCM81225SL ■	FCM8115SL	FCM140SL	FCM8110SL
★ ●	★ ●	★	★	★
10" x 6'8"	12" x 8'0"	12" x 8'0"	12" x 6'8"	12" x 8'0"
12" x 6'8" †	14" x 8'0"	14" x 8'0"	14" x 6'8"	14" x 8'0"
14" x 6'8" †				



FC141	81225P	1286 ■	81225 ■	81964P
★	★	★	★	★
2'6" x 6'8"	2'8" x 8'0"	2'4" x 6'8" †	2'6" x 8'0"	2'8" x 8'0"
2'8" x 6'8" †	2'10" x 8'0"	2'6" x 6'8" †	2'8" x 8'0"	2'10" x 8'0"
2'10" x 6'8" †	3'0" x 8'0"	2'8" x 6'8" †	2'10" x 8'0"	3'0" x 8'0"
3'0" x 6'8" †		2'10" x 6'8" †	3'0" x 8'0"	
		3'0" x 6'8" †		



FC140	FC925	FC8972	FC141SL	81225PSL	1286SL ■	81225SL ■	81964PSL	FC140SL
★	★	★	★	★	★ ●	★ ●	★	★
2'6" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	10" x 6'8"	12" x 8'0"	12" x 6'8" †	12" x 8'0"	12" x 8'0"	12" x 6'8"
2'8" x 6'8" †	2'10" x 6'8"	2'10" x 8'0"	12" x 6'8"	14" x 8'0"	14" x 6'8" †	14" x 8'0"	14" x 8'0"	14" x 6'8"
2'10" x 6'8" †	3'0" x 6'8"	3'0" x 8'0"	14" x 6'8"					
3'0" x 6'8" †								

Smooth-Star®



S130	S829	S6061 ■	S81225 ■	S901	S132	S6035	S6055
★	★	★	★	★	★	★	★
2'6" x 6'8" †	2'6" x 8'0"	2'4" x 6'8" †	2'6" x 8'0"	2'8" x 8'0"	2'6" x 6'8"	2'6" x 6'8"	2'8" x 6'8"
2'8" x 6'8" †	2'8" x 8'0"	2'6" x 6'8" †	2'8" x 8'0"	2'10" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'10" x 6'8"
2'10" x 6'8" †	2'10" x 8'0"	2'8" x 6'8" †	2'10" x 8'0"	3'0" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 6'8"
3'0" x 6'8" †	3'0" x 8'0"	2'10" x 6'8" †	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	
		3'0" x 6'8" †	3'6" x 8'0"				
		3'6" x 6'8"					

*Features a gliding operation and sash locking system.
 Note: See page 231 for important product details that may help with your purchase decision.



S131

★
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S971

★
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S925

★
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8972

★
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S130SL

★
 12" x 6'8"
 14" x 6'8"



S829SL

★
 12" x 8'0"
 14" x 8'0"



S6128SL ■

★ ●
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



S85928SL ■

★ ●
 12" x 8'0"
 14" x 8'0"

S901SL

★
 12" x 8'0"
 14" x 8'0"



S132SL

★
 12" x 6'8"
 14" x 6'8"

Screen Vented Lites*

Smooth-Star®



S243

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6034

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6054

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Options Key

● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

★ Low-E Glass (LE)

▲ 6'6" Height Available

‡ 7'0" Height Available

Features Key








■ No Stile Lines









Flush-Glazed Glass with Divided Lites

Note: For details on divided lite options, see page 100.

Fiber-Classic® Oak

						
FC1205 ▲ NEW	FC1206 ▲ NEW	FC1207 ▲ NEW	2010 ▲ NEW	FC1204 ▲ NEW	2050 ▲ NEW	8000-12 ▲
2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲

						
8000-18 ▲	2150 ▲ NEW	FC1205SL ▲ NEW	FC1206SL ▲ NEW	FC1204SL ▲ NEW	2050SL ▲ NEW	2150SL ▲ NEW
2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 3'0" x 6'8" ▲	12" x 6'8" ▲ 14" x 6'8" ▲	12" x 6'8" ▲ 14" x 6'8" ▲	12" x 6'8" ▲ 14" x 6'8" ▲	12" x 6'8" ▲ 14" x 6'8" ▲	12" x 6'8" ▲ 14" x 6'8" ▲

							
FC02000-2C ▲	FC082000-2C ▲	FC02000-3C ▲	FC082000-3C ▲	FC02000-4C ▲	FC082000-4C ▲	FC02000-6C ▲	FC082000-6C ▲
2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" ▲ 3'0" x 6'8" ▲	2'0" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.



2009 ▲
 > ◆ ✨
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6"
 3'0" x 6'8" ▲

8000-9 ▲
 > ◆ ✨
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1409 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



2009SL ▲
 ◆ ✨
 12" x 6'8"
 14" x 6'8"




FC1409SL ▲
 ◆ ✨
 12" x 6'8"
 14" x 6'8"


Smooth-Star®



S1205 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




S1206 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




S1207 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S2010 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S1204 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲




S2050 ▲
 ◆ ✨
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S8000-12 ▲
 > ◆ ✨
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S8000-18 ▲
 ◆ ✨
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S2103 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S2104 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S2105 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S2250 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S2150 ▲
 ◆ ✨
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

Flush-Glazed Glass with Divided Lites *Continues on next page.*

Options Key

- Simulated Divided Lites (SDL)*,**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- > Removable Wood Grilles (RG)
- ☀ Low-E Glass (LE)
- ▲ 6'6" Height Available

Features Key

- ▲ Flush-Glazed Glass (FG)

Flush-Glazed Glass with Divided Lites *Continued*



S1205SL ▲
 ◆ ● ◆ ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1206SL ▲
 ◆ ● ◆ ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1204SL ▲
 ◆ ● ◆ ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2010SL ▲
 ◆ ● ◆ ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2103SL ▲
 ◆ ● ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2104SL ▲
 ◆ ● ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S92SL ▲
 ◆ ● ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2000-2C ▲
 ◆ ● ▲
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-2C ▲
 ◆ ● ▲
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-3C ▲
 ◆ ● ▲
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-3C ▲
 ◆ ● ▲
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-4C ▲
 ◆ ● ▲
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-4C ▲
 ◆ ● ▲
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-6C ▲
 ◆ ● ▲
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲


S82000-6C ▲
 ◆ ● ▲
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000SL-2C ▲
 ◆ ● ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2000SL-4C ▲
 ◆ ● ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2009 ▲
 ◆ ● ▲
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8000-9 ▲
 ◆ ● ▲
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S1401 ▲
 ◆ ● ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S1409 ▲
 ◆ ● ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 3'0" x 6'8" ▲



S2009SL ▲
 ◆ ● ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1401SL ▲
 ◆ ● ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.

Flush-Glazed Glass

Fiber-Classic® Oak



- | | | | | |
|--|--|---|------------------------------|------------------------------|
| 2000 ▲
★ | 8000 ▲
★ | 2100 ▲
★ | 2000SL ▲
★ | 2100SL ▲
★ |
| 2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ▲
3'0" x 6'8" ▲ | 2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲ | 2'6" x 6'8" ▲
2'8" x 6'8" ▲
3'0" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ |

Smooth-Star®



- | | | | | | |
|--|--|---|---|--|------------------------------|
| S2000 ▲
★ | S8000 ▲
★ | S2200 ▲
★ | S2100 ▲
★ | S2000SL ▲
★ | S90SL ▲
★ |
| 2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | 2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲ | 2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | 2'6" x 6'8" ▲
2'8" x 6'8" ▲
3'0" x 6'8" ▲ | 10" x 6'8" ▲
12" x 6'8" ▲
14" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ |

Clear Glass with Divided Lites

Note: For details on divided lite options, see page 100.

Fiber-Classic® Mahogany



- | | | | | | | |
|--|--|--|--|--|--|--|
| FCM1209
▲★ | FCM1201 ■
▲★ | FCM1211
▲★ | FCM1202 ■
▲★ | FCM1212
▲★ | FCM1203 ■
▲★ | FCM138
▲★▶▶▶▶6 |
| 2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | 2'4" x 6'8" ▲
2'6" x 6'8" ▲ ‡
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | 2'4" x 6'8" ▲
2'6" x 6'8" ▲ ‡
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ | 2'4" x 6'8" ▲
2'6" x 6'8" ▲ ‡
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲ |

Clear Glass with Divided Lites *Continues on next page.*


Options Key

- ▶ Simulated Divided Lites (SDL)*,**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact) Glass Only (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- Ⓜ WBDR / HVHZ


Features Key

- ★ Low-E Glass (LE)
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ▲ Flush-Glazed Glass (FG)
- No Stile Lines

Clear Glass with Divided Lites *Continued*




FCM1285 ■
 2'0" x 6'8" ▽
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡



FCM1208
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM1200 ■
 2'4" x 6'8" ▽ ▲
 2'6" x 6'8" ▽ ▲ ‡
 2'8" x 6'8" ▽ ▲ ‡
 2'10" x 6'8" ▽ ▲ ‡
 3'0" x 6'8" ▽ ▲ ‡




FCM18
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM1284 ■
 2'4" x 6'8" ▽ ▲
 2'6" x 6'8" ▽ ▲ ‡
 2'8" x 6'8" ▽ ▲ ‡
 2'10" x 6'8" ▽ ▲ ‡
 3'0" x 6'8" ▽ ▲ ‡




FCM828
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽




FCM81828 ■
 2'0" x 8'0" ▽
 2'4" x 8'0" ▽
 2'6" x 8'0" ▽
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽



FCM81208P
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽




FCM81829 ■
 2'6" x 8'0" ▽
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽




FCM2106
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM2107
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽




FCM2108
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM82
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM63
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽




FCM6097
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM811
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM8322
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽



FCM8323
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽



FCM8324
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽



FCM65
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽



FCM6022
 2'8" x 6'8" ▽
 2'10" x 6'8" ▽
 3'0" x 6'8" ▽

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.



FCM6042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8321 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1201SL ■ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FCM1202SL ■ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FCM1200SL ■ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FCM12102SL ■ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FCM81208PSL 12" x 8'0" 14" x 8'0"	FCM81208SL ■ 12" x 8'0" 14" x 8'0"	FCM1089SL 12" x 6'8" 14" x 6'8"	FCM8311SL 12" x 8'0" 14" x 8'0"
--	--	--	--	--	---	--	---	--	--



FCM2101SL 12" x 6'8" 14" x 6'8"	FCM8313SL 12" x 8'0" 14" x 8'0"	FCM92SL 12" x 6'8" 14" x 6'8"	FCM8310SL 12" x 8'0" 14" x 8'0"	FCM8101SL 12" x 8'0" 14" x 8'0"	FCM8675SL 12" x 8'0" 14" x 8'0"	FCM65SL 12" x 6'8" 14" x 6'8"	FCM7125SL 12" x 8'0" 14" x 8'0"	FCM3487SL 12" x 8'0" 14" x 8'0"	FCM3000-2C 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM83000-2C 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--	--	--	---	--



FCM3000F-2C ■ 2'0" x 6'8" ▽ 2'4" x 6'8" △ ‡ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	FCM83000F-2C ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM3000-3C ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM83000-3C ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM3000F-3C ■ 2'0" x 6'8" ▽ 2'4" x 6'8" △ ‡ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	FCM83000F-3C ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM3000-4C ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM83000-4C ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM3000F-4C ■ 2'0" x 6'8" ▽ 2'4" x 6'8" △ ‡ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	FCM83000F-4C ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	---	---	---	--	---	---

Clear Glass with Divided Lites *Continues on next page.*

Options Key

- Simulated Divided Lites (SDL)*,**
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)
- WBDR / HVHZ
- 6'6" Height Available
- 7'0" Height Available

Features Key


- No Stile Lines
- PVC Doorlite Frame**

Clear Glass with Divided Lites *Continued*



FCM3000-6C
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM83000-6C
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000F-6C ■
 ◆ ◆ ◆
 2'0" x 6'8" ▲
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †

FCM83000F-6C ■
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM605
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM606
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM607
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM608
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM752
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8752
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6124SL ■
 ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



FCM6125SL ■
 ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



FCM6126SL ■
 ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †




FCM198
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1289 ■
 ◆ ◆ ◆
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †



FCM1402
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1408
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8145
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM1405
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1406
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM704
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8704
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM1289SL ■
 ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



FCM1400SL
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



FCM81944SL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



FCM1405SL
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



FCM8145SL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

***Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.



FC1404 ◆ ✨ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8141 ◆ ✨ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC704 ◆ ✨ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8704 ◆ ✨ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC198SL ◆ ✨ 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC1289SL ■ ◆ ✨ 12" x 6'8" ‡ † 14" x 6'8" ‡ †	FC1400SL ◆ ✨ 12" x 6'8" 14" x 6'8"	81944PSL ◆ ✨ 12" x 8'0" 14" x 8'0"	FC1408SL ◆ ✨ 12" x 6'8" 14" x 6'8"	FC8145SL ◆ ✨ 12" x 8'0" 14" x 8'0"
--	--	---	--	---	--	--	--	--	--

Smooth-Star®



S1209 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1201 ■ ◆ ✨ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S1211 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1202 ■ ◆ ✨ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S1212 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1203 ■ ◆ ✨ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S128 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S141 ■ ◆ ✨ 2'0" x 6'8" † 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"
--	--	--	--	--	--	---	--



S1208 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1200 ■ ◆ ✨ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S108 ◆ ✨ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S6063 ■ ◆ ✨ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S828 ◆ ✨ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81828 ■ ◆ ✨ 2'0" x 8'0" † 2'4" x 8'0" † 2'6" x 8'0" † 2'8" x 8'0" † 2'10" x 8'0" † 3'0" x 8'0" † 3'6" x 8'0"	S808 ◆ ✨ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81208 ■ ◆ ✨ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
--	--	---	--	---	--	---	--

Clear Glass with Divided Lites *Continues on next page.*

Options Key

- Simulated Divided Lites (SDL)*,**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ◆ Fixed Grilles (FXG)
- Removable Wood Grilles (RG)

- ☀ Low-E Glass (LE)
- Ⓢ WBDR / HVHZ
- ⤴ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- PVC Doorlite Frame**
- No Stile Lines

Clear Glass with Divided Lites *Continued*



S2106

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S2107

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S2108

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S1089

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8311

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S2101

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8313

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S2102

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8316

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S881

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S92

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8310

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S882

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S8318

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S8319

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S8320

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S32

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S832

2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S63

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6097

2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S811

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S262

2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6022

2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6042

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 231 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites *Continued*



S3000-2C
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



S83000-2C
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ



S3000F-2C
 2'0" x 6'8" Δ
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ \ddagger
 2'10" x 6'8" Δ \ddagger
 3'0" x 6'8" Δ \ddagger
 3'6" x 6'8" Δ



S83000F-2C
 2'0" x 8'0" Δ
 2'4" x 8'0" Δ
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ



S3000-3C
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S83000-3C
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ

S3000F-3C
 2'0" x 6'8" Δ
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ \ddagger
 2'10" x 6'8" Δ \ddagger
 3'0" x 6'8" Δ \ddagger
 3'6" x 6'8" Δ

S83000F-3C
 2'0" x 8'0" Δ
 2'4" x 8'0" Δ
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ

S3000-4C
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S83000-4C
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ



S3000F-4C
 2'0" x 6'8" Δ
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ \ddagger
 2'10" x 6'8" Δ \ddagger
 3'0" x 6'8" Δ \ddagger
 3'6" x 6'8" Δ



S83000F-4C
 2'0" x 8'0" Δ
 2'4" x 8'0" Δ
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ
 3'6" x 8'0" Δ



S3000-6C
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S83000-6C
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ



S3000F-6C
 2'0" x 6'8" Δ
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ \ddagger
 2'10" x 6'8" Δ \ddagger
 3'0" x 6'8" Δ \ddagger
 3'6" x 6'8" Δ

S83000F-6C
 2'0" x 8'0" Δ
 2'4" x 8'0" Δ
 2'6" x 8'0" Δ
 2'8" x 8'0" Δ
 2'10" x 8'0" Δ
 3'0" x 8'0" Δ
 3'6" x 8'0" Δ



S8202
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S8203
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S8204
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S8205
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S605
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8605
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S606
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8606
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S607
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8607
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S608
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8608
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S752
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8752
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 **Not recommended for placement behind storm doors.
 Note: See page 231 for important product details that may help with your purchase decision.



S605SL 12" x 6'8" 14" x 6'8"	S8605SL 12" x 8'0" 14" x 8'0"	S6124SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85924SL 12" x 8'0" 14" x 8'0"	S606SL 12" x 6'8" 14" x 6'8"	S8606SL 12" x 8'0" 14" x 8'0"	S6125SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85925SL 12" x 8'0" 14" x 8'0"	S607SL 12" x 6'8" 14" x 6'8"	S8607SL 12" x 8'0" 14" x 8'0"	S6126SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85926SL 12" x 8'0" 14" x 8'0"
---	--	--	---	---	--	--	---	---	--	--	---



S198 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S6062 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S1402 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1408 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1405 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1406 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	---	---	---	--



S1407 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8144 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1411 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1404 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8141 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S704 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8704 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	---	--

Clear Glass with Divided Lites *Continues on next page.*

Options Key

- Simulated Divided Lites (SDL)*
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Flat White Grilles Between Glass Only (GBGFW)
- Fixed Grilles (FXG)
- Low-E Glass (LE)
- WBDR

- WBDR / HVHZ
- 6'6" Height Available
- 7'0" Height Available










Features Key

- No Stile Lines
- PVC Doorlite Frame**

Optional Dentil Shelf**

4-Block Dentil Shelf
Available for S605, S8605, S606, S8606, S607, S8607, S608 and S8608 only.

Clear Glass with Divided Lites *Continued*

								
NEW	NEW	NEW	NEW	NEW	NEW			
S198SL ★ 12" x 6'8" 14" x 6'8"	S6062SL ■ ★ ● 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S1400SL S898SL ★ ● ★ ● 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"		S1405SL S8145SL ★ ● ★ ● 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"		19020T ★ 3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems Grille Sticks Applied	19220T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems Grille Sticks Applied	19200T ★ 3'0" Door Only Grille Sticks Applied
						Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.		

Clear Glass

Fiber-Classic® Mahogany


									
NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	
FCM10 ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870 ★ ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1283 ■ ★ ● 2'0" x 6'8" Δ 2'4" x 6'8" Δ ‡ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FCM81200 ■ ★ ● 2'0" x 8'0" Δ 2'4" x 8'0" Δ ‡ 2'6" x 8'0" Δ ‡ 2'8" x 8'0" Δ ‡ 2'10" x 8'0" Δ ‡ 3'0" x 8'0" Δ ‡	FCM32 ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM62 ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM862 ★ ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6021 ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6041 ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	
									
NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW
FCM80 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM160 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM601 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM132 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM708 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8708 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM61 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM861 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM12101SL ■ ★ ● 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM81200SL ■ ★ ● 12" x 8'0" 14" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


**Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.

Fiber-Classic® Oak



FCM870SL
 * 6
 12" x 8'0"
 14" x 8'0"
FCM32SL
 * 6
 12" x 6'8"
 14" x 6'8"
FCM881SL
 * > 6
 12" x 8'0"
 14" x 8'0"
FCM701SL
 *
 12" x 6'8"
 14" x 6'8"



FC10
 * 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
81200P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
1283
 * 6
 2'0" x 6'8"
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
81200
 * 6
 2'0" x 8'0" ▽
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC32
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC766
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
81943P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
FC62
 * 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
81929P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
81971P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
FC48
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC710
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC160
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC789
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC132
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC80920
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
FC86220
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
FC708
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
FC8708
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
FC803
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass *Continues on next page.*

Options Key

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- 🌀 WBDR
- 🌀 WBDR / HVHZ

- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- No Stile Lines
- ▽ PVC Doorlite Frame*

Optional Dentil Shelf**



Clear Glass *Continued*



FC61 ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC861 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC47SL ★ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81200PSL ★ 6 12" x 8'0" 12" x 8'0" 14" x 8'0"	12101SL ■ ★ 6 9 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	81200SL ■ ★ 6 9 12" x 8'0" 14" x 8'0"	FC32SL ★ 6 12" x 6'8" 14" x 6'8"	81943PSL ★ 6 12" x 8'0" 14" x 8'0"	FC701SL ★ 12" x 6'8" 14" x 6'8"	FC48SL ★ 6 12" x 6'8" 14" x 6'8"	81929PSL ★ 6 12" x 8'0" 14" x 8'0"
---	---	--	--	---	---	--	--	---	--	--

Smooth-Star®



S118 ★ 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S818 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140 ■ ★ 6 2'0" x 6'8" ▽ 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S8140 ■ ★ 6 2'0" x 8'0" ▽ 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S80 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S206 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6021 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6041 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	---	---	---	--	---	--	---



S104 ■ ★ 6 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S30 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S830 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S150 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S289 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S102 ■ ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S770 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6080 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	--	--	--	---


*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Not recommended for placement behind storm doors.

Note: See page 231 for important product details that may help with your purchase decision.



S992 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S105 ■ ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S601 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8601 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S10 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9320 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S708 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8708 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	---	--	---	--	---



S256 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S296 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S896 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S100SL ★ 6 12" x 6'8" 14" x 6'8"	S8601SL ★ 6 12" x 8'0" 14" x 8'0"	S601SL ■ ★ 6 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	S81086SL ■ ★ 6 12" x 8'0" 14" x 8'0"	S751SL ★ 6 12" x 6'8" 14" x 6'8"	S880SL ★ 6 12" x 8'0" 14" x 8'0"	S761SL ★ 12" x 6'8" 14" x 6'8"	S210SL ★ 6 12" x 6'8" 14" x 6'8"	S85910SL ★ 6 12" x 8'0" 14" x 8'0"	S150SL ★ 12" x 6'8" 14" x 6'8"
--	---	---	---	--	---	---	---	---	--	---	---	--



DLHRT ★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T ★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T ★
3'0" Door Only



19210T ★
12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Options Key

- ★ Low-E Glass (LE)
- Turtle Glass
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- 6 WBDR
- 6 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key

- PVC Doorlite Frame*
- No Stile Lines

Optional Dentil Shelf**



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-view glass option in aluminum Lip-lite frame.

Smooth-Star®



S140STC ■
 *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8140STC ■
 *
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S141STC ■
 ♦ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S6063STC ■
 ♦ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

Solid Panel

Fiber-Classic® Mahogany



FCM31
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM220
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM205
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM755
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM600
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM134
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM60
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM860
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM1000
 6
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ▲ †
 3'0" x 6'8" ▲ †

FCM81000
 6
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Fiber-Classic® Oak



FC31
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC809
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC862
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC808


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


FC134


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC60

 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC860


 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

1000 ■

 2'0" x 6'8"
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡

81000 ■

 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


Smooth-Star®





S93

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S220

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8200

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S200

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S897

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S205


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8201

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S31


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S831

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S960


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





S755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S600


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S8600

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S11

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S210

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S810

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S100 ■

 2'0" x 6'8"
 2'4" x 6'8" △
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"

S81000 ■

 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Options Key

- ◆ Flat White Grilles Between Glass Only (GBG-F)
- ★ Low-E Glass (LE)

-  WBDR / HVHZ
-  6'6" Height Available
-  7'0" Height Available

Features Key

- No Stile Lines

Profiles™ Steel



172

- Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options that are designed to match multiple home styles.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD
Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL

Traditions Steel



- Back to basics.



It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for multiple front entry and house-to-garage configurations.

Profiles™ & Traditions Steel Doors

Profiles and Traditions doors offer style at an affordable price point. Therma-Tru® steel doors are engineered with 1-¼" lock and hinge stiles, as well as 12-½" lock blocks for rigidity, stability and security. The doors come with a 20-Minute Fire-rated option on solid panel doors, making them perfect for house-to-garage applications. In combination with a primed, ready-to-paint surface, Therma-Tru steel doors offer options to match any home style or budget.

Profiles™ Steel



- Features 24-gauge steel, smooth surface – primed white and ready-to-paint.
- Triple-shadowed panel embossment for greater definition.
- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" and 3'6" widths in 6'6", 6'8" and 7'0" heights.
- Glass Options: 16 decorative, four privacy, specialty, Low-E (☀) and clear glass options available.

Traditions Steel



- Features 25-gauge steel, standard embossed smooth surface – primed white and ready-to-paint.
- All 8'0" doors are 24-gauge steel with standard embossments.
- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" widths in 6'6", 6'8" and 8'0" heights.
- Glass Options: Decorative, privacy, specialty, Low-E (☀) and clear glass available.

6 Most solid panel steel door styles come standard as HVHZ- (High Velocity Hurricane Zone) compliant.*

6 Many Profiles and Traditions doors with glass are available with options to upgrade to WBDR- (Wind-Borne Debris Region) and / or HVHZ-compliant.*

🔥 20-Minute Fire-rated options available on solid panel doors. See page 195.

Privacy Glass

Page 185, 190

Chord Glass

Glass Privacy Rating: 10

Chinchilla Glass

Glass Privacy Rating: 10

Rainglass

Glass Privacy Rating: 8

Granite Glass

Glass Privacy Rating: 10




Chord



Chinchilla



Rainglass



Granite

*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.

**Decorative glass designs are shown only in Profiles.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative Glass Designs**



Brushed Nickel Brass
Keystone™ Page 176
 Glass Privacy Rating: **6**



Black Nickel Brushed Nickel
Blackstone™ Page 176
 Glass Privacy Rating: **7**



Black Nickel Brushed Nickel
Crystalline™ Page 177
 Glass Privacy Rating: **7**



Art Glass / Black Nickel Brushed Nickel
Sedona™ Page 178
 Glass Privacy Rating: **7**



Wrought Iron
Salinas™ Page 178
 Glass Privacy Rating: **10**




Black Nickel
Element™ Page 179
 Glass Privacy Rating: **7**



Black Nickel Brushed Nickel
Maple Park™ Page 179
 Glass Privacy Rating: **6**



Black Nickel
Avonlea™ Page 180
 Glass Privacy Rating: **4**




Black Nickel Brushed Nickel
Saratoga™ Page 180
 Glass Privacy Rating: **7**




Red Waterglass / Black Nickel Granite Glass / Black Nickel
Arden™ Page 181
 Glass Privacy Rating: **8**



Brushed Nickel
Texas Star™ Page 181
 Glass Privacy Rating: **5**



Black Nickel Brushed Nickel
Wellesley™ Page 182
 Glass Privacy Rating: **6**



Black Nickel Brushed Nickel
Concorde™ Page 182
 Glass Privacy Rating: **8**



Black Nickel Brushed Nickel
Kensington™ Page 183
 Glass Privacy Rating: **8**



Brass
Crystal Diamonds™ Page 184
 Glass Privacy Rating: **9**



Frosted Images™ Page 184
 Glass Privacy Rating: **8**

Also Available:

- Internal Blinds** Page 186, 191
- Screen Vented** Page 186, 191
- Clear Glass** Page 186, 192

Glass Privacy Rating Scale



Keystone™



1026
 ❖❖❖ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" † ‡



1036HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1030HD
 ❖❖❖ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1033HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1108HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1043HD
 ❖❖❖
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1046HD
 ❖❖❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1054HD
 ❖❖❖
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1026SL
 ❖❖❖ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1036SLHD
 ❖❖❖ 6
 12" x 6'8"
 14" x 6'8"



1046SLHD
 ❖❖❖
 12" x 6'8"
 14" x 6'8"



1030SLHD
 ❖❖❖ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



19060T ❖❖
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19620T ❖❖
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only



19610T ❖❖
 12" & 14" Sidelite Only



19600T ❖❖
 3'0" Door Only



KSHRT ❖❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Blackstone®



310
 ❖❖❖ 6
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" † ‡



1037HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



309HD
 ❖❖❖ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1001HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1117HD
 ❖❖❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



311HD
 ❖❖❖
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1025HD
 ❖❖❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1049HD
 ❖❖❖
 3'0" x 6'8"



310SL ❖ ❖ ❖ 6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1037SLHD ❖ ❖ ❖ 6
12" x 6'8"
14" x 6'8"



311SLHD ❖ ❖ ❖ 6
12" x 6'8" ‡
14" x 6'8" ‡



BSHRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BSRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™



916 ❖ ❖ ❖ 6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡



1042HD ❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



926HD ❖ ❖ ❖ 6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



991HD ❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1119HD ❖ ❖ ❖ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



950HD ❖ ❖ ❖
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



930HD ❖ ❖ ❖
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



953HD ❖ ❖ ❖
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



960HD ❖ ❖ ❖
3'0" x 6'8"



1055HD ❖ ❖ ❖
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'6" x 6'8" ‡



936HD ❖ ❖ ❖
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



916SL ❖ ❖ ❖ 6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



956SLHD ❖ ❖ ❖ 6
12" x 6'8"
14" x 6'8"



975SLHD ❖ ❖ ❖
12" x 6'8"
14" x 6'8"



930SLHD ❖ ❖ ❖ 6
12" x 6'8" ‡
14" x 6'8" ‡



950SLHD ❖ ❖ ❖
12" x 6'8" ‡
14" x 6'8" ‡

936SLHD ❖ ❖ ❖
12" x 6'8" ‡
14" x 6'8" ‡



19820T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




19080T ❖ ❖ ❖
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19810T ❖ ❖ ❖
12" & 14" Sidelite Only



19800T ❖ ❖ ❖
3'0" Door Only



BLHRT ❖ ❖ ❖
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill System

Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

- 6 WBDP / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Sedona

Note: Shown in art glass with black nickel caming.



- | | | | | | | | | | |
|--|--|---|--|--|---|---|--|--|--|
| 139-A
▶
139
◆◆
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8" ‡ | 965HD-A
▶
965HD
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 211HD-A
▶
211HD
◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 996HD-A
▶
996HD
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 1114HD-A
▶
1114HD
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 294HD-A
▶
294HD
◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 955HD-A
▶
955HD
◆◆
3'0" x 6'8" | 139SL-A
▶
139SL
◆◆
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡ | 965SLHD-A
▶
965SLHD
◆◆
12" x 6'8"
14" x 6'8" | 294SLHD-A
▶
294SLHD
◆◆
12" x 6'8" ‡
14" x 6'8" ‡ |
|--|--|---|--|--|---|---|--|--|--|



- 19520T-A** ▶
19520T ◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



- 19055T-A** ▶
19055T ◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas

Note: Product images show exterior side of door.



- | | | | | | | | |
|--|--|---|---|---|---|--|----------------------------------|
| 369
X6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8" ‡ | 968HD
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 374HD
X6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 1002HD
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 1115HD
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 372HD
X
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 371HD
X
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 373HD
X
3'0" x 6'8" |
|--|--|---|---|---|---|--|----------------------------------|



- 369SL**
X6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡
- 971SLHD**
X6
12" x 6'8"
14" x 6'8"
- 371SLHD**
X6
12" x 6'8" ‡
14" x 6'8" ‡



- SART** X
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Element

Note: Product images show exterior side of door.



1010

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡
3'6" x 6'8" ‡

1010LSL

◆ 6
10" x 6'8" ‡
12" x 6'8" ‡
14" x 6'8" ‡

1010RSL

◆ 6
10" x 6'8" ‡
12" x 6'8" ‡
14" x 6'8" ‡

EMRT ◆

3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.

Maple Park®



1006

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡
3'6" x 6'8" ‡



1009HD

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1007HD

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1011HD

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1116HD

◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1008HD

◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1012HD

◆
3'0" x 6'8" ‡



736HD

◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1006SL

◆ 6
10" x 6'8" ‡
12" x 6'8" ‡
14" x 6'8" ‡




1009SLHD

◆ 6
12" x 6'8" ‡
14" x 6'8" ‡



1007SLHD

◆ 6
12" x 6'8" ‡
14" x 6'8" ‡



FWRT ◆◆

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)



WBDR / HVHZ



6'6" Height Available



7'0" Height Available

Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)

Avonlea®

Note: Product images show exterior side of door.




1027
◆ ◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡




1038HD
◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1031HD
◆ ◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1034HD
◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1107HD
◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1044HD
◆ ◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1047HD
◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1053HD
◆ ◆
3'0" x 6'8"



1027SL
◆ ◆ 6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1038SLHD
◆ ◆ 6
12" x 6'8"
14" x 6'8"



1031SLHD
◆ ◆ 6
12" x 6'8" ‡
14" x 6'8" ‡



AVRT ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™



610
◆ ◆ ◆ 6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡



1039HD
◆ ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



613HD
◆ ◆ ◆ 6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



988HD
◆ ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1112HD
◆ ◆ ◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



615HD
◆ ◆ ◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1050HD
◆ ◆ ◆
3'0" x 6'8"



707HD
◆ ◆ ◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



610SL
◆ ◆ ◆ 6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1039SLHD
◆ ◆ ◆ 6
12" x 6'8"
14" x 6'8"



615SLHD
◆ ◆ ◆ 6
12" x 6'8" ‡
14" x 6'8" ‡



19740T ◆ ◆
3'0" Door Only



19750T ◆ ◆
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Note: See page 231 for important product details that may help with your purchase decision.

Arden®

Note: Shown in red waterglass with black nickel caming.



- 922R

 922G

 2'8" x 6'8" ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" ‡
- 966RHD

 966GHD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 207RHD

 207GHD

 2'8" x 6'8" ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
- 6721RHD

 6721GHD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 923RHD

 923GHD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 924RHD

 924GHD

 2'6" x 6'8" ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
- 7021RHD

 7021GHD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



- 2321RHD

 2321GHD

 3'0" x 6'8"
- 806RSL

 806GSL

 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡
- 966RSLHD

 966GSLHD

 12" x 6'8"
 14" x 6'8"
- 6721RSL

 6721GSL

 12" x 6'8" ‡
 14" x 6'8" ‡
- ANRTR

 ANRTG

 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Texas Star



- 1029

 2'8" x 6'8" ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" ‡
- 1040HD

 2'8" x 6'8"
 2'10" x 6'8" † ‡
 3'0" x 6'8"
- 1032HD

 2'8" x 6'8" ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
- 1035HD

 2'8" x 6'8"
 2'10" x 6'8" † ‡
 3'0" x 6'8"
- 1111HD

 2'8" x 6'8"
 2'10" x 6'8" † ‡
 3'0" x 6'8"
- 1045HD

 2'6" x 6'8" ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
- 1048HD

 2'8" x 6'8"
 2'10" x 6'8" † ‡
 3'0" x 6'8"
- 1029SL

 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡
- 1040SLHD

 12" x 6'8"
 14" x 6'8" † ‡
- 1032SLHD

 12" x 6'8" † ‡
 14" x 6'8" † ‡

Options Key

- Brushed Nickel Caming (1C)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)
- WBDR / HVHZ
- 6'6" Height Available
- 7'0" Height Available

Wellesley™



620
 ❖ ❖ ❖ ❖ ❖ ❖
 2'4" x 6'8" †
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" †



1041HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



623HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



989HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1120HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



625HD
 ❖ ❖ ❖ ❖
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1022HD
 ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



962HD
 ❖ ❖ ❖ ❖
 3'0" x 6'8"



721HD
 ❖ ❖ ❖ ❖
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



620SL
 ❖ ❖ ❖ ❖ ❖ ❖
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



1041SLHD
 ❖ ❖ ❖ ❖ ❖ ❖
 12" x 6'8"
 14" x 6'8"




625SLHD
 ❖ ❖ ❖ ❖ ❖ ❖
 12" x 6'8" †
 14" x 6'8" †



19720T ❖ ❖ ❖ ❖
 3'0" Door Only



19730T ❖ ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only



WLHRT ❖ ❖ ❖ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Concorde™



1028
 ❖ ❖ ❖ ❖ ❖ ❖
 2'4" x 6'8" †
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" †



967HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



426HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



999HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1118HD
 ❖ ❖ ❖ ❖ ❖ ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



450HD
 ❖ ❖ ❖ ❖
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



430HD
 ❖ ❖ ❖ ❖
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



453HD
 ❖ ❖ ❖ ❖
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



400HD
 ❖ ■ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1024HD
 ❖ ■ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1051HD
 ❖ ■ ◆
 3'0" x 6'8"



735HD
 ❖ ■ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



454HD
 ❖ ■ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



416SL
 ❖ ■ ◆ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



967SLHD
 ❖ ■ ◆ 6
 12" x 6'8"
 14" x 6'8"



977SLHD
 ❖ ■ ◆ 6
 12" x 6'8"
 14" x 6'8"




430SLHD
 ❖ ■ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



450SLHD
 ❖ ■ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



CNRT ❖ ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CNHRT ❖ ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Kensington™



626
 ■ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



03142HD
 ■ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



627HD
 ■ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



631HD
 ■ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1113HD
 ■ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



628HD
 ■ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



630HD
 ■ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



629HD
 ■ ◆
 3'0" x 6'8"




626SL
 ■ ◆ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



966SLHD
 ■ ◆ 6
 12" x 6'8"
 14" x 6'8"



628SLHD
 ■ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



KNRT ■ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Options Key

- ❖ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- 6 WBDR / HVHZ
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Crystal Diamonds™



716
 ❖ 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



964HD
 ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



726HD
 ❖ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



990HD
 ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1109HD
 ❖ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



730HD
 ❖
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



753HD
 ❖
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



700
 ❖
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1023HD
 ❖
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1052HD
 ❖
 3'0" x 6'8"



754HD
 ❖
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



716SL
 ❖ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



964SLHD
 ❖ 6
 12" x 6'8"
 14" x 6'8"



974SLHD
 ❖
 12" x 6'8"
 14" x 6'8"



730SLHD
 ❖ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



750SLHD
 ❖
 12" x 6'8" ‡
 14" x 6'8" ‡

Frosted Images®



138
 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



963HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206EHD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



985HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1110HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



250HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



289EHD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



253HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



103HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1021HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



260HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



138SL
 9
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



289ESLHD
 9
 12" x 6'8" ‡
 14" x 6'8" ‡



250SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡

Privacy Glass



118XC
 118XJ
 118XR
 118XN
 9
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8" ‡



959HDXJ
 959HDXC
 959HDXR
 959HDXN
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206HDXR
 206HDXC
 206HDXJ
 206HDXN
 9
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HDXN
 980HDXC
 980HDXJ
 980HDXR
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101XCHD
 1101XJHD
 1101XRHD
 1101XNHD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104XJ
 104XC
 104XR
 104XN
 9
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1020HDXR
 1020HDXC
 1020HDXJ
 1020HDXN
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



289HDXN
 289HDXC
 289HDXJ
 289HDXR
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



958HDXC
 958HDXJ
 958HDXR
 958HDXN
 3'0" x 6'8"



708HDXR
 708HDXC
 708HDXJ
 708HDXN
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



256HDXJ
 256HDXC
 256HDXR
 256HDXN
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



296HDXR
 296HDXC
 296HDXJ
 296HDXN
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



100XCSSL
 100XJSL
 100XRSL
 100XNSSL
 9
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



959HDXNSSL
 959HDXCSSL
 959HDXJSL
 959HDXRSL
 9
 12" x 6'8"
 14" x 6'8"



210SLHDXC
 210SLHDXJ
 210SLHDXR
 210SLHDXN
 9
 12" x 6'8" ‡
 14" x 6'8" ‡



296SLHDXJ
 296SLHDXC
 296SLHDXR
 296SLHDXN
 12" x 6'8" ‡
 14" x 6'8" ‡

Options Key

- ❖ Brass Caming (1A)
- 9 WBDP / HVHZ

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XJ = Chinchilla Glass

- XR = Rainglass
- XN = Granite Glass

Clear Glass with Divided Lites *Continued*



752HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



198
◆◆◆
2'4" x 6'8" ▲
2'6" x 6'8" ▲ ‡
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡
3'6" x 6'8" ‡



1403HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1408HD
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1405HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1406HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1411HD
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



704HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




1400SLHD
◆◆◆
12" x 6'8" ‡
14" x 6'8" ‡



1405SLHD
◆◆◆
12" x 6'8" ‡
14" x 6'8" ‡



19200T ◆
3'0" Door Only
Grille Sticks Applied



19220T ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only
Grille Sticks Applied



19020T ◆
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems Only
Grille Sticks Applied

Clear Glass



118
◆◆◆
2'0" x 6'8" ▲
2'4" x 6'8" ▲
2'6" x 6'8" ▲ ‡
2'8" x 6'8" ▲ ‡
2'10" x 6'8" ▲ ‡
3'0" x 6'8" ▲ ‡
3'6" x 6'8" ‡



959HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



206HD
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



980HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1101HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



104
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



150HD
◆◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



289HD
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



153HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



105

*
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



102

*
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡



1020HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



958HD

*
3'0" x 6'8"



708HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



256HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



296HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100SL

* 6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



959SLHD

* 6
12" x 6'8"
14" x 6'8"



970SLHD

*
12" x 6'8"
14" x 6'8"



210SLHD

* 6
12" x 6'8" ‡
14" x 6'8" ‡



150SLHD

*
12" x 6'8" ‡
14" x 6'8" ‡



296SLHD

*
12" x 6'8" ‡
14" x 6'8" ‡



19200T *
3'0" Door Only



19210T *
3'0" Door Only



19220T *
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Solid Panel



969HD 6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



978HD 6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1005HD 6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



205HD 6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



203HD 6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




957HD 6

3'0" x 6'8"



210HD 6

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100 6

2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡

Options Key

- ◆ Fixed Grilles (FXG)
- Turtle Glass
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ★ Low-E Glass (LE)
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- 6 WBDR / HVHZ

Features Key

- 6 HVHZ Standard
- ▲ PVC Doorlite Frame*

Privacy Glass



TS118XC
TS118XJ
TS118XR
TS118XN
6
2'4" x 6'8" ▲
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

818XC
818XJ
818XR
818XN
6
2'0" x 8'0" ▼
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS206XJ
TS206XC
TS206XR
TS206XN
6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS104XR
TS104XC
TS104XJ
TS104XN
6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



TS289XN
TS289XC
TS289XJ
TS289XR
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS708XR
TS708XN
TS708XC
TS708XJ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS256XC
TS256XJ
TS256XR
TS256XN
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS296XJ
TS296XC
TS296XR
TS296XN
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



100XRSL
100XCSL
100XJSL
100XNSL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



818XRSL
818XCSL
818XJSL
818XNSL
6
12" x 8'0"
14" x 8'0"



TS210XNSL
TS210XCSL
TS210XJSL
TS210XRSL
6
12" x 6'8"
14" x 6'8"

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.

Internal Blinds

Note: Product images show exterior side of door.



TS130

*
 2'4" x 6'8" Δ
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" Δ
 3'0" x 6'8"



829

*
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS132

*
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS131

*
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" Δ
 3'0" x 6'8"



130SL

*
 10" x 6'8"
 12" x 6'8" \ddagger
 14" x 6'8" \ddagger



829SL

*
 12" x 8'0"
 14" x 8'0"



TS132SL

*
 12" x 6'8"
 14" x 6'8"

Screen Vented Lites*



TS243

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Options Key

* Low-E Glass (LE)
 6 WBDR / HVHZ

Δ 6'6" Height Available
 \ddagger 7'0" Height Available

Features Key

\blacktriangleright PVC Doorlite Frame**

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

XC = Chord Glass
 XJ = Chinchilla Glass

XR = Rainglass
 XN = Granite Glass



TS3000-2C

2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS83000-2C

2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS3000-3C

2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS83000-3C

2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS3000-4C

2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS83000-4C

2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS752

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS3000-6C

2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS83000-6C

2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



6184SL

10" x 6'8"
 12" x 6'8"
 14" x 6'8"

86184SL

12" x 8'0"
 14" x 8'0"



6185SL

10" x 6'8"
 12" x 6'8"
 14" x 6'8"

86185SL

12" x 8'0"
 14" x 8'0"



6186SL

10" x 6'8"
 12" x 6'8"
 14" x 6'8"

86186SL

12" x 8'0"
 14" x 8'0"



TS198

2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1408

2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411

2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS704

2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



198SL

10" x 6'8"
 12" x 6'8"
 14" x 6'8"



TS1405SL

12" x 6'8"
 14" x 6'8"

Options Key

- Simulated Divided Lites (SDL)*,**
- Fixed Grilles (FXG)
- Flat White Grilles Between Glass Only (GBGFW)

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)



WBDR / HVHZ



6'6" Height Available




7'0" Height Available

Features Key

- PVC Doorlite Frame**

Clear Glass



TS118
 * * 6
 2'0" x 6'8" ▽
 2'4" x 6'8" ▲
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8"

818
 * * 6
 2'0" x 8'0" ▽
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS206
 * 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS104
 * 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8"


TS150
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS289
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS153
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS105
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8"

TS102
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8"



TS708
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS256
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS296
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

896
 *
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS291
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

100SL
 * * 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

818SL
 * * 6
 12" x 8'0"
 14" x 8'0"

TS210SL
 * * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

TS150SL
 *
 12" x 6'8"
 14" x 6'8"

TS296SL
 *
 12" x 6'8"
 14" x 6'8"

Solid Panel



TS290 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS214 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS210 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

810 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS100 6
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" ▲
 3'0" x 6'8"

800 6
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Options Key

- Turtle Glass
- Low-E Glass (LE)
- WBDR / HVHZ
- 6'6" Height Available
- 7'0" Height Available

Features Key

- HVHZ Standard
- PVC Doorlite Frame*

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 231 for important product details that may help with your purchase decision.

Fire Doors

Classic-Craft[®], Fiber-Classic[®], Smooth-Star[®] & Steel

The phrase
“safety first” is more
than just a saying. It’s
our standard.

From smooth to grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*

195

• Safety first.

Adjusta-Fit[®] 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 Frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.


Therma-Tru[®] Adjusta-Fit 2 Frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

*To confirm Fire door requirements in your jurisdiction, always check with your local building code authority.

90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.



SE100 ■
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8"
3'0" x 6'8" ‡



SE210HD ■
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8"
3'0" x 6'8" ‡



SE514 ■
2'8" x 6'8" ‡
2'10" x 6'8"
3'0" x 6'8" ‡



SE978HD ■
2'8" x 6'8" ‡
2'10" x 6'8"
3'0" x 6'8" ‡



SE969HD ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SE1005HD ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. All of our solid panel fiberglass wood edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid panel steel wood edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

Classic-Craft[®] Mahogany Collection™



CCMF060
3'0" x 6'8"



CCMF701
3'0" x 6'8"



CCMF890
3'0" x 8'0"

Rustic Collection™



CCRF040 3'0" x 6'8"	CCRF8040 3'0" x 8'0"	CCRF040F 3'0" x 6'8"	CCRF8040F 3'0" x 8'0"	CCRF200 3'0" x 6'8"	CCRF8200 3'0" x 8'0"	CCRF200A 3'0" x 6'8"	CCRF8200A 3'0" x 8'0"	CCRF205 3'0" x 6'8"	CCRF8205 3'0" x 8'0"	CCRF205A 3'0" x 6'8"	CCRF8205A 3'0" x 8'0"
------------------------	-------------------------	-------------------------	--------------------------	------------------------	-------------------------	-------------------------	--------------------------	------------------------	-------------------------	-------------------------	--------------------------



CCRF8220 3'0" x 8'0"	CCRF8220R 3'0" x 8'0"	CCRF8225 3'0" x 8'0"	CCRF8225R 3'0" x 8'0"	CCRF8005 3'0" x 8'0"	CCRF8005A 3'0" x 8'0"
-------------------------	--------------------------	-------------------------	--------------------------	-------------------------	--------------------------

Oak Collection™



CCF060 2'8" x 6'8" 3'0" x 6'8"	CCF91 3'0" x 6'8"
--------------------------------------	----------------------

Canvas Collection®



CCF810 3'0" x 8'0"	CCF831 3'0" x 8'0"
-----------------------	-----------------------



CCVF050 3'0" x 6'8"	CCVF205 3'0" x 6'8"	CCVF8205 3'0" x 8'0"	CCVF205A 3'0" x 6'8"	CCVF8205A 3'0" x 8'0"	CCVF220 3'0" x 6'8"	CCVF8220 3'0" x 8'0"	CCVF200 3'0" x 6'8"
------------------------	------------------------	-------------------------	-------------------------	--------------------------	------------------------	-------------------------	------------------------

Classic-Craft *Continues on next page.*

Options Key

‡ 7'0" Height Available

Features Key

■ No Stile Lines

Classic-Craft. *Continued*



CCVF831 3'0" x 8'0"	CCVF400 3'0" x 6'8"	CCVF060 3'0" x 6'8"	CCVF8060 3'0" x 8'0"	CCVF455 3'0" x 6'8"	CCVF455A 3'0" x 6'8"
-------------------------------	-------------------------------	-------------------------------	--------------------------------	-------------------------------	--------------------------------

Fiber-Classic.

Mahogany Collection™



FMF31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---



FMF220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF134 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF60 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF860 2'8" x 8'0" 3'0" x 8'0"	FMF100 ■ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" 3'0" x 6'8" ‡	FMF8100 ■ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	---	--	---

Oak Collection™



FCF31 2'8" x 6'8" 3'0" x 6'8"	FCF809 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---



FCF808 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF134 2'8" x 6'8" 3'0" x 6'8"	FCF160 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCF8160 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF100 ■ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" 3'0" x 6'8" ‡	FCF8100 ■ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	--	--	---

Smooth-Star.



SSF93 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8220 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--



SSF200 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF960 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8600 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	--	--	---	---	---	---	--



SSF11 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF160 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8160 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF100 ■ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8100 ■ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	---	---

Profiles™



100 ■ 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8" ‡	969HD ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	978HD ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1005HD ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---

Traditions



205HD ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	957HD ■ 3'0" x 6'8"	210HD ■ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	203HD ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS100 ■ 2'0" x 6'8" 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS214 ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS210 ■ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS290 ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	-------------------------------	---	--	---	--	---	--


Options Key

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Features Key


- No Stile Lines

PULSE



•

Modern design. Upbeat living.



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary studio of door styles and glass designs that can be combined to make a bold statement. With four distinct aesthetic approaches – Ari, Línea, Echo and Solei – the entrance becomes MODERN ART.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, and ENERGY STAR qualified products.


Top: Pulse Línea, Chinchilla Glass, Door – S1LXJ

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at www.thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles. See page 206 for available sizes.

1 Start with a STYLE.


Combine doors and sidelites to create an entrance that fits your vision.



Ari Línea Echo Solei

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Light Oak stain.) Smooth Fiberglass Steel


3 Then select a GLASS.

Find an available glass design to complete the statement you want to make.



Chord Chinchilla Rainglass Granite Low-E Internal Blinds Available for Línea and Solei only.

Also Available for Línea



- 1 Blackstone™
- 2 Crystalline™
- 3 Sedona
- 4 Salinas™
- 5 Element (Left)
- 6 Element (Right)
- 7 Maple Park™
- 8 Avonlea™
- 9 Saratoga™
- 10 Arden™
- 11 Texas Star
- 12 Crystal Diamonds™

The creativity is unlimited. Stain or paint the entrance any color.




These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



WBDR Options



Ari




S2XJ
S2XC
S2XR
S2XN
S2CL*

S83XJ
S83XC
S83XR
S83XN
S83CL*



Línea


Note: Product images show exterior side of door.



S1LBS
◆◆◆◆ 6




S81LBS
◆◆◆◆ 6



S1BS
◆◆◆◆ 6



S81BS
◆◆◆◆ 6



S1RBS
◆◆◆◆ 6




S81RBS
◆◆◆◆ 6



S1LBL
◆◆◆◆ 6




S81LBL
◆◆◆◆ 6



S1BL
◆◆◆◆ 6



S81BL
◆◆◆◆ 6



S1RBL
◆◆◆◆ 6




S81RBL
◆◆◆◆ 6



S1LSN
◆◆◆◆




S81LSN
◆◆◆◆



S1SN
◆◆◆◆



S81SN
◆◆◆◆



S1RSN
◆◆◆◆



S81RSN
◆◆◆◆



S1LSNA
▶◆◆◆





S81LSNA
▶◆◆◆

Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to www.thermatru.com/pulse.

Note: See page 231 for important product details that may help with your purchase decision.

Top: Pulse Ari, Chinchilla Glass, Door – S2XJ



Linea *Continues on next page.*

NEW

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Light Oak stain.)

Smooth Fiberglass

Steel

It's your decision, by design.
Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Options Key

- ❖ Brass Caming (1A)
- ⦿ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- 9 WBDR

Features Key


- ▶ Art Glass / Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)
- ☀ Low-E Glass (LE)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.


XC = Chord Glass XR = Rainglass
XJ = Chinchilla Glass XN = Granite Glass

Línea *Continued*




S1LSG
◆◆ 6

S81LSG
◆◆ 6



S1SG
◆◆ 6

S81SG
◆◆ 6



S1RSG
◆◆ 6

S81RSG
◆◆ 6




S1LTX
◆◆ 6




S1TX
◆◆ 6




S1RTX
◆◆ 6



S1LANG / S1LANR
◆◆ 6 ●● 6



S1ANG / S1ANR
◆◆ 6 ●● 6



S1RANG / S1RANR
◆◆ 6 ●● 6




S1LCD
◆◆ 6



S1CD
◆◆ 6



S1RCD
◆◆ 6




S1LXJ
S1LXC
S1LXR
S1LXN
S1LCL*
6

S81LXJ
S81LXC
S81LXR
S81LXN
S81LCL*
6




S1XC
S1XJ
S1XR
S1XN
S1CL*
6

S81XC
S81XJ
S81XR
S81XN
S81CL*
6




S1RXR
S1RXJ
S1RXC
S1RXN
S1RCL*
6

S81RXR
S81RXJ
S81RXC
S81RXN
S81RCL*
6




S1L
◆ 6

S81L
◆ 6



S1
◆ 6

S81
◆ 6



S1R
◆ 6

S81R
◆ 6



Pulse Echo, Rainglass, Door – FCM810LXR

Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to www.thermatru.com/pulse.

Note: See page 231 for important product details that may help with your purchase decision.


Echo

Note: Product images show exterior side of door.




S4LXJ
S4LXC
S4LXR
S4LXN
S4LCL *

S84LXJ
S84LXC
S84LXR
S84LXN
S84LCL *



S4XC
S4XJ
S4XR
S4XN
S4CL *

S84XC
S84XJ
S84XR
S84XN
S84CL *




S4RXR
S4RXJ
S4RXC
S4RXN
S4RCL *

S84RXR
S84RXJ
S84RXC
S84RXN
S84RCL *



S5LXC
S5LXJ
S5LXR
S5LXN
S5LCL *

S85LXC
S85LXJ
S85LXR
S85LXN
S85LCL *



S5XN
S5XJ
S5XR
S5XC
S5CL *

S85XN
S85XJ
S85XR
S85XC
S85CL *



S5RXJ
S5RXC
S5RXR
S5RXN
S5RCL *

S85RXJ
S85RXC
S85RXR
S85RXN
S85RCL *



S86LXN
S86LXJ
S86LXR
S86LXC
S86LCL *



S86XR
S86XJ
S86XC
S86XN
S86CL *



S86RXC
S86RXJ
S86RXR
S86RXN
S86RCL *



S9LXC
S9LXJ
S9LXR
S9LXN
S9LCL *



S9XJ
S9XR
S9XN
S9XC
S9CL *



S9RXR
S9RXN
S9RXC
S9RXJ
S9RCL *



S8LXN
S8LXC
S8LXJ
S8LXR
S8LCL *



S8XC
S8XJ
S8XR
S8XN
S8CL *



S8RXJ
S8RXR
S8RXN
S8RXC
S8RCL *


Echo Continues on next page.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Light Oak stain.)



Smooth Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- WBDR

Features Key

- ★ Low-E Glass (LE)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XR = Rainglass
- XJ = Chinchilla Glass
- XN = Granite Glass

Echo *Continued*



S811LXN
S811LXJ
S811LXR
S811LXC
S811LCL*



S811XJ
S811XR
S811XC
S811XN
S811CL*



S811RXR
S811RXC
S811RXN
S811RXJ
S811RCL*



S810LXC
S810LXN
S810LXJ
S810LXR
S810LCL*




S810XN
S810XJ
S810XR
S810XC
S810CL*



S810RXR
S810RXC
S810RXN
S810RXJ
S810RCL*

Solei



S7XJ
S7XC
S7XR
S7XN
S7CL*

S87XJ
S87XC
S87XR
S87XN
S87CL*

S7*

S87*



Pulse Size Options						
	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 8'0"
	2'8" x 6'8"	2'10" x 8'0"	2'8" x 6'8"	2'10" x 8'0"	2'8" x 6'8"	2'10" x 8'0"
	2'10" x 6'8"	3'0" x 8'0"	2'10" x 6'8"	3'0" x 8'0"	2'10" x 6'8"	3'0" x 8'0"
	3'0" x 6'8"		3'0" x 6'8"	3'6" x 8'0"	3'0" x 6'8"	3'6" x 6'8"
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

• Available in full-lite sidelites only.

Mix and match door and sidelite styles, material choices and glass designs to create a modern entrance without missing a beat.

Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to www.thermatru.com/pulse.

Note: See page 231 for important product details that may help with your purchase decision.

Top: Pulse Echo, Chord Glass, Door – S4XC

Sidelites

Note: Product images show exterior side of door.

S4570SL | S85927SL
 S6130SL | S84586SL
 S604SL-A | S85933SL-A
 S6134SL | S85931SL
 S6060LSL | S6060RSL
 S6131SL

S6127SL | S602SL | S85932SL
 S806RSL | S6135SL | S3570SL
 S601XJSL | S81086XJSL
 S6128SL | S85928SL

S86XJSL | S5XCSSL | S85XCSSL | S4XRSL | S84XRSL | S811XNSL | S810XJSL | S9XCSSL | S10XRSL
 S86XCSSL | S5XRSL | S85XRSL | S4XNSL | S84XNSL | S811XJSL | S810XCSSL | S9XRSL | S10XNSL
 S86XRSL | S5XNSL | S85XNSL | S4XJSL | S84XJSL | S811XCSSL | S810XRSL | S9XNSL | S10XJSL
 S86XNSL | S5XJSL | S85XJSL | S4XCSSL | S84XCSSL | S811XRSL | S810XNSL | S9XJSL | S10XCSSL
 S86CLS | S5CLS | S85CLS | S4CLS | S84CLS | S811CLS | S810CLS | S9CLS | S10CLS

NEW Wood-Grained Fiberglass: Mahogany or Oak (Shown in Light Oak stain.)
 Smooth Fiberglass
 Steel

It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)
- ☀ Low-E Glass (LE)
- Vented Sidelite (No Impact) (6'8" & 8'0" in 14") (6'8" full-lite only in 12")
- 6 WBDR

Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.
 XC = Chord Glass XR = Rainglass
 XJ = Chinchilla Glass XN = Granite Glass

Hinged Patio Door Systems



- Simply beautiful, any way you see it.



Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Smart options to control the level of privacy and light, match exterior windows and let fresh air into the home offer convenience and curb appeal that's unsurpassed from any view.


*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. For more about WBDR- / HVHZ-compliant products and options to upgrade, see page 18.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Fiber-Classic Oak Collection, Flush-Glazed Glass, Doors – 2000
Bottom: Smooth-Star, Flush-Glazed Glass, Doors – S8000

- Fiberglass or steel patio doors in grained or smooth textures can be stained or painted to match the home.
- **NEW** internal blind options offer the privacy and convenience of a cordless blind enclosed between glass.
- **NEW** divided lite options in a variety of patterns, colors and textures complement the home's window patterns.
- Flush-glazed glass options offer a seamless appearance and wider daylight opening.
- Factory-coated Low-E glass options increase the energy efficiency of the entrance.
- Available Door Selections: Classic-Craft® Mahogany, Rustic, Oak and Canvas Collections; Fiber-Classic® Mahogany and Oak Collections; Smooth-Star; Profiles™ and Traditions.
- Available Sizes: 5'0"-9'0" widths in 6'6", 6'8", 7'0" and 8'0" heights.

Available Configurations:

Inswing / Outswing



Single Patio Door

Double Patio / French Doors

Triple Patio Doors

Available Glass Designs:



Simulated Divided Lites (■)

Grilles Between Glass (◆◆)

Fixed Grilles (◆)

Removable Wood Grilles (▶)



Internal Blinds



Low-E (★) / Clear

Vented Sidelite Systems




Enjoy the view – and a fresh breeze, too.


- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.
- Available Door Selections: **NEW** Fiber-Classic® Mahogany Collection™, as well as Fiber-Classic® Oak Collection™ and Smooth-Star. Look for the (●) icon.
- Available Sizes: 3'8"-8'10" widths in 6'6", 6'8" and 8'0" heights.

Available Configurations:

Inswing



Single Door with Vented Sidelites



Double Doors with Vented Sidelites

Note: No Impact options available for vented sidelites.
 Top: Smooth-Star, Flush-Glazed Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C

- 6 Many fiberglass door and sidelite styles are WBDR- (Wind-Borne Debris Region) compliant.*
- 6 Many Fiber-Classic, Smooth-Star, Profiles and Traditions doors with glass are available with options to upgrade to WBDR- and / or HVHZ- (High Velocity Hurricane Zone) compliant.*
- ☒ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



Traditions Steel Glass

Classic-Craft®

Mahogany Collection™



CCM100
★
3'0" x 6'8"

Rustic Collection™



CCR30020
★
3'0" x 6'8"

Oak Collection™



CC102
★
3'0" x 6'8"



CC100
★
3'0" x 6'8"

Canvas Collection®



CCV10015
★
3'0" x 6'8"



CCV10020
★
3'0" x 6'8"

Flush-Glazed Glass

Note: For details on divided lite options, see page 100.

Fiber-Classic® Oak Collection™



NEW
FC1205 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
FC1206 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
FC1207 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
2010 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
FC1204 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
2050 ▲
★
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



NEW
8000-12 ▲
★
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲



NEW
8000-18 ▲
★
2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲



FC02000-2C ▲
★
2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲



FC082000-2C ▲
★
2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲



FC02000-3C ▲
★
2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲

FC082000-3C ▲
★
2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲



FC02000-4C ▲
★
2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲

FC082000-4C ▲
★
2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲



FC02000-6C ▲
★
2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲

FC082000-6C ▲
★
2'0" x 8'0" ▲
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲

2009 ▲
★
2'0" x 6'8" ▲
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'6" ●
3'0" x 6'8" ▲

8000-9 ▲
★
2'6" x 8'0" ▲
2'8" x 8'0" ▲
2'10" x 8'0" ▲
3'0" x 8'0" ▲

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.

Smooth-Star.




2000 ▲
 *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ●
 3'0" x 6'8" ▲

8000 ▲
 *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S1205 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S1206 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲




S1207 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S2010 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S1204 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S2050 ▲
 ◆ *
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S8000-12 ▲
 ◆ *
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S8000-18 ▲
 ◆ *
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-2C ▲
 ◆ *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S82000-2C ▲
 ◆ *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-3C ▲
 ◆ *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S82000-3C ▲
 ◆ *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000-6C ▲
 ◆ *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S82000-6C ▲
 ◆ *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2009 ▲
 ◆ *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲



S8000-9 ▲
 ◆ *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S2000 ▲
 *
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ●▲
 3'0" x 6'8" ▲

S8000 ▲
 *
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

Options Key

- ◆ Simulated Divided Lites (SDL)*, **
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Features Key

- ▲ Removable Wood Grilles (RG)
- ◆ Low-E Glass (LE)
- ▲ 6'6" Height Available
- ▲ Flush-Glazed Glass (FG)
- 6' Retrofit Patio Doors

Internal Blinds & Clear Glass

Note: For details on divided lite options, see page 100.

Fiber-Classic® Mahogany Collection™

									
FCM141 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 ■ ★ 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM81225 ■ ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286SL ■ ★● 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	FCM81225SL ■ ★● 12" x 8'0" 14" x 8'0"	FCM1209 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1201 ■ ★ 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM1211 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1202 ■ ★ 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡

						
FCM1212 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1203 ■ ★ 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM138 ★● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285 ■ ★● 2'0" x 6'8" 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM1208 ★● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1200 ■ ★● 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM18 ★● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

								
FCM1284 ■ ★● 2'4" x 6'8" ▲▲ 2'6" x 6'8" ▲‡ 2'8" x 6'8" ▲‡ 2'10" x 6'8" ●▲‡ 3'0" x 6'8" ▲‡	FCM828 ★● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM81828 ■ ★● 2'0" x 8'0" ▽ 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM81208P ★● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM81829 ■ ★● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1201SL ■ ★● 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	FCM1202SL ■ ★● 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	FCM1200SL ■ ★● 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡	FCM12102SL ■ ★● 10" x 6'8" 12" x 6'8" ▲‡ 14" x 6'8" ▲‡

*2'0" frames do not have simulated divided lites option.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 231 for important product details that may help with your purchase decision.



FCM3000-2C
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM83000-2C
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000-3C
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM3000F-3C
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM83000-4C
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




FCM3000F-4C
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM83000F-4C
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000F-6C
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6124SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FCM6125SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FCM198
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1289
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1289SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"




FCM10
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM870
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM1283
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM81200
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Options Key

- Turtle Glass
- Simulated Divided Lites (SDL)**,**
- Flat White Grilles Between Glass Only (GBGFW)
- WBDR

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)
- WBDR / HVHZ

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 6'6" Height Available
- 7'0" Height Available

Features Key

- PVC Doorlite Frame**
- No Stile Lines
- 6' Retrofit Patio Doors
- 5' Retrofit Patio Doors

Fiber-Classic® Oak Collection™



FC12
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 Bevelline



FC141
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



81225P
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



1286 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †



81225 ■
 *
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



1286SL ■
 *
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



81225SL ■
 *
 12" x 8'0"
 14" x 8'0"



FC1209
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC1201 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †



FC1211
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC1202 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †



FC1212
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC1203 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †



FC138
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1285 ■
 *
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †



FC1208
 *
 2'0" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC1200 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †




FC18
 *
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1284 ■
 *
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ †
 2'8" x 6'8" ▲ †
 2'10" x 6'8" ● ▲ †
 3'0" x 6'8" ▲ †




FC828
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81828 ■
 *
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81208P
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81208 ■
 *
 2'8" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.



FC1201SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC1202SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC1200SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



12102SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC3000-2C ■
 ◆ ● ▲ † ‡
 2'6"x 6'8"
 2'8"x 6'8" †
 2'10"x 6'8" †
 3'0"x 6'8" †



FC083000P-2C ■
 ◆ ● ▲ † ‡
 2'8"x 8'0"
 2'10"x 8'0"
 3'0"x 8'0"



FC03000F-2C ■
 ◆ ● ▲ † ‡
 2'0"x 6'8" ▲ †
 2'4"x 6'8" ▲ †
 2'6"x 6'8" ▲ †
 2'8"x 6'8" ▲ †
 2'10"x 6'8" ● ▲ †
 3'0"x 6'8" ▲ †



FC083000F-2C ■
 ◆ ● ▲ † ‡
 2'0"x 8'0" ▲ †
 2'4"x 8'0" ▲ †
 2'6"x 8'0" ▲ †
 2'8"x 8'0" ▲ †
 2'10"x 8'0" ▲ †
 3'0"x 8'0"



FC3000-3C ■
 ◆ ● ▲ † ‡
 2'6"x 6'8"
 2'8"x 6'8" †
 2'10"x 6'8" †
 3'0"x 6'8" †



FC083000P-3C ■
 ◆ ● ▲ † ‡
 2'8"x 8'0"
 2'10"x 8'0"
 3'0"x 8'0"



FC03000F-3C ■
 ◆ ● ▲ † ‡
 2'0"x 6'8" ▲ †
 2'4"x 6'8" ▲ †
 2'6"x 6'8" ▲ †
 2'8"x 6'8" ▲ †
 2'10"x 6'8" ● ▲ †
 3'0"x 6'8" ▲ †



FC083000F-3C ■
 ◆ ● ▲ † ‡
 2'0"x 8'0" ▲ †
 2'4"x 8'0" ▲ †
 2'6"x 8'0" ▲ †
 2'8"x 8'0" ▲ †
 2'10"x 8'0" ▲ †
 3'0"x 8'0"



FC3000-4C ■
 ◆ ● ▲ † ‡
 2'6"x 6'8"
 2'8"x 6'8" †
 2'10"x 6'8" †
 3'0"x 6'8" †



FC083000P-4C ■
 ◆ ● ▲ † ‡
 2'8"x 8'0"
 2'10"x 8'0"
 3'0"x 8'0"



FC03000F-4C ■
 ◆ ● ▲ † ‡
 2'0"x 6'8" ▲ †
 2'4"x 6'8" ▲ †
 2'6"x 6'8" ▲ †
 2'8"x 6'8" ▲ †
 2'10"x 6'8" ● ▲ †
 3'0"x 6'8" ▲ †



FC083000F-4C ■
 ◆ ● ▲ † ‡
 2'0"x 8'0" ▲ †
 2'4"x 8'0" ▲ †
 2'6"x 8'0" ▲ †
 2'8"x 8'0" ▲ †
 2'10"x 8'0" ▲ †
 3'0"x 8'0"



FC3000-6C ■
 ◆ ● ▲ † ‡
 2'6"x 6'8"
 2'8"x 6'8" †
 2'10"x 6'8" †
 3'0"x 6'8" †

FC083000P-6C ■
 ◆ ● ▲ † ‡
 2'8"x 8'0"
 2'10"x 8'0"
 3'0"x 8'0"



FC06184SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC06185SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC06186SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †



FC198 ■
 ◆ ● ▲ † ‡
 2'6"x 6'8"
 2'8"x 6'8" †
 2'10"x 6'8" †
 3'0"x 6'8" †



1289 ■
 ◆ ● ▲ † ‡
 2'4"x 6'8" ▲ †
 2'6"x 6'8" ▲ †
 2'8"x 6'8" ▲ †
 2'10"x 6'8" ● ▲ †
 3'0"x 6'8" ▲ †



FC1289SL ■
 ◆ ● ▲ † ‡
 12"x 6'8" ▲ †
 14"x 6'8" ▲ †

Fiber-Classic Oak *Continues on next page.*


Options Key

- Simulated Divided Lites (SDL)**,*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ☀ Low-E Glass (LE)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ▲ 6'6" Height Available
- † 7'0" Height Available
- Ⓢ WBDR / HVHZ
- Ⓠ WBDR

Features Key

- PVC Doorlite Frame**
- No Stile Lines
- 6' Retrofit Patio Doors
- ▲ 5' Retrofit Patio Doors

Fiber-Classic. Oak *Continued*



- | | | | | | |
|---|--|---|--|---|---|
| FC10
★ 6
2'6" x 6'8" △
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 81200P
★ 6
2'8" x 8'0" △
2'10" x 8'0" △
3'0" x 8'0" △ | 1283 ■
★ 6
2'0" x 6'8" ▽
2'4" x 6'8" △△
2'6" x 6'8" △ ‡
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡ | 81200 ■
★ 6
2'0" x 8'0" ▽
2'4" x 8'0" △
2'6" x 8'0" △
2'8" x 8'0" △
2'10" x 8'0" △
3'0" x 8'0" △ | 12101SL ■
★ 6
12" x 6'8" △ ‡
14" x 6'8" △ ‡ | 81200SL ■
★ 6
12" x 8'0" △
14" x 8'0" △ |
|---|--|---|--|---|---|

Smooth-Star®



- | | | | | | | | | |
|--|---|--|--|---|--|---|--|---|
| S130
★
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ | S829
★
2'6" x 8'0" △
2'8" x 8'0" △
2'10" x 8'0" △
3'0" x 8'0" △ | S6061 ■
★
2'4" x 6'8" △△
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ | S81225 ■
★
2'6" x 8'0" △
2'8" x 8'0" △
2'10" x 8'0" △
3'0" x 8'0" △
3'6" x 8'0" △ | S6128SL ■
★
10" x 6'8" △
12" x 6'8" △ ‡
14" x 6'8" △ ‡ | S85928SL ■
★
12" x 8'0" △
14" x 8'0" △ | S1209
★
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ | S1201 ■
★
2'4" x 6'8" △△
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ | S1211
★
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ |
|--|---|--|--|---|--|---|--|---|




- | | | | | | | |
|--|---|--|--|---|---|--|
| S1202 ■
★
2'4" x 6'8" △△
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ | S1212
★
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ | S1203 ■
★
2'4" x 6'8" △△
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ | S128
★ 6
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ | S141 ■
★ 6
2'0" x 6'8" ▽
2'4" x 6'8" △
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ | S1208
★ 6
2'6" x 6'8" △
2'8" x 6'8" △
2'10" x 6'8" ●△
3'0" x 6'8" △ | S1200 ■
★ 6
2'4" x 6'8" △△
2'6" x 6'8" △
2'8" x 6'8" △ ‡
2'10" x 6'8" ●△ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" △ |
|--|---|--|--|---|---|--|

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 231 for important product details that may help with your purchase decision.

Smooth-Star® Continued



S3000F-6C ■
 ◆◆◆◆◆◆
 2'0" x 6'8" ▲
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

S83000F-6C ■
 ◆◆◆◆◆◆
 2'0" x 8'0" ▲
 2'4" x 8'0" ▲▲
 2'6" x 8'0" ▲▲
 2'8" x 8'0" ▲▲‡
 2'10" x 8'0" ●▲▲‡
 3'0" x 8'0" ▲▲‡
 3'6" x 8'0" ▲▲‡

S6124SL ■
 ◆◆◆◆◆◆
 10" x 6'8" ▲
 12" x 6'8" ▲▲‡
 14" x 6'8" ▲▲‡

S85924SL ■
 ◆◆◆◆◆◆
 12" x 8'0" ▲
 14" x 8'0" ▲▲‡

S6125SL ■
 ◆◆◆◆◆◆
 10" x 6'8" ▲
 12" x 6'8" ▲▲‡
 14" x 6'8" ▲▲‡

S85925SL ■
 ◆◆◆◆◆◆
 12" x 8'0" ▲
 14" x 8'0" ▲▲‡

S6126SL ■
 ◆◆◆◆◆◆
 10" x 6'8" ▲
 12" x 6'8" ▲▲‡
 14" x 6'8" ▲▲‡

S85926SL ■
 ◆◆◆◆◆◆
 12" x 8'0" ▲
 14" x 8'0" ▲▲‡



19050T ★
 Available in 5'0", 5'4", 5'8" and 6'0"
 patio openings.
 Grille Sticks Applied



19250T ★
 Available in 5'0", 5'4", 5'8" and 6'0"
 patio openings.
 Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



S198 ◆◆◆◆◆◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲▲
 2'10" x 6'8" ●▲▲
 3'0" x 6'8" ▲▲

S6062 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

S6062SL ■ ◆◆◆◆◆◆
 10" x 6'8" ▲
 12" x 6'8" ▲▲‡
 14" x 6'8" ▲▲‡

S118 ◆◆◆◆◆◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲▲
 2'10" x 6'8" ●▲▲
 3'0" x 6'8" ▲▲

S818 ◆◆◆◆◆◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲▲
 2'10" x 8'0" ●▲▲
 3'0" x 8'0" ▲▲


S140 ■ ◆◆◆◆◆◆
 2'0" x 6'8" ▲
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

S8140 ■ ◆◆◆◆◆◆
 2'0" x 8'0" ▲
 2'4" x 8'0" ▲▲
 2'6" x 8'0" ▲▲
 2'8" x 8'0" ▲▲‡
 2'10" x 8'0" ●▲▲‡
 3'0" x 8'0" ▲▲‡
 3'6" x 8'0" ▲▲‡

S601SL ■ ◆◆◆◆◆◆
 10" x 6'8" ▲
 12" x 6'8" ▲▲‡
 14" x 6'8" ▲▲‡

S81086SL ■ ◆◆◆◆◆◆
 12" x 8'0" ▲
 14" x 8'0" ▲▲‡

Profiles™ Steel



130 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

1201 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

1202 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

1203 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

128 ■ ◆◆◆◆◆◆
 2'0" x 6'8" ▲
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

1200 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

108 ■ ◆◆◆◆◆◆
 2'4" x 6'8" ▲▲
 2'6" x 6'8" ▲▲‡
 2'8" x 6'8" ▲▲‡
 2'10" x 6'8" ●▲▲‡
 3'0" x 6'8" ▲▲‡
 3'6" x 6'8" ▲▲‡

*2'0" frames do not have simulated divided lites option.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 231 for important product details that may help with your purchase decision.

Vinyl Sliding Patio Door Systems



• Fully assembled and ready to install.

Crafted to ensure smooth operation, Therma-Tru. vinyl sliding patio units are delivered fully assembled and ready to install.

- Features fully adjustable rollers for smooth operation.
- Reinforced windows help provide security and weather protection.
- Engineered with a tamper-resistant, adjustable locking system – standard for security.
- Available Sizes: 5'0"–8'0" widths in 6'6" height.
- Configurations: Available in double and triple units.
- Glass Options: Clear, insulated glass with optional Low-E for increased energy efficiency. Optional flat or contour grilles between glass available to customize the doors to match exterior window packages.
- Optional DP-50 Impact-rated product available.



To view our full offering of vinyl sliding patio door systems, please see your Therma-Tru seller or visit www.thermatru.com.



Door System Components



- Engineered to work together.



More than a beautiful door. A Therma-Tru® door system with genuine Therma-Tru components is engineered with craftsman precision for durability and reliability through the years. With weather resistance and energy efficiency so the door performs as exceptionally as it looks.

Sills


Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

Inswing Options




Composite Adjustable Sill 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



Hardwood Adjustable Sill

Durable hardwood cap and nosing stain to match door and trim, U-shaped weather seal adds protection, and flush zinc dichromate screws adjust to maintain a tight seal.



Basic Composite Adjustable Sill

Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Basic Fixed Sill


Slanted vinyl cap resists deterioration and maintains contact with the door bottom.



Moderate Climate Sill
(For Warmer Climates)

All-aluminum construction resists corrosion and slanted cap maintains contact with the door bottom.

Inswing Sill Extenders



Finishes:
 Mill Brass
 Bronze Satin Nickel

Outswing Options



Composite Outswing Sill 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, and integrated weatherstrip forms a tight seal under wind pressure.



Aluminum Sill with Thermal Break

All-aluminum construction resists corrosion, and integrated weatherstrip forms a tight seal under wind pressure. Also available without thermal break.



Coastal Sill (For Coastal Regions)

All-aluminum construction resists corrosion, extra-high cap profile provides improved resistance to wind-driven moisture infiltration, helps meet the wind-driven moisture infiltration code requirements in HVHZ coastal regions, and integrated weatherstrip forms a tight seal under wind pressure.

Outswing Sill Extender



Public Access Sills



Public Access Sill with Thermal Break*
(For ADA Applications)

All-aluminum construction resists corrosion, and 1/2" high surface with 1:2 ramp slope meets Americans with Disabilities Act (ADA) requirements. Also available without thermal break.

Options Key

 Tru-Defense Eligible

*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

**For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See page 231 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze



Brass



Satin Nickel

Cap Colors



Lightwood (Premium)
Composite Adjustable / Composite Outswing



Darkwood (Premium)
Composite Adjustable / Composite Outswing



Lightwood (Economy)
Basic Composite Adjustable



Darkwood (Economy)
Basic Composite Adjustable



Hardwood

	Inswing Options					Outswing Options					Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Moderate Climate	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing)	Public Access (ADA)*	
Sill Finishes												
Mill	■	■	■	■	■	■	■	■	■	■	■	
Bronze	■	■	■	■	●	■	■	■	●	■	■	
Brass	■	●	●	●	●	■	●	●	●	●	●	
Satin Nickel	■	●	●	●	●	■	●	●	●	●	●	
Cap Colors												
Lightwood Composite	■	●	■	●	●	■	●	●	●	●	●	
Darkwood Composite	■	●	■	●	●	■	●	●	●	●	●	
Hardwood	●	■	●	●	●	●	●	●	●	●	●	
Bronze Vinyl	●	●	●	■	●	●	●	●	●	●	●	
Mill Aluminum	●	●	●	●	■	●	■	■	■	■	■	
Bronze Aluminum	●	●	●	●	●	●	■	■	●	■	■	
Sill Configurations												
Single	■	■	■	■	■	■	■	■	■	■	■	
French	■	■	●	■	■	■	■	■	■	■	■	
Double Patio	■	■	●	●	●	■	●	●	●	●	●	
Triple Patio	■	■	●	●	●	■	●	●	●	●	●	
Lineal	■	■	●	●	●	●	●	●	●	●	●	
Sidelite Configurations												
Boxed Sidelites	■	●	●	●	●	●	●	●	●	●	●	
Single with Sidelites	■	■	●	●	●	■	●	●	●	●	●	
French with Sidelites	■	■	●	●	●	●	●	●	●	●	●	
Single Vented Sidelites	■	●	●	●	●	●	●	●	●	●	●	
French Vented Sidelites	■	●	●	●	●	●	●	●	●	●	●	
Widths												
4-9/16"	■	●	■	■	●	●	●	■	■	■	■	
5-3/4"	■	■	■	■	■	■	■	■	●	●	●	
6-9/16"	●	●	●	●	●	●	●	●	●	■	■	
7-3/4"	■	■	■	■	●	●	■	■	●	●	●	
Substrates												
Composite Extruded	■	●	●	●	●	■	●	●	●	●	●	
Composite Injection Molded	■	●	■	●	●	●	●	●	●	●	●	
Treated Pine	●	■	●	■	●	●	■	●	■	●	●	
Composite Blocked	●	●	●	●	■	●	●	●	●	●	●	
Other Options												
Integrated Thermal Break	■	■	■	■	●	■	■	●	●	■	■	
Screen Rail Available	■	■	●	●	●	■	●	●	●	●	●	
Sill Extenders Available	■	■	■	●	●	■	●	●	●	●	●	
Tru-Defense Eligible**	■	●	●	●	●	■	●	●	●	●	●	
With Anchor Holes	●	●	●	●	●	●	■	■	●	■	■	
Without Anchor Holes	●	●	●	●	●	●	■	●	●	●	●	

■ = NEW for 2014 Products
 ■ = Available
 ● = Not Applicable

Door Bottoms

Designed to mate with our sills and provide added protection to help seal the margin between door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

NEW Non-kerf-applied option available for replacement applications.

Lengths:	Colors:
12"	Bronze
14"	Stone
2'6"	White
2'8"	
2'10"	
3'0"	
3'6"	



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Moderate Climate
Basic Fixed

Lengths:	Colors:
2'8"	Bronze
3'0"	Stone



Inactive Door Bottom

Lengths:	
12"	2'10"
14"	3'0"
2'6"	3'6"
2'8"	

Colors:
Bronze
Stone

Outswing Options



Outswing Bottom Sweep

Sills:
Composite Outswing
Aluminum
Coastal

Lengths:	Color:
2'6"	Bronze
2'8"	
2'10"	
3'0"	



Composite Outswing Inactive Door Bottom

Lengths:	Colors:
12"	Bronze
14"	Stone
2'4"	
2'6"	
2'8"	
2'10"	
3'0"	

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Lengths:	Color:
2'8"	Bronze
3'0"	
3'6"	

Sill Protection




Sill Covers (Recommended)

Fits over the sill to help protect cap and finish from damage during installation. Made of a heavy-duty material to withstand wear, and available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Sill Pan (Recommended)



Fits between sill and subfloor for an added layer of protection against moisture. Engineered with sloped channels to help collect and drain moisture away.

Widths:	Lengths (up to):
4- ⁵ / ₁₆ "	3'0"
6- ⁵ / ₁₆ "	6'0"
	9'0"

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic-Craft 7-Shape Pads



Colors:
Bronze
Stone
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:
Bronze
Stone
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed
Moderate Climate

Weatherstrip

Engineered in a variety of profiles for a precise seal between door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.



Medium-Reach Weatherstrip

Head:
3'0"

Side:
6'8"
8'0"

Colors:
Bronze
Stone
White



Long-Reach Weatherstrip

Head:
3'0"

Side:
6'8"
8'0"

Colors:
Bronze
Stone
White

Rain Protection (Recommended)


Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Rain Deflector (Inswing)

Length:
3'0"

Colors:
Bronze
Stone
White



Rain Deflector

Bottom Sweep

Bottom of door; exterior view.



Rain Guard (Outswing)

Lengths:
3'0"
3'6"

Colors:
Bronze
Stone
White



Jamb

Rain Guard

Weatherstrip

Top of door; exterior view.

Options Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Featuring premium stainless steel construction that resists corrosion.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)

Standard Door MPLS



Tongue
(For single door systems.)
Heights: 6'6", 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing




Shootbolt
(For double door systems.)
Heights: 6'6", 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing

Vented Sidelite MPLS



Tongue
(Included in vented sidelite units.)
Heights: 6'6", 6'8", 8'0"



Side view of door.

Integrated mishandling device.

1" premium stainless steel deadbolt.

Self-lubricating locks.

Engages at three critical points.

Options Key

✦ Tru-Defense Eligible

*ASTM-476. As tested by an independent laboratory. Not available in certain configurations.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See page 231 for important product details that may help with your purchase decision.

Handleset Options for Standard Door MPLS



Handlesets Shown: Wide Back Active & Narrow Back Inactive

Finish Options for Handlesets & Hinges



Hinges & Strike Plate

Hinge Finish Options	Hinges							
	Adjustable	Classic-Craft [®] Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	Adjustable Security Strike Plate (For Latch & Deadbolt)
Bright Brass	■	■	■	●	●	●	●	●
Antique Brass	■	■	■	●	●	●	●	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Antique Nickel	■	■	■	●	●	●	●	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Featuring options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry. Tested to withstand up to three times the force of standard strike plates.*

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or paintable aluminum.



Stainable Astragal

- Heights:**
 - 6'6"
 - 6'8"
 - 7'0"
 - 8'0"
- Width:**
 - 7/8"
- Configurations:**
 - Inswing
 - Outswing
 - Multi-Point Lock
 - Double Bore
 - Left-Handed
 - Right-Handed
- Grain Options:**
 - Oak
 - Mahogany
 - Fir
- Weatherstrip:**
 - Bronze

Shown in Oak grain with Mahogany stain.



Aluminum Astragal

- Heights:**
 - 6'6"
 - 6'8"
 - 7'0"
 - 8'0"
- Width:**
 - 7/8"
- Configurations:**
 - Inswing
 - Outswing
 - Multi-Point Lock
 - Double Bore
 - Left-Handed
 - Right-Handed
- Finish Colors:**
 - Bronze
 - White
- Weatherstrip:**
 - Bronze

Coastal option also available.


Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip forms a tight seal between the astragal and active door when closed.


Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.


Oak Grain




Mahogany Grain



Fir Grain



Aluminum



Options Key

Tru-Defense Eligible

Special Quote Program

Find the look you want for the home with additional glass choices available through special quote.



Texas Star with Standard Brushed Nickel Caming




Texas Star with Special Quote Black Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.



Special Quote SDL Pattern Example



Tan

Stone

Special Quote GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.

Note: Product availability, size options, lead times and pricing will vary based on the request. Please contact your Therma-Tru seller for details.

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru fiberglass doors.

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*



5 YEAR
LIMITED
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance.

Entry & Patio Door Systems

Feature	Classic-Craft	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")	Vinyl Sliding
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel	Vinyl
Skin Texture	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood	Vinyl
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite	Vinyl
Lock Stile	4-1/8" Full-Length Engineered Lumber Stile	1-1/4" Engineered Lumber	1-1/4" Engineered Lumber	1-1/4" Wood	1-1/4" Wood	–
Lock Block	4-1/8" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood	–
Height Options	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"	6'6"
Width Options	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	5'0" – 8'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	–
Glass Options	SMC Frame; Deco / Privacy / Low-E IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum	–
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	–
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach	Long-Reach	–
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic	–
Multi-Point Lock	Recommended	Recommended	Recommended	–	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended	–
Hinges*	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning	–
Frame*	Hardwood	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine	Vinyl
Residential Limited Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years Pulse 8'0": 10 Years	10 Years

*Standard product recommendations shown; additional options may be available.

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards /Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 AND NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200°F, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers require a finish within 30 days of installation. Failure to do so will void the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines, and waves within the glass) are normal and are part of the Old World charm.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on glass design and the size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 3'6" x 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-minute Fire-rated fiberglass doors and all Classic-Craft doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Door Systems; Steel – Pulse®, Profiles®, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Vinyl Sliding Patio Door Systems Residential 10-Year Limited Warranty: PVI Sliding Patio Doors
- Therma-Tru. Tru-Defense® Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon® Stainable Polyurethane Products

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic-Craft.

**American Style
Collection.**

19200T.....	42	CCA3560XCSL.....	41	CCM110G.....	49	CCM709.....	48	CCR20023.....	60	CCR804020XN.....	61
19220T.....	42	CCA3560XJSL.....	41	CCM200.....	52	CCM710B.....	49	CCR20024B.....	59	CCR804020XR.....	61
CCA210.....	42	CCA3560XNSL.....	41	CCM200XC.....	51	CCM710G.....	49	CCR20024G.....	59	CCR804022.....	61
CCA210SL.....	42	CCA3560XRSL.....	41	CCM200XJ.....	51	CCM800.....	52	CCR20025.....	59	CCR804023.....	60
CCA210XC.....	41	CCA8210.....	42	CCM200XN.....	51	CCM8000SL.....	52	CCR20026.....	60	CCR804024B.....	59
CCA210XCNSL.....	41	CCA8210XC.....	41	CCM200XR.....	51	CCM8000XCNSL.....	51	CCR20027.....	58	CCR804024G.....	59
CCA210XJ.....	41	CCA8210XJ.....	41	CCM203.....	50	CCM8000XJSL.....	51	CCR20028.....	60	CCR804025.....	59
CCA210XJNSL.....	41	CCA8210XN.....	41	CCM204.....	50	CCM8000XNSL.....	51	CCR20029.....	58	CCR804026.....	60
CCA210XR.....	41	CCA8210XR.....	41	CCM205.....	48	CCM8000XRSL.....	51	CCR20037.....	58	CCR804027.....	58
CCA210XRSL.....	41	CCA8211.....	40	CCM209.....	48	CCM8001SL.....	50	CCR20037A.....	58	CCR804028.....	60
CCA211.....	40	CCA8212.....	40	CCM210B.....	49	CCM8002S.....	49	CCR2003A.....	63	CCR804029.....	58
CCA211SL.....	40	CCA8214.....	40	CCM210G.....	49	CCM8003SL.....	48	CCR200A.....	63	CCR804030.....	62
CCA212.....	40	CCA8220.....	42	CCM300.....	52	CCM8004BSL.....	49	CCR205.....	63	CCR804030A.....	62
CCA212SL.....	40	CCA8220XC.....	41	CCM300XC.....	51	CCM8004GSL.....	49	CCR20520.....	62	CCR804030AXC.....	62
CCA214.....	40	CCA8220XJ.....	41	CCM300XJ.....	51	CCM8004SL.....	49	CCR20520XC.....	61	CCR804030AXX.....	62
CCA214SL.....	40	CCA8220XN.....	41	CCM300XN.....	51	CCM801.....	52	CCR20520XJ.....	61	CCR804030AXJ.....	62
CCA220.....	42	CCA8220XR.....	41	CCM300XR.....	51	CCM803.....	50	CCR20520XN.....	61	CCR804030AXN.....	62
CCA220SL.....	42	CCA8221.....	40	CCM302.....	50	CCM805.....	49	CCR20520XR.....	61	CCR804030AXR.....	62
CCA220XC.....	41	CCA8222.....	40	CCM303.....	50	CCM809.....	48	CCR20522.....	61	CCR804030XC.....	61
CCA220XCNSL.....	41	CCA8224.....	40	CCM305.....	48	CCM8102SL.....	51	CCR20523.....	60	CCR804030XJ.....	61
CCA220XJ.....	41	CCA8230.....	42	CCM309.....	48	CCM810B.....	49	CCR20524B.....	59	CCR804030XN.....	61
CCA220XJNSL.....	41	CCA8230XC.....	41	CCM310B.....	49	CCM810G.....	49	CCR20524G.....	59	CCR804030XR.....	61
CCA220XR.....	41	CCA8230XJ.....	41	CCM310G.....	49	CCM822.....	50	CCR20525.....	59	CCR804032.....	61
CCA220XRSL.....	41	CCA8230XN.....	41	CCM310G.....	49	CCM890.....	52	CCR20526.....	60	CCR804032A.....	61
CCA221.....	40	CCA8230XR.....	41	CCM3300SL.....	52	CCM891.....	52	CCR20527.....	58	CCR804035.....	59
CCA221SL.....	40	CCA8231.....	40	CCM3302SL.....	51	CCM891XC.....	51	CCR20528.....	60	CCR804035A.....	59
CCA222.....	40	CCA8232.....	40	CCM3303SL.....	50	CCM891XJ.....	51	CCR20529.....	58	CCR804037.....	58
CCA222SL.....	40	CCA8233.....	40	CCM3305SL.....	49	CCM891XN.....	51	CCR20537.....	58	CCR804037A.....	58
CCA224.....	40	CCA8234.....	40	CCM3309SL.....	48	CCM891XR.....	51	CCR20537A.....	58	CCR8040R.....	63
CCA224SL.....	40	CCA8240.....	42	CCM3310BSL.....	49	CCM892.....	50	CCR205A.....	63	CCR8100.....	63
CCA230.....	42	CCA8240XC.....	41	CCM3310GSL.....	49	CCM893.....	48	CCR3002A.....	62	CCR8100A.....	63
CCA230XC.....	41	CCA8240XJ.....	41	CCM3400SL.....	52	CCM894.....	48	CCR30020XC.....	61	CCR8100R.....	63
CCA230XJ.....	41	CCA8240XN.....	41	CCM3400XCSL.....	51	CCM895B.....	49	CCR30020XJ.....	61	CCR8102SL.....	61
CCA230XN.....	41	CCA8240XR.....	41	CCM3400XJSL.....	51	CCM895G.....	49	CCR30020XN.....	61	CCR8200.....	63
CCA230XR.....	41	CCA8260.....	42	CCM3400XNSL.....	51	CCM898.....	50	CCR30020XR.....	61	CCR820020.....	62
CCA231.....	40	CCA8260XC.....	41	CCM3400XRSL.....	51	DLHRT.....	52	CCR30023.....	60	CCR820020XC.....	61
CCA232.....	40	CCA8260XJ.....	41	CCM3403SL.....	50	LC30T.....	51	CCR30023A.....	60	CCR820020XJ.....	61
CCA234.....	40	CCA8260XN.....	41	CCM3405SL.....	49	LCET.....	51	CCR30024B.....	59	CCR820020XN.....	61
CCA240.....	42	CCA8260XR.....	41	CCM3409SL.....	48	LCHRT.....	51	CCR30024G.....	59	CCR820020XR.....	61
CCA240XC.....	41	HA30T.....	40	CCM3410BSL.....	49	LCRT.....	51	CCR30026.....	60	CCR820022.....	61
CCA240XJ.....	41	HART.....	40	CCM3410GSL.....	49	LF30T.....	50	CCR30027.....	58	CCR820023.....	60
CCA240XN.....	41	HW30T.....	40	CCM3412SL.....	51	LFET.....	50	CCR30028.....	60	CCR820024B.....	59
CCA240XR.....	41	HWRT.....	40	CCM3500SL.....	52	LFHRT.....	50	CCR30029.....	58	CCR820024G.....	59
CCA242.....	40	VG30T.....	40	CCM3502SL.....	51	LFRT.....	50	CCR3400SL.....	62	CCR820025.....	59
CCA242SL.....	40	VGRT.....	40	CCM3503SL.....	50	Rustic Collection.		CCR3400XCNSL.....	62	CCR820026.....	60
CCA244.....	40	Mahogany Collection.		CCM3505SL.....	49	CCR040.....	63	CCR3400XJSL.....	62	CCR820027.....	58
CCA244SL.....	40	19020T.....	52	CCM3509SL.....	48	CCR04020.....	62	CCR3400XNSL.....	62	CCR820028.....	60
CCA246.....	42	19200T.....	52	CCM3510BSL.....	49	CCR04020XC.....	61	CCR3400XRSL.....	62	CCR820029.....	58
CCA246XC.....	41	19220T.....	52	CCM3510GSL.....	49	CCR04020XJ.....	61	CCR3405SL.....	59	CCR820030.....	62
CCA260XJ.....	41	ARHRT.....	48	CCM400.....	52	CCR04020XN.....	61	CCR3406SL.....	60	CCR820030A.....	62
CCA260XN.....	41	AS30T.....	49	CCM403.....	50	CCR04020XR.....	61	CCR3407SL.....	60	CCR820030AXC.....	62
CCA260XR.....	41	ASET.....	49	CCM405.....	48	CCR04022.....	61	CCR3408SL.....	60	CCR820030AXJ.....	62
CCA3400SL.....	42	ASHRT.....	49	CCM409.....	48	CCR04023.....	60	CCR3409SL.....	58	CCR820030AXN.....	62
CCA3400XCNSL.....	41	ASRT.....	49	CCM500.....	52	CCR04024B.....	59	CCR3410BSL.....	59	CCR820030AXR.....	62
CCA3400XJSL.....	41	BEBHRT.....	49	CCM503.....	50	CCR04024G.....	59	CCR3410GSL.....	59	CCR820030XC.....	62
CCA3400XRSL.....	41	BEET-B.....	49	CCM505.....	48	CCR04025.....	59	CCR3412SL.....	61	CCR820030XJ.....	62
CCA3401SL.....	40	BEET-G.....	49	CCM509.....	48	CCR04026.....	60	CCR8000SL.....	62	CCR820030XN.....	62
CCA3402SL.....	40	BEGHRT.....	49	CCM60.....	52	CCR04027.....	58	CCR8000XCNSL.....	62	CCR820030XR.....	62
CCA3404SL.....	40	BERT-B.....	49	CCM600.....	52	CCR04028.....	60	CCR8000XJSL.....	62	CCR820032.....	61
CCA3450SL.....	42	BERT-G.....	49	CCM600XC.....	51	CCR04029.....	58	CCR8000XRSL.....	62	CCR820033A.....	61
CCA3450XCNSL.....	41	CC060T.....	48	CCM600XJ.....	51	CCR04029.....	58	CCR8000XNSL.....	62	CCR820035.....	59
CCA3450XJSL.....	41	CC600T.....	48	CCM600XN.....	51	CCR04037A.....	58	CCR8001SL.....	59	CCR820035A.....	59
CCA3450XNSL.....	41	CC620T.....	48	CCM600XR.....	51	CCR040R.....	63	CCR8005.....	63	CCR820037.....	58
CCA3450XRSL.....	41	CCM100.....	52	CCM603.....	50	CCR100.....	63	CCR8005A.....	63	CCR820037A.....	58
CCA3500SL.....	42	CCM10022.....	50	CCM605.....	48	CCR10022.....	61	CCR8006SL.....	60	CCR8200A.....	63
CCA3500XCNSL.....	41	CCM100XC.....	51	CCM609.....	48	CCR100A.....	63	CCR8007SL.....	60	CCR8205.....	63
CCA3500XJSL.....	41	CCM100XJ.....	51	CCM610B.....	49	CCR100A.....	63	CCR8008SL.....	60	CCR820520.....	62
CCA3500XNSL.....	41	CCM100XN.....	51	CCM610G.....	49	CCR100R.....	63	CCR8009SL.....	58	CCR820520XC.....	61
CCA3500XRSL.....	41	CCM100XR.....	51	CCM612.....	50	CCR200.....	63	CCR8009SL.....	58	CCR820520XJ.....	61
CCA3501SL.....	40	CCM103.....	50	CCM700.....	52	CCR20020.....	62	CCR8010BSL.....	59	CCR820520XN.....	61
CCA3502SL.....	40	CCM105.....	48	CCM701.....	52	CCR20020XC.....	61	CCR8010GSL.....	59	CCR820520XR.....	61
CCA3504SL.....	40	CCM109.....	48	CCM702.....	50	CCR20020XJ.....	61	CCR8010SL.....	59	CCR820522.....	61
CCA3560SL.....	42	CCM110B.....	49	CCM703.....	50	CCR20020XN.....	61	CCR8040.....	63	CCR820523.....	60
				CCM705.....	48	CCR20020XR.....	61	CCR804020.....	62	CCR820524B.....	59
						CCR20022.....	61	CCR804020XC.....	61		
								CCR804020XJ.....	61		

CCR820524G.....	59	CC113B.....	70	CC77.....	71	CC90XC.....	74	CCV06022.....	86	CCV22025.....	82
CCR820525.....	59	CC113G.....	70	CC78.....	73	CC90XJ.....	74	CCV06023.....	85	CCV22026.....	85
CCR820526.....	60	CC114B.....	70	CC79.....	70	CC90XN.....	74	CCV06024B.....	83	CCV22027.....	82
CCR820527.....	58	CC114G.....	70	CC8000SL.....	75	CC90XR.....	74	CCV06024G.....	83	CCV22028.....	84
CCR820528.....	60	CC16.....	72	CC8000XCSL.....	74	CC91.....	75	CCV06025.....	83	CCV22029.....	81
CCR820529.....	58	CC17.....	71	CC8000XJSL.....	74	CC92.....	74	CCV06026.....	85	CCV3412SL.....	86
CCR820530.....	62	CC19.....	70	CC8000XNSL.....	74	CC920T.....	72	CCV06028.....	84	CCV400.....	89
CCR820530A.....	62	CC20.....	75	CC8000XRSL.....	74	CC922.....	73	CCV06029.....	81	CCV455.....	89
CCR820530AXC.....	62	CC2020SL.....	75	CC8006SL.....	72	CC92XC.....	73	CCV0609.....	83	CCV45520.....	88
CCR820530AXJ.....	62	CC2020XCSL.....	74	CC8007SL.....	71	CC92XJ.....	73	CCV0609XC.....	87	CCV45520XC.....	87
CCR820530AXN.....	62	CC2020XJSL.....	74	CC8009SL.....	70	CC92XN.....	73	CCV0609XJ.....	87	CCV45520XJ.....	87
CCR820530AXR.....	62	CC2020XNSL.....	74	CC8010BSL.....	71	CC92XR.....	73	CCV0609XN.....	87	CCV45520XN.....	87
CCR820530XC.....	61	CC2020XRSL.....	74	CC8010GSL.....	71	CC96.....	72	CCV0609XR.....	87	CCV45520XR.....	87
CCR820530XJ.....	61	CC2025SL.....	74	CC810.....	75	CC97.....	71	CCV10015.....	88	CCV45522.....	86
CCR820530XN.....	61	CC2025XCSL.....	73	CC8102SL.....	73	CC99.....	70	CCV10015XC.....	86	CCV45523.....	84
CCR820530XR.....	61	CC2025XJSL.....	73	CC811.....	75	DLHRT.....	75	CCV10015XJ.....	86	CCV45524B.....	83
CCR820532.....	61	CC2025XNSL.....	73	CC822.....	73	LC30T.....	73	CCV10015XN.....	86	CCV45524G.....	83
CCR820532A.....	61	CC2025XRSL.....	73	CC830.....	74	LCET.....	73	CCV10015XR.....	86	CCV45525.....	82
CCR820535.....	59	CC2040SL.....	71	CC830XC.....	74	LCHRT.....	73	CCV10020.....	88	CCV45526.....	85
CCR820535A.....	59	CC2044SL.....	72	CC830XJ.....	74	LCRT.....	73	CCV10020XC.....	87	CCV45527.....	82
CCR820537.....	58	CC2060SL.....	70	CC830XN.....	74	PRHRT.....	72	CCV10020XJ.....	87	CCV45528.....	84
CCR820537A.....	58	CC2080BSL.....	71	CC830XR.....	74	Canvas Collection.		CCV10020XN.....	87	CCV45529.....	81
CCR8205A.....	63	CC2080GSL.....	71	CC831.....	75	19020T.....	89	CCV10020XR.....	87	CCV45537.....	82
CCR8220.....	63	CC20XC.....	74	CC832.....	74	19200T.....	89	CCV10022.....	86	CCV45537A.....	82
CCR8220R.....	63	CC20XJ.....	74	CC832XC.....	73	19200T.....	89	CCV10023.....	84	CCV455A.....	89
CCR8225.....	63	CC20XN.....	74	CC832XJ.....	73	19210T.....	89	CCV10024B.....	83	CCV803012.....	88
CCR8225R.....	63	CC20XR.....	74	CC832XN.....	73	19220T.....	89	CCV10024G.....	83	CCV803012XC.....	87
Oak Collection..		CC2120SL.....	75	CC832XR.....	73	ARHRT.....	81	CCV10025.....	82	CCV803012XJ.....	87
19020T.....	74	CC2122SL.....	73	CC833.....	73	AS30T.....	83	CCV10026.....	85	CCV803012XN.....	87
19020T.....	75	CC2140SL.....	71	CC836.....	72	ASET.....	83	CCV10027.....	82	CCV803012XR.....	87
19200T.....	74	CC2144SL.....	72	CC837.....	71	ASHRT.....	83	CCV10028.....	84	CCV803020.....	89
19200T.....	75	CC2160SL.....	70	CC839.....	70	ASRT.....	83	CCV10029.....	81	CCV803020XC.....	87
19220T.....	74	CC2270SL.....	75	CC860.....	75	BEBHRT.....	83	CCV100SL.....	89	CCV803020XJ.....	87
19220T.....	75	CC2272SL.....	73	CC870.....	75	BEET-B.....	83	CCV100XCSL.....	87	CCV803020XN.....	87
ARHRT.....	70	CC2276SL.....	72	CC876.....	72	BEET-G.....	83	CCV100XJSL.....	87	CCV803020XR.....	87
BEBHRT.....	71	CC2277SL.....	71	CC877.....	71	BEGHRT.....	83	CCV100XNSL.....	87	CCV803022.....	86
BEET-B.....	71	CC2279SL.....	70	CC879.....	70	BERT-B.....	83	CCV100XRSL.....	87	CCV803023.....	85
BEET-G.....	71	CC26.....	72	CC880.....	74	BERT-G.....	83	CCV103SL.....	85	CCV803024B.....	83
BEGHRT.....	71	CC27.....	71	CC880XC.....	74	CBHRT.....	85	CCV104BSL.....	83	CCV803024G.....	83
BERT-B.....	71	CC29.....	70	CC880XJ.....	74	CC040T.....	84	CCV104GSL.....	83	CCV803025.....	83
BERT-G.....	71	CC30.....	74	CC880XN.....	74	CC060T.....	81	CCV105SL.....	83	CCV803026.....	85
CBHRT.....	72	CC3412SL.....	73	CC880XR.....	74	CC090T.....	85	CCV106SL.....	85	CCV803027.....	82
CC040T.....	72	CC3502SL.....	73	CC881.....	73	CC400T.....	84	CCV108SL.....	84	CCV803028.....	84
CC060T.....	70	CC36.....	72	CC882.....	74	CC420T.....	84	CCV109SL.....	81	CCV803029.....	81
CC090T.....	72	CC37.....	71	CC882XC.....	73	CC600T.....	81	CCV200.....	89	CCV805015.....	88
CC10.....	75	CC39.....	70	CC882XJ.....	73	CC620T.....	81	CCV205.....	89	CCV805015XC.....	86
CC100.....	74	CC40.....	75	CC882XN.....	73	CC900T.....	85	CCV20520.....	88	CCV805015XJ.....	86
CC10022.....	73	CC400T.....	72	CC882XR.....	73	CC920T.....	85	CCV20520XC.....	87	CCV805015XN.....	86
CC100XC.....	74	CC420T.....	72	CC886.....	72	CCV050.....	89	CCV20520XJ.....	87	CCV805015XR.....	86
CC100XJ.....	74	CC44.....	72	CC887.....	71	CCV05012.....	88	CCV20520XN.....	87	CCV805020.....	88
CC100XN.....	74	CC45.....	70	CC889.....	70	CCV05012XC.....	86	CCV20520XR.....	87	CCV805020XC.....	87
CC100XR.....	74	CC47.....	71	CC890.....	74	CCV05012XJ.....	86	CCV20522.....	86	CCV805020XJ.....	87
CC1010SL.....	75	CC48.....	74	CC890XC.....	74	CCV05012XN.....	86	CCV20523.....	84	CCV805020XN.....	87
CC1016SL.....	72	CC48XC.....	74	CC890XJ.....	74	CCV05012XR.....	86	CCV20524B.....	83	CCV805020XR.....	87
CC1017SL.....	71	CC48XJ.....	74	CC890XN.....	74	CCV05020.....	88	CCV20524G.....	83	CCV805022.....	86
CC1019SL.....	70	CC48XN.....	74	CC890XR.....	74	CCV05020XC.....	87	CCV20525.....	82	CCV805023.....	84
CC102.....	74	CC48XR.....	74	CC892.....	74	CCV05020XJ.....	87	CCV20526.....	85	CCV805024B.....	83
CC1020BSL.....	71	CC49.....	74	CC892XC.....	73	CCV05020XN.....	87	CCV20527.....	82	CCV805024G.....	83
CC1020GSL.....	71	CC49XC.....	73	CC892XJ.....	73	CCV05020XR.....	87	CCV20528.....	84	CCV805025.....	82
CC102XC.....	73	CC49XJ.....	73	CC892XN.....	73	CCV05022.....	86	CCV20529.....	81	CCV805026.....	85
CC102XJ.....	73	CC49XN.....	73	CC892XR.....	73	CCV05023.....	84	CCV20537.....	82	CCV805027.....	82
CC102XN.....	73	CC49XR.....	73	CC896.....	72	CCV05024B.....	83	CCV20537A.....	82	CCV805028.....	84
CC102XR.....	73	CC50.....	74	CC897.....	71	CCV05024G.....	83	CCV205A.....	89	CCV805029.....	81
CC106.....	72	CC57.....	71	CC898.....	73	CCV05025.....	82	CCV220.....	89	CCV806012.....	88
CC107.....	71	CC58.....	72	CC899.....	70	CCV05026.....	85	CCV22020.....	88	CCV806012XC.....	87
CC109.....	70	CC59.....	70	CC90.....	74	CCV05027.....	82	CCV22020XC.....	87	CCV806012XJ.....	87
CC11.....	75	CC60.....	75	CC900B.....	70	CCV05028.....	84	CCV22020XJ.....	87	CCV806012XN.....	87
CC110B.....	70	CC600T.....	70	CC900G.....	70	CCV05029.....	81	CCV22020XN.....	87	CCV806012XR.....	87
CC110G.....	70	CC61.....	75	CC900T.....	72	CCV060.....	89	CCV22020XR.....	87	CCV806020.....	89
CC111B.....	70	CC612.....	73	CC901B.....	70	CCV06020.....	89	CCV22022.....	86	CCV806020XC.....	87
CC111G.....	70	CC620T.....	70	CC901G.....	70	CCV06020XC.....	87	CCV22023.....	84	CCV806020XJ.....	87
CC112B.....	70	CC70.....	75	CC902B.....	70	CCV06020XJ.....	87	CCV22024B.....	83	CCV806020XN.....	87
CC112G.....	70	CC76.....	72	CC902G.....	70	CCV06020XN.....	87	CCV22024G.....	83	CCV806020XR.....	87

CCV806022	86	CCV822022	86	HW30T	80
CCV806023	85	CCV822023	84	HWRT	80
CCV806024B	83	CCV822024B	83	LC30T	86
CCV806024G	83	CCV822024G	83	LCET	86
CCV806025	82	CCV822025	82	LCHRT	86
CCV806026	85	CCV822026	85	LCRT	86
CCV806027	82	CCV822027	82	LF30T	85
CCV806028	84	CCV822028	84	LFET	85
CCV806029	81	CCV822029	81	LFHRT	85
CCV8100SL	89	CCV831	89	LFRT	85
CCV8100XCSL	87	CCV860	89	PRHRT	84
CCV8100XJSL	87	CCV8950XCSL	87	VG30T	80
CCV8100XNSL	87	CCV8950XJSL	87	VGRT	80
CCV8100XRSL	87	CCV8950XNSL	87		
CCV8102SL	86	CCV8950XRSL	87		
CCV8103SL	85	CCV9010SL	89		
CCV8104BSL	83	CCV9011SL	80		
CCV8104GSL	83	CCV9012SL	80		
CCV8105SL	83	CCV9014SL	80		
CCV8106SL	85	CCV9020SL	88		
CCV8108SL	84	CCV910	89		
CCV8109SL	81	CCV910XC	87		
CCV8111SL	80	CCV910XCSL	87		
CCV8112SL	80	CCV910XJ	87		
CCV8114SL	80	CCV910XJSL	87		
CCV8205	89	CCV910XN	87		
CCV820512	88	CCV910XNSL	87		
CCV820512XC	87	CCV910XR	87		
CCV820512XJ	87	CCV910XRSL	87		
CCV820512XN	87	CCV911	80		
CCV820512XR	87	CCV911SL	80		
CCV820520	88	CCV912	80		
CCV820520XC	87	CCV912SL	80		
CCV820520XJ	87	CCV914	80		
CCV820520XN	87	CCV914SL	80		
CCV820520XR	87	CCV920	88		
CCV820522	86	CCV920XC	86		
CCV820523	84	CCV920XCSL	87		
CCV820524B	83	CCV920XJ	86		
CCV820524G	83	CCV920XJSL	87		
CCV820525	82	CCV920XN	86		
CCV820526	85	CCV920XNSL	87		
CCV820527	82	CCV920XR	86		
CCV820528	84	CCV920XRSL	87		
CCV820529	81	CCV921	80		
CCV820530	89	CCV922	80		
CCV820530A	89	CCV924	80		
CCV820530AXC	87	CCV930	88		
CCV820530AXJ	87	CCV930XC	86		
CCV820530AXN	87	CCV930XJ	86		
CCV820530AXR	87	CCV930XN	86		
CCV820530XC	87	CCV930XR	86		
CCV820530XJ	87	CCV931	80		
CCV820530XN	87	CCV932	80		
CCV820530XR	87	CCV934	80		
CCV820532	86	CCV940	88		
CCV820532A	86	CCV940XC	86		
CCV820535	82	CCV940XJ	86		
CCV820535A	82	CCV940XN	86		
CCV820537	82	CCV940XR	86		
CCV820537A	82	CCV950SL	88		
CCV8205A	89	CCV950XCSL	87		
CCV8220	89	CCV950XJSL	87		
CCV822012	88	CCV950XNSL	87		
CCV822012XC	87	CCV950XRSL	87		
CCV822012XJ	87	CCV960	88		
CCV822012XN	87	CCV960XC	86		
CCV822012XR	87	CCV960XJ	86		
CCV822020	88	CCV960XN	86		
CCV822020XC	87	CCV960XR	86		
CCV822020XJ	87	DLHRT	89		
CCV822020XN	87	HA30T	80		
CCV822020XR	87	HART	80		

Fiber-Classic Mahogany Collection		FCM1285	154	FCM2108	154
FCM100	166	FCM1285XC	140	FCM220	170
FCM100-A	108	FCM1285XJ	140	FCM2321G	122
FCM1000	170	FCM1285XN	140	FCM2321R	122
FCM1006	115	FCM1285XR	140	FCM241	108
FCM101	108	FCM1286	147	FCM241-A	108
FCM101-A	108	FCM1286SL	148	FCM3000-2C	155
FCM101SL	109	FCM1289	156	FCM3000-3C	155
FCM101SL-A	109	FCM1289SL	156	FCM3000-4C	155
FCM1025	137	FCM13	101	FCM3000-6C	156
FCM1026	101	FCM131	108	FCM3000F-2C	155
FCM1027	117	FCM131-A	108	FCM3000F-3C	155
FCM1029	124	FCM13101SL	138	FCM3000F-4C	155
FCM104	126	FCM131SL	109	FCM3000F-6C	156
FCM105	126	FCM131SL-A	109	FCM31	170
FCM1051	114	FCM132	166	FCM310	103
FCM105SL	127	FCM132XC	144	FCM32	166
FCM106	127	FCM132XJ	144	FCM32SL	167
FCM108	103	FCM132XN	144	FCM32XC	144
FCM1089SL	155	FCM132XR	144	FCM32XCSSL	144
FCM109	103	FCM134	170	FCM32XJ	144
FCM109SL	103	FCM138	153	FCM32XJSL	144
FCM10XC	144	FCM138XC	140	FCM32XN	144
FCM10XJ	144	FCM138XJ	140	FCM32XNSL	144
FCM10XN	144	FCM138XN	140	FCM32XR	144
FCM10XR	144	FCM138XR	140	FCM32XRSL	144
FCM11	138	FCM140	147	FCM3487SL	155
FCM110	103	FCM1400SL	156	FCM3487XCSL	140
FCM113	111	FCM1402	156	FCM3487XJSL	140
FCM114	111	FCM1405	156	FCM3487XNSL	140
FCM114SL	111	FCM1405SL	156	FCM3487XRSL	140
FCM115	111	FCM1406	156	FCM36	101
FCM115SL	111	FCM1408	156	FCM369	111
FCM118	111	FCM140SL	148	FCM36SL	101
FCM12	137	FCM141	147	FCM38	106
FCM1200	154	FCM14101SL	101	FCM38SL	106
FCM1200SL	155	FCM142	124	FCM45	106
FCM1201	153	FCM143	124	FCM45SL	106
FCM1201SL	155	FCM143SL	125	FCM547	134
FCM1202	153	FCM144	124	FCM60	170
FCM1202SL	155	FCM1442SL	132	FCM600	170
FCM1203	153	FCM144SL	125	FCM601	166
FCM1208	154	FCM146	124	FCM601XC	144
FCM1209	153	FCM147	126	FCM601XJ	144
FCM12101SL	166	FCM147SL	127	FCM601XN	144
FCM12101XCSL	144	FCM148	132	FCM601XR	144
FCM12101XJSL	144	FCM149	132	FCM602	119
FCM12101XNSL	144	FCM149SL	132	FCM6021	166
FCM12101XRSL	144	FCM150	132	FCM6021XC	144
FCM12102SL	155	FCM151	132	FCM6021XJ	144
FCM12102XCSL	140	FCM15101SL	137	FCM6021XN	144
FCM12102XJSL	140	FCM156	132	FCM6021XR	144
FCM12102XRSL	140	FCM16	106	FCM6022	154
FCM1211	153	FCM160	166	FCM60221G	122
FCM1212	153	FCM160XC	144	FCM60221R	122
FCM124	106	FCM160XJ	144	FCM6022XC	140
FCM125	127	FCM160XN	144	FCM6022XJ	140
FCM126	109	FCM160XR	144	FCM6022XN	140
FCM126-A	109	FCM161	101	FCM6022XR	140
FCM1283	166	FCM163	127	FCM6023	138
FCM1283XC	144	FCM164	103	FCM6024	134
FCM1283XJ	144	FCM165	125	FCM6025	108
FCM1283XN	144	FCM18	154	FCM6025-A	108
FCM1283XR	144	FCM18101SL	106	FCM6026	129
FCM1284	154	FCM18XC	140	FCM6027	106
FCM1284XC	140	FCM18XJ	140	FCM6029	119
FCM1284XJ	140	FCM18XN	140	FCM6030	126
FCM1284XN	140	FCM18XR	140	FCM6031	111
FCM1284XR	140	FCM198	156	FCM6032	103
		FCM205	170	FCM6035	147
		FCM2101SL	155	FCM6036	132
		FCM2106	154	FCM604	109
		FCM2107	154	FCM604-A	109

FCM6041.....	166	FCM62SL.....	167	FCM786.....	134	FCM816SL-A.....	109	FCM86721RSL.....	122	FCM902SL.....	115
FCM6041XC.....	144	FCM62XC.....	144	FCM787.....	138	FCM817.....	111	FCM8675SL.....	155	FCM904.....	115
FCM6041XJ.....	144	FCM62XCSSL.....	144	FCM788.....	117	FCM817SL.....	125	FCM867SL.....	132	FCM905.....	119
FCM6041XN.....	144	FCM62XJ.....	144	FCM789.....	132	FCM81800SL.....	106	FCM870.....	166	FCM906.....	119
FCM6041XR.....	144	FCM62XJSL.....	144	FCM799.....	135	FCM81828.....	154	FCM8704.....	156	FCM906SL.....	120
FCM6042.....	155	FCM62XN.....	144	FCM80.....	166	FCM81829.....	154	FCM8707.....	120	FCM907.....	119
FCM6042XC.....	140	FCM62XNSL.....	144	FCM800.....	117	FCM818SL.....	127	FCM8708.....	166	FCM907SL.....	120
FCM6042XJ.....	140	FCM62XR.....	144	FCM802.....	106	FCM81918SL.....	103	FCM8708XC.....	144	FCM909.....	119
FCM6042XN.....	140	FCM62XRSL.....	144	FCM806GSL.....	122	FCM81919SL.....	111	FCM8708XJ.....	144	FCM910.....	129
FCM6042XR.....	140	FCM65.....	154	FCM806RSL.....	122	FCM81921SL.....	127	FCM8708XN.....	144	FCM911.....	129
FCM6043.....	138	FCM65SL.....	155	FCM807SL.....	117	FCM81928SL.....	129	FCM8708XR.....	144	FCM911SL.....	129
FCM6044.....	134	FCM65XC.....	140	FCM808SL.....	103	FCM81944SL.....	156	FCM870SL.....	167	FCM912.....	129
FCM6045.....	108	FCM65XCSSL.....	140	FCM809SL.....	129	FCM81968SL.....	109	FCM870XC.....	144	FCM912SL.....	129
FCM6045-A.....	108	FCM65XJ.....	140	FCM80XC.....	144	FCM81968SL-A.....	109	FCM870XCSSL.....	144	FCM914.....	129
FCM6046.....	129	FCM65XJSL.....	140	FCM80XJ.....	144	FCM81986SL.....	120	FCM870XJ.....	144	FCM915.....	129
FCM6047.....	106	FCM65XN.....	140	FCM80XN.....	144	FCM82.....	154	FCM870XJSL.....	144	FCM916.....	129
FCM6049.....	119	FCM65XNSL.....	140	FCM80XR.....	144	FCM820.....	129	FCM870XN.....	144	FCM916SL.....	129
FCM605.....	156	FCM65XR.....	140	FCM81000.....	170	FCM821.....	126	FCM870XNSL.....	144	FCM918G.....	122
FCM6050.....	126	FCM65XRSL.....	140	FCM8101SL.....	155	FCM822.....	108	FCM870XR.....	144	FCM918R.....	122
FCM6051.....	111	FCM66.....	138	FCM8101XCSL.....	140	FCM822-A.....	108	FCM870XRSL.....	144	FCM920G.....	122
FCM6052.....	103	FCM668.....	106	FCM8101XJSL.....	140	FCM828.....	154	FCM871.....	103	FCM920R.....	122
FCM6055.....	147	FCM669.....	138	FCM8101XNSL.....	140	FCM82XC.....	140	FCM871SL.....	103	FCM922G.....	122
FCM6056.....	132	FCM66SL.....	138	FCM8101XRSL.....	140	FCM82XJ.....	140	FCM872.....	108	FCM922R.....	122
FCM605XC.....	140	FCM6721G.....	122	FCM8102SL.....	135	FCM82XN.....	140	FCM872-A.....	108	FCM923G.....	122
FCM605XJ.....	140	FCM6721GSL.....	122	FCM8103SL.....	125	FCM82XR.....	140	FCM8721.....	127	FCM923R.....	122
FCM605XN.....	140	FCM6721R.....	122	FCM8104SL.....	117	FCM83000-2C.....	155	FCM872SL.....	109	FCM92SL.....	155
FCM605XR.....	140	FCM6721RSL.....	122	FCM8105SL.....	106	FCM83000-3C.....	155	FCM872SL-A.....	109	FCM92XCSSL.....	140
FCM606.....	156	FCM68.....	137	FCM8106SL.....	101	FCM83000-4C.....	155	FCM873.....	111	FCM92XJSL.....	140
FCM606XC.....	141	FCM68SL.....	137	FCM8107SL.....	132	FCM83000-6C.....	156	FCM8735.....	129	FCM92XNSL.....	140
FCM606XJ.....	141	FCM69.....	137	FCM8108SL.....	137	FCM83000F-2C.....	155	FCM8736.....	115	FCM92XRSL.....	140
FCM606XN.....	141	FCM70.....	137	FCM8109SL.....	138	FCM83000F-3C.....	155	FCM873SL.....	111	FCM965.....	101
FCM606XR.....	141	FCM701G.....	122	FCM810SL.....	135	FCM83000F-4C.....	155	FCM874.....	126	FCM966.....	117
FCM607.....	156	FCM701R.....	122	FCM811.....	154	FCM83000F-6C.....	156	FCM874SL.....	127	FCM967.....	101
FCM6074.....	124	FCM701SL.....	167	FCM8110SL.....	148	FCM8310SL.....	155	FCM8752.....	156	FCM968.....	117
FCM6075.....	124	FCM704.....	156	FCM8111LSL.....	114	FCM8311SL.....	155	FCM881SL.....	167		
FCM607XC.....	141	FCM705SL.....	101	FCM8111RSL.....	114	FCM8313SL.....	155	FCM881XCSSL.....	144		
FCM607XJ.....	141	FCM707.....	120	FCM8113.....	138	FCM8321.....	155	FCM881XJSL.....	144		
FCM607XN.....	141	FCM707SL.....	106	FCM8113SL.....	138	FCM8321XC.....	140	FCM881XNSL.....	144		
FCM607XR.....	141	FCM708.....	166	FCM8114.....	106	FCM8321XJ.....	140	FCM881XRSL.....	144		
FCM608.....	156	FCM708XC.....	144	FCM8114SL.....	107	FCM8321XN.....	140	FCM882SL.....	103		
FCM608XC.....	141	FCM708XJ.....	144	FCM8115.....	146	FCM8321XR.....	140	FCM883SL.....	109		
FCM608XJ.....	141	FCM708XN.....	144	FCM8115SL.....	148	FCM8322.....	154	FCM883SL-A.....	109		
FCM608XN.....	141	FCM708XR.....	144	FCM811LSL.....	114	FCM8323.....	154	FCM884SL.....	111		
FCM608XR.....	141	FCM71.....	101	FCM811RSL.....	114	FCM8324.....	154	FCM885SL.....	127		
FCM609.....	115	FCM711.....	101	FCM81200.....	166	FCM860.....	170	FCM886.....	115		
FCM6093.....	119	FCM7125SL.....	155	FCM81200SL.....	166	FCM860221G.....	122	FCM886SL.....	115		
FCM6094.....	126	FCM71SL.....	101	FCM81200XC.....	144	FCM860221R.....	122	FCM887SL.....	115		
FCM6095.....	129	FCM721.....	127	FCM81200XCSSL.....	144	FCM861.....	166	FCM888.....	119		
FCM6097.....	154	FCM735.....	129	FCM81200XJ.....	144	FCM861XC.....	144	FCM888SL.....	120		
FCM61.....	166	FCM736.....	115	FCM81200XJSL.....	144	FCM861XJ.....	144	FCM889SL.....	120		
FCM6107.....	115	FCM752.....	156	FCM81200XN.....	144	FCM861XN.....	144	FCM890.....	129		
FCM6108.....	115	FCM755.....	170	FCM81200XNSL.....	144	FCM861XR.....	144	FCM890SL.....	129		
FCM6124SL.....	156	FCM756.....	114	FCM81200XR.....	144	FCM862.....	166	FCM891.....	129		
FCM6124XCSSL.....	141	FCM757.....	134	FCM81200XRSL.....	144	FCM862SL.....	167	FCM891SL.....	129		
FCM6124XJSL.....	141	FCM758.....	117	FCM81208P.....	154	FCM862XC.....	144	FCM892SL.....	129		
FCM6124XNSL.....	141	FCM759.....	134	FCM81208PSL.....	155	FCM862XCSSL.....	144	FCM893SL.....	120		
FCM6124XRSL.....	141	FCM759SL.....	135	FCM81208SL.....	155	FCM862XJ.....	144	FCM894.....	134		
FCM6125SL.....	156	FCM760.....	103	FCM81225.....	147	FCM862XJSL.....	144	FCM894SL.....	135		
FCM6125XCSSL.....	141	FCM761.....	117	FCM81225SL.....	148	FCM862XN.....	144	FCM895.....	138		
FCM6125XJSL.....	141	FCM761SL.....	117	FCM812SL.....	115	FCM862XNSL.....	144	FCM896.....	117		
FCM6125XNSL.....	141	FCM762.....	134	FCM813.....	138	FCM862XR.....	144	FCM896SL.....	117		
FCM6125XRSL.....	141	FCM762SL.....	135	FCM81300SL.....	138	FCM862XRSL.....	144	FCM897.....	101		
FCM6126SL.....	156	FCM763.....	138	FCM813SL.....	132	FCM863.....	103	FCM897SL.....	101		
FCM6126XCSSL.....	141	FCM764.....	117	FCM814.....	106	FCM863SL.....	103	FCM898.....	106		
FCM6126XJSL.....	141	FCM764SL.....	117	FCM81421GSL.....	122	FCM864.....	108	FCM898SL.....	106		
FCM6126XNSL.....	141	FCM765.....	103	FCM81421RSL.....	122	FCM864-A.....	108	FCM899.....	124		
FCM6126XRSL.....	141	FCM765SL.....	103	FCM8145.....	156	FCM864SL.....	109	FCM899SL.....	125		
FCM61XC.....	144	FCM768GSL.....	122	FCM8145SL.....	156	FCM864SL-A.....	109	FCM900.....	115		
FCM61XJ.....	144	FCM768RSL.....	122	FCM8149.....	132	FCM865.....	111	FCM901.....	115		
FCM61XN.....	144	FCM783.....	134	FCM814SL.....	111	FCM865SL.....	111	FCM901SL.....	115		
FCM61XR.....	144	FCM783SL.....	135	FCM815SL.....	120	FCM866.....	126	FCM902.....	115		
FCM62.....	166	FCM784.....	138	FCM816.....	103	FCM866SL.....	127	FCM9021G.....	122		
FCM626.....	132	FCM785.....	117	FCM816SL.....	109	FCM86721GSL.....	122	FCM9021R.....	122		

Fiber-Classic. Oak Collection.

1000.....	171
1283.....	167
1284.....	157
1285.....	157
1286.....	148
1289.....	160
2000.....	153
2009.....	151
2010.....	150
2050.....	150
2100.....	153
2150.....	150
8000.....	153
81000.....	171
81200.....	167
81208.....	157
81225.....	148
81828.....	157
12101SL.....	168
12101XCSSL.....	146
12101XJSL.....	146
12101XNSL.....	146
12101XRSL.....	146
12102SL.....	159
12102XCSSL.....	141
12102XJSL.....	141
12102XNSL.....	141
12102XRSL.....	141
1283XC.....	145
1283XJ.....	145
1283XN.....	145
1283XR.....	145
1284XC.....	141
1284XJ.....	141
1284XN.....	141
1284XR.....	141
1285XC.....	141

1285XJ.....	141	81934P.....	101	81961PSL.....	133	FC114SL.....	112	FC145.....	125	FC43SL.....	107
1285XN.....	141	81934PSL.....	102	81962P.....	137	FC115.....	112	FC146.....	125	FC44.....	138
1285XR.....	141	81935P.....	106	81962PSL.....	137	FC115SL.....	112	FC147.....	127	FC44SL.....	139
1286SL.....	148	81935PSL.....	107	81963P.....	138	FC118.....	112	FC147SL.....	128	FC45.....	106
13101SL.....	139	81936P.....	109	81963PSL.....	139	FC11SL.....	139	FC148.....	133	FC46SL.....	107
14101SL.....	102	81936P-A.....	109	81964P.....	148	FC12.....	137	FC148SL.....	133	FC47SL.....	168
15101SL.....	137	81936PSL.....	110	81964PSL.....	148	FC1200.....	157	FC149.....	133	FC47XCSSL.....	146
18101SL.....	107	81936PSL-A.....	110	81965LPSL.....	114	FC1200SL.....	160	FC149SL.....	133	FC47XJSL.....	146
2000SL.....	153	81937P.....	112	81965P.....	114	FC1201.....	157	FC150.....	133	FC47XNSL.....	146
2009SL.....	151	81937PSL.....	112	81965RPSL.....	114	FC1201SL.....	160	FC151.....	133	FC47XRSL.....	146
2050SL.....	150	81938P.....	120	81966P.....	135	FC1202.....	157	FC152.....	133	FC48.....	167
2100SL.....	153	81938PSL.....	120	81966PSL.....	135	FC1202SL.....	160	FC156.....	133	FC48SL.....	168
2150SL.....	150	81939P.....	115	81967P.....	118	FC1203.....	157	FC16.....	106	FC48XC.....	145
8000-12.....	150	81939PSL.....	116	81967PSL.....	118	FC1204.....	150	FC160.....	167	FC48XCSSL.....	146
8000-18.....	150	81940P.....	125	81968P.....	109	FC1204SL.....	150	FC160XC.....	145	FC48XJ.....	145
8000-9.....	151	81940PSL.....	125	81968P-A.....	109	FC1205.....	150	FC160XJ.....	145	FC48XJSL.....	146
81200P.....	167	81941P.....	127	81968PSL.....	109	FC1205SL.....	150	FC160XN.....	145	FC48XN.....	145
81200PSL.....	168	81941PSL.....	128	81968PSL-A.....	109	FC1206.....	150	FC160XR.....	145	FC48XNSL.....	146
81200PXC.....	145	81942P.....	130	81968SL.....	110	FC1206SL.....	150	FC161.....	101	FC48XR.....	145
81200PXCSSL.....	146	81942PSL.....	130	81968SL-A.....	110	FC1207.....	150	FC163.....	127	FC48XRSL.....	146
81200PXJ.....	145	81943P.....	167	81970P.....	138	FC1208.....	157	FC164.....	104	FC547.....	135
81200PXJSL.....	146	81943PSL.....	168	81971P.....	167	FC1208SL.....	159	FC18.....	157	FC57.....	101
81200PXN.....	145	81943PXC.....	145	81971PXC.....	145	FC1209.....	157	FC18SL.....	159	FC57SL.....	102
81200PXNSL.....	146	81943PXCSSL.....	146	81971PXJ.....	145	FC1209SL.....	159	FC18XC.....	141	FC58.....	137
81200PXR.....	145	81943PXJ.....	145	81971PXN.....	145	FC1211.....	157	FC18XCSSL.....	141	FC58SL.....	137
81200PXRSL.....	146	81943PXJSL.....	146	81971PXR.....	145	FC1211SL.....	159	FC18XJ.....	141	FC60.....	171
81200SL.....	168	81943PXN.....	145	81972P.....	135	FC1212.....	159	FC18XJSL.....	141	FC60221G.....	122
81200XC.....	145	81943PXNSL.....	146	81973P.....	138	FC124.....	107	FC18XN.....	141	FC60221R.....	122
81200XCSSL.....	146	81943PXR.....	145	81974P.....	118	FC125.....	127	FC18XNSL.....	141	FC6093.....	120
81200XJ.....	145	81943PXRSL.....	146	81975P.....	104	FC126.....	109	FC18XR.....	141	FC6094.....	127
81200XJSL.....	146	81944P.....	160	81976P.....	101	FC126-A.....	109	FC18XRSL.....	141	FC6095.....	130
81200XN.....	145	81944PSL.....	161	81977P.....	106	FC127.....	127	FC198.....	160	FC61.....	168
81200XNSL.....	146	81945P.....	158	81978P.....	109	FC128.....	109	FC198SL.....	161	FC61XC.....	145
81200XR.....	145	81945PXC.....	141	81978P-A.....	109	FC128-A.....	109	FC20.....	102	FC61XJ.....	145
81200XRSL.....	146	81945PXJ.....	141	81980P.....	112	FC1289SL.....	160	FC20042.....	133	FC61XN.....	145
81208P.....	157	81945PXN.....	141	81981P.....	120	FC129.....	104	FC21.....	107	FC61XR.....	145
81208PSL.....	159	81945PXR.....	141	81982P.....	115	FC12SL.....	137	FC2101.....	158	FC62.....	167
81208SL.....	159	81946P.....	158	81983P.....	125	FC13.....	101	FC2101SL.....	159	FC626.....	133
81225P.....	148	81946PSL.....	159	81984P.....	127	FC130.....	112	FC2102.....	158	FC62XC.....	145
81225PSL.....	148	81946PXC.....	141	81985P.....	130	FC131.....	109	FC2106.....	157	FC62XJ.....	145
81225SL.....	148	81946PXCSSL.....	142	81986PSL.....	120	FC131-A.....	109	FC2107.....	157	FC62XN.....	145
81300SL.....	139	81946PXJ.....	141	81986SL.....	120	FC131SL.....	110	FC2108.....	157	FC62XR.....	145
81800P.....	106	81946PXJSL.....	142	FC10.....	167	FC131SL-A.....	110	FC23.....	158	FC63.....	158
81800PSL.....	107	81946PXN.....	141	FC100.....	109	FC132.....	167	FC2321G.....	123	FC63SL.....	159
81800SL.....	107	81946PXNSL.....	142	FC100-A.....	109	FC132XC.....	145	FC2321R.....	123	FC63XCSSL.....	142
81918P.....	104	81946PXR.....	141	FC1006.....	115	FC132XJ.....	145	FC241.....	109	FC63XJSL.....	142
81918PSL.....	104	81946PXRSL.....	142	FC100SL.....	109	FC132XN.....	145	FC241-A.....	109	FC63XNSL.....	142
81918SL.....	104	81947P.....	160	FC100SL-A.....	109	FC132XR.....	145	FC25.....	137	FC63XRSL.....	142
81919P.....	111	81948P.....	160	FC101.....	109	FC134.....	171	FC3000-2C.....	159	FC65.....	158
81919PSL.....	112	81949P.....	160	FC101-A.....	109	FC138.....	157	FC3000-3C.....	159	FC65XC.....	141
81919SL.....	112	81950P.....	160	FC101SL.....	110	FC138XC.....	141	FC3000-4C.....	159	FC65XJ.....	141
81921P.....	127	81951P.....	101	FC101SL-A.....	110	FC138XJ.....	141	FC3000-6C.....	160	FC65XN.....	141
81921PSL.....	128	81951PSL.....	102	FC1025.....	137	FC138XN.....	141	FC31.....	170	FC65XR.....	141
81921SL.....	128	81952P.....	104	FC1026.....	101	FC138XR.....	141	FC310.....	104	FC66.....	138
81928P.....	130	81952PSL.....	104	FC1027.....	117	FC13SL.....	102	FC32.....	167	FC668.....	106
81928PSL.....	130	81953P.....	106	FC1029.....	125	FC140.....	148	FC32SL.....	168	FC669.....	138
81928SL.....	130	81953PSL.....	107	FC104.....	127	FC1400.....	160	FC32XC.....	145	FC6721GSL.....	123
81929P.....	167	81954P.....	109	FC104SL.....	128	FC1400SL.....	161	FC32XCSSL.....	146	FC6721RSL.....	123
81929PSL.....	168	81954P-A.....	109	FC105.....	127	FC1402.....	160	FC32XJ.....	145	FC68.....	137
81929PXC.....	145	81954PSL.....	110	FC1051.....	114	FC1404.....	161	FC32XJSL.....	146	FC701G.....	123
81929PXCSSL.....	146	81954PSL-A.....	110	FC105SL.....	128	FC1408.....	160	FC32XN.....	145	FC701R.....	123
81929PXJ.....	145	81955P.....	112	FC108.....	104	FC1408SL.....	161	FC32XNSL.....	146	FC701SL.....	168
81929PXJSL.....	146	81955PSL.....	112	FC1089.....	159	FC1409.....	151	FC32XR.....	145	FC704.....	161
81929PXN.....	145	81956P.....	120	FC1089SL.....	161	FC1409SL.....	151	FC32XRSL.....	146	FC705SL.....	102
81929PXNSL.....	146	81956PSL.....	120	FC108SL.....	104	FC140SL.....	148	FC3487SL.....	159	FC707.....	120
81929PXR.....	145	81957P.....	115	FC109.....	104	FC141.....	148	FC3487XCSSL.....	142	FC707SL.....	107
81929PXRSL.....	146	81957PSL.....	116	FC109SL.....	104	FC1411.....	160	FC3487XJSL.....	142	FC708.....	167
81930P.....	135	81958P.....	125	FC10XC.....	145	FC141SL.....	148	FC3487XNSL.....	142	FC708XC.....	145
81930PSL.....	135	81958PSL.....	125	FC10XJ.....	145	FC142.....	125	FC3487XRSL.....	142	FC708XJ.....	145
81931P.....	138	81959P.....	127	FC10XN.....	145	FC142SL.....	125	FC36.....	101	FC708XN.....	145
81932P.....	118	81959PSL.....	128	FC10XR.....	145	FC143.....	125	FC369.....	111	FC708XR.....	145
81932PSL.....	118	81960P.....	130	FC11.....	138	FC143SL.....	125	FC36SL.....	102	FC709.....	133
81933P.....	104	81960PSL.....	130	FC113.....	111	FC144.....	125	FC38.....	106	FC71.....	101
81933PSL.....	104	81961P.....	133	FC113SL.....	112	FC1442SL.....	133	FC38SL.....	107	FC710.....	167
				FC114.....	112	FC144SL.....	125	FC43.....	107	FC710XC.....	145

FC710XJ.....	145	FC798.....	133	FC816SL-A.....	110	FC86256.....	118	FC92XR.....	141	85901SL.....	126
FC710XN.....	145	FC799.....	135	FC817.....	111	FC86257.....	125	FC92XRSL.....	141	ANRTG.....	124
FC710XR.....	145	FC800.....	118	FC817SL.....	125	FC86258.....	135	FC02000-2C.....	150	ANRTR.....	124
FC711.....	101	FC801.....	104	FC818SL.....	128	FC86721GSL.....	123	FC02000-3C.....	150	AVRT.....	119
FC7125SL.....	159	FC802.....	107	FC82.....	157	FC86721RSL.....	123	FC02000-4C.....	150	BLHRT.....	108
FC713.....	127	FC803.....	167	FC820.....	130	FC8675SL.....	157	FC02000-6C.....	150	BSHRT.....	105
FC714.....	104	FC803021G.....	122	FC821.....	127	FC8704.....	161	FC03000F-2C.....	159	BSRT.....	105
FC721.....	128	FC803021R.....	122	FC822.....	109	FC8707.....	120	FC03000F-3C.....	159	CNHRT.....	132
FC735.....	130	FC803XC.....	145	FC822-A.....	109	FC8708.....	167	FC03000F-4C.....	160	CNRT.....	132
FC736.....	116	FC803XJ.....	145	FC828.....	157	FC8708XC.....	145	FC03000F-6C.....	160	DLHRT.....	169
FC752.....	160	FC803XN.....	145	FC82XC.....	141	FC8708XJ.....	145	FC06184SL.....	160	EMRT.....	114
FC755.....	171	FC803XR.....	145	FC82XJ.....	141	FC8708XN.....	145	FC06184XCSL.....	142	FWRT.....	117
FC756.....	114	FC805.....	135	FC82XN.....	141	FC8708XR.....	145	FC06184XJSL.....	142	KNRT.....	134
FC756LSL.....	114	FC806.....	139	FC82XR.....	141	FC8721.....	128	FC06184XNSL.....	142	KSHRT.....	103
FC756RSL.....	114	FC806GSL.....	123	FC8310.....	158	FC8735.....	130	FC06184XRSL.....	142	S10.....	169
FC757.....	135	FC806RSL.....	123	FC8310SL.....	159	FC8736.....	116	FC06185SL.....	160	S100.....	171
FC757SL.....	135	FC807.....	158	FC8311.....	158	FC8752.....	160	FC06185XCSL.....	142	S1000.....	131
FC758.....	117	FC807SL.....	118	FC8311SL.....	159	FC8867SL.....	133	FC06185XJSL.....	142	S1001.....	134
FC758SL.....	118	FC807XC.....	141	FC8313.....	158	FC89701.....	133	FC06185XNSL.....	142	S1006.....	116
FC759.....	135	FC807XJ.....	141	FC8313SL.....	159	FC8972.....	148	FC06185XRSL.....	142	S100SL.....	169
FC759SL.....	135	FC807XN.....	141	FC8316.....	158	FC900.....	115	FC06186SL.....	160	S100XCSL.....	147
FC761.....	118	FC807XR.....	141	FC8318.....	158	FC900SL.....	116	FC06186XCSL.....	142	S100XJSL.....	147
FC761SL.....	118	FC808.....	171	FC8319.....	158	FC901.....	115	FC06186XJSL.....	142	S100XNSL.....	147
FC762.....	135	FC808SL.....	104	FC832.....	158	FC901SL.....	116	FC06186XNSL.....	142	S100XRSL.....	147
FC762SL.....	135	FC809.....	170	FC8320.....	158	FC902.....	115	FC06186XRSL.....	142	S102.....	168
FC763.....	138	FC80920.....	167	FC8321.....	158	FC9021G.....	122	FC06188SL.....	160	S1026.....	102
FC764.....	117	FC809203.....	158	FC8321XC.....	141	FC9021GSL.....	123	FC06188XCSL.....	142	S1027.....	118
FC764SL.....	118	FC809203XC.....	141	FC8321XJ.....	141	FC9021R.....	122	FC06188XJSL.....	142	S1029.....	125
FC765.....	104	FC809203XJ.....	141	FC8321XN.....	141	FC9021RSL.....	123	FC06188XNSL.....	142	S103.....	139
FC765SL.....	104	FC809203XN.....	141	FC8321XR.....	141	FC902SL.....	116	FC06188XRSL.....	142	S104.....	168
FC766.....	167	FC809203XR.....	141	FC8322.....	158	FC903.....	115	FC06189SL.....	160	S104XC.....	146
FC766XC.....	145	FC80920XC.....	145	FC8323.....	158	FC904.....	116	FC06189XCSL.....	142	S104XJ.....	146
FC766XJ.....	145	FC80920XJ.....	145	FC8324.....	158	FC905.....	120	FC06189XJSL.....	142	S104XN.....	146
FC766XN.....	145	FC80920XN.....	145	FC832XC.....	141	FC905SL.....	120	FC06189XNSL.....	142	S104XR.....	146
FC766XR.....	145	FC80920XR.....	145	FC832XJ.....	141	FC906.....	120	FC06189XRSL.....	142	S105.....	169
FC767.....	135	FC80921G.....	123	FC832XN.....	141	FC906SL.....	120	FC06190SL.....	160	S1051.....	114
FC768.....	138	FC80921R.....	123	FC832XR.....	141	FC907.....	120	FC06190XCSL.....	142	S108.....	161
FC768GSL.....	123	FC80941.....	107	FC85901G.....	122	FC907SL.....	120	FC06190XJSL.....	142	S1089.....	162
FC768RSL.....	123	FC80942.....	133	FC85901R.....	122	FC908.....	120	FC06190XNSL.....	142	S1089SL.....	163
FC769.....	118	FC80943.....	104	FC860.....	171	FC909.....	120	FC06190XRSL.....	142	S108XC.....	142
FC770.....	104	FC80944.....	102	FC860221G.....	122	FC910.....	130	FC082000-2C.....	150	S108XJ.....	142
FC771.....	101	FC80945.....	139	FC860221R.....	122	FC910SL.....	130	FC082000-3C.....	150	S108XN.....	142
FC772.....	106	FC80947.....	130	FC861.....	168	FC911.....	130	FC082000-4C.....	150	S108XR.....	142
FC773.....	109	FC80948.....	137	FC861XC.....	145	FC911SL.....	130	FC082000-6C.....	150	S10XC.....	147
FC773-A.....	109	FC80949.....	128	FC861XJ.....	145	FC912.....	130	FC083000F-2C.....	159	S10XJ.....	147
FC775.....	112	FC80952.....	109	FC861XN.....	145	FC912SL.....	130	FC083000F-3C.....	159	S10XN.....	147
FC776.....	120	FC80952-A.....	109	FC861XR.....	145	FC913.....	130	FC083000F-4C.....	160	S10XR.....	147
FC777.....	115	FC80953.....	112	FC862.....	170	FC914.....	130	FC083000F-6C.....	160	S11.....	171
FC778.....	125	FC80954.....	120	FC86220.....	167	FC915.....	130	FC083000P-2C.....	159	S115.....	163
FC779.....	127	FC80955.....	116	FC862203.....	158	FC916.....	130	FC083000P-3C.....	159	S1170SL.....	163
FC780.....	130	FC80956.....	118	FC862203XC.....	141	FC916SL.....	130	FC083000P-4C.....	160	S1170XCSL.....	143
FC781.....	135	FC80957.....	125	FC862203XJ.....	141	FC917.....	130	FC083000P-6C.....	160	S1170XJSL.....	143
FC782.....	118	FC80958.....	135	FC862203XN.....	141	FC918G.....	122	Smooth-Star.		S1170XNSL.....	143
FC783.....	135	FC809SL.....	130	FC862203XR.....	141	FC918R.....	122	19020T.....	166	S1170XRSL.....	143
FC783SL.....	135	FC810SL.....	135	FC86220XC.....	145	FC919G.....	122	19055T.....	111	S118.....	168
FC784.....	138	FC8113SL.....	139	FC86220XJ.....	145	FC919R.....	122	19055T-A.....	111	S118XC.....	146
FC785.....	118	FC811LSL.....	114	FC86220XN.....	145	FC92.....	158	19060T.....	103	S118XJ.....	146
FC786.....	135	FC811RSL.....	114	FC86220XR.....	145	FC920G.....	123	19080T.....	108	S118XN.....	146
FC787.....	138	FC812SL.....	116	FC86221G.....	123	FC920R.....	123	19200T.....	166,169	S118XR.....	146
FC788.....	118	FC813.....	138	FC86221R.....	123	FC921G.....	123	19210T.....	169	S12.....	110
FC789.....	167	FC813SL.....	133	FC86241.....	107	FC921R.....	123	19220T.....	166,169	S12-A.....	110
FC789XC.....	145	FC814.....	106	FC86242.....	133	FC922G.....	122	19520T.....	111	S1200.....	161
FC789XJ.....	145	FC8141.....	161	FC86243.....	104	FC922R.....	122	19520T-A.....	111	S1200SL.....	163
FC789XN.....	145	FC81421GSL.....	123	FC86244.....	102	FC924G.....	123	19600T.....	103	S1201.....	161
FC789XR.....	145	FC81421RSL.....	123	FC86245.....	139	FC924R.....	123	19610T.....	103	S1201SL.....	163
FC790.....	135	FC8144.....	160	FC86247.....	130	FC925.....	148	19620T.....	103	S1202.....	161
FC791.....	139	FC8145.....	160	FC86248.....	137	FC92SL.....	159	19720T.....	129	S1202SL.....	163
FC792.....	118	FC8145SL.....	161	FC86249.....	128	FC92XC.....	141	19730T.....	129	S1203.....	161
FC793.....	101	FC8149.....	133	FC86252.....	109	FC92XCNSL.....	141	19740T.....	121	S1204.....	151
FC794.....	104	FC814SL.....	112	FC86252-A.....	109	FC92XJ.....	141	19750T.....	121	S1204SL.....	152
FC795.....	125	FC815SL.....	120	FC86253.....	112	FC92XJSL.....	141	19800T.....	108	S1205.....	151
FC796.....	127	FC816.....	104	FC86254.....	120	FC92XN.....	141	19810T.....	108	S1205SL.....	152
FC797.....	130	FC816SL.....	110	FC86255.....	116	FC92XNSL.....	141	19820T.....	108	S1206.....	151

S1206SL.....	152	S2000-2C.....	152	S289.....	168	S5901G.....	123	S6049.....	121	S6085.....	105
S1207.....	151	S2000-3C.....	152	S289E.....	139	S5901R.....	123	S604SL.....	111	S608XC.....	143
S1208.....	161	S2000-4C.....	152	S289ESL.....	140	S600.....	171	S604SL-A.....	111	S608XJ.....	143
S1208SL.....	163	S2000-6C.....	152	S289XC.....	146	S6000.....	105	S605.....	164	S608XN.....	143
S1209.....	161	S2000SL.....	153	S289XJ.....	146	S6000SL.....	105	S6050.....	128	S608XR.....	143
S1209SL.....	163	S2000SL-2C.....	152	S289XN.....	146	S6002.....	105	S6051.....	113	S609.....	116
S1211.....	161	S2000SL-4C.....	152	S289XR.....	146	S6002SL.....	105	S6052.....	105	S6090.....	131
S1211SL.....	163	S20042.....	133	S291.....	121	S6006.....	112	S6054.....	149	S6091.....	128
S1212.....	161	S2009.....	152	S291SL.....	121	S6006SL.....	113	S6055.....	148	S6091SL.....	129
S128.....	161	S2009SL.....	152	S292.....	128	S6008.....	112	S6056.....	134	S6092.....	121
S128XC.....	142	S2010.....	151	S292SL.....	129	S6008SL.....	113	S605SL.....	165	S6092SL.....	121
S128XJ.....	142	S2010SL.....	152	S294.....	110	S6009.....	112	S605XC.....	143	S6093.....	121
S128XN.....	142	S205.....	171	S294-A.....	110	S6009SL.....	113	S605XCSL.....	143	S6094.....	128
S128XR.....	142	S2050.....	151	S294SL.....	111	S601.....	169	S605XJ.....	143	S6095.....	131
S130.....	148	S206.....	168	S294SL-A.....	111	S6010.....	112	S605XJSL.....	143	S6097.....	162
S130SL.....	149	S206E.....	139	S296.....	169	S6011.....	113	S605XN.....	143	S6100.....	116
S131.....	149	S206XC.....	146	S296XC.....	147	S6012.....	113	S605XNSL.....	143	S6100SL.....	117
S132.....	148	S206XJ.....	146	S296XJ.....	147	S6013.....	105	S605XR.....	143	S6101.....	116
S132SL.....	149	S206XN.....	146	S296XN.....	147	S6014.....	113	S605XRSL.....	143	S6101SL.....	117
S138.....	139	S206XR.....	146	S296XR.....	147	S601SL.....	169	S606.....	164	S6102.....	116
S138SL.....	140	S2070SL.....	140	S30.....	168	S601XC.....	147	S6060.....	114	S6102SL.....	117
S139.....	110	S210.....	171	S3000-2C.....	164	S601XCSL.....	147	S6060LSL.....	114	S6103.....	116
S139-A.....	110	S2100.....	153	S3000-3C.....	164	S601XJ.....	147	S6060RSL.....	114	S6104.....	116
S139SL.....	110	S2101.....	162	S3000-4C.....	164	S601XJSL.....	147	S6061.....	148	S6105.....	116
S139SL-A.....	110	S2101SL.....	163	S3000-6C.....	164	S601XN.....	147	S6062.....	165	S6106.....	116
S140.....	168	S2102.....	162	S3000F-2C.....	164	S601XNSL.....	147	S6062SL.....	166	S6107.....	116
S1400.....	165	S2103.....	151	S3000F-3C.....	164	S601XR.....	147	S6063.....	161	S6108.....	116
S1400SL.....	166	S2103SL.....	152	S3000F-4C.....	164	S601XRSL.....	147	S6063STC.....	170	S6111.....	105
S1401.....	152	S2104.....	151	S3000F-6C.....	164	S602.....	121	S6063XC.....	142	S6113.....	108
S1401SL.....	152	S2104SL.....	152	S308SL.....	163	S6021.....	168	S6063XJ.....	142	S6117.....	128
S1402.....	165	S2105.....	151	S308XCSL.....	143	S6021XC.....	146	S6063XN.....	142	S6119.....	134
S1404.....	165	S2106.....	162	S308XJSL.....	143	S6021XJ.....	146	S6063XR.....	142	S6121.....	119
S1405.....	165	S2107.....	162	S308XNSL.....	143	S6021XN.....	146	S606SL.....	165	S6122.....	102
S1405SL.....	166	S2108.....	162	S308XRSL.....	143	S6021XR.....	146	S606XC.....	143	S6123.....	108
S1406.....	165	S210SL.....	169	S30XC.....	146	S6022.....	162	S606XCSL.....	143	S6124SL.....	165
S1407.....	165	S210XCNSL.....	147	S30XJ.....	146	S60221G.....	123	S606XJ.....	143	S6124XCSL.....	143
S1408.....	165	S210XJSL.....	147	S30XN.....	146	S60221R.....	123	S606XJSL.....	143	S6124XJSL.....	143
S1409.....	152	S210XNSL.....	147	S30XR.....	146	S60222C.....	142	S606XN.....	143	S6124XNSL.....	143
S1405STC.....	170	S210XRSL.....	147	S31.....	171	S6022XJ.....	142	S606XNSL.....	143	S6124XRSL.....	143
S140XC.....	146	S211.....	110	S310.....	105	S6022XN.....	142	S606XR.....	143	S6125SL.....	165
S140XJ.....	146	S211-A.....	110	S32.....	162	S6022XR.....	142	S606XRSL.....	143	S6125XCSL.....	143
S140XN.....	146	S213.....	121	S32XC.....	142	S6023.....	139	S607.....	164	S6125XJSL.....	143
S140XR.....	146	S214.....	128	S32XJ.....	142	S6024.....	136	S6070.....	125	S6125XNSL.....	143
S141.....	161	S2150.....	151	S32XN.....	142	S6025.....	110	S6070SL.....	126	S6125XRSL.....	143
S1411.....	165	S220.....	171	S32XR.....	142	S6025-A.....	110	S6071.....	125	S6126SL.....	165
S1415STC.....	170	S2200.....	153	S34.....	139	S6026.....	131	S6071SL.....	126	S6126XCSL.....	143
S141XC.....	142	S2250.....	151	S3487SL.....	163	S6027.....	107	S6072.....	126	S6126XJSL.....	143
S141XJ.....	142	S2321G.....	124	S3487XCSL.....	143	S6029.....	121	S6073.....	126	S6126XNSL.....	143
S141XN.....	142	S2321R.....	124	S3487XJSL.....	143	S6029SL.....	121	S6074.....	126	S6126XRSL.....	143
S141XR.....	142	S236.....	163	S3487XNSL.....	143	S6030.....	128	S6075.....	126	S6127SL.....	119
S1442SL.....	134	S237.....	163	S3487XRSL.....	143	S6031.....	112	S6076.....	126	S6128SL.....	149
S150.....	168	S241.....	110	S35.....	110	S6032.....	105	S6077.....	126	S6130SL.....	108
S150SL.....	169	S241-A.....	110	S35-A.....	110	S6034.....	149	S6078.....	126	S6131SL.....	117
S151.....	163	S243.....	149	S3570SL.....	136	S6035.....	148	S6079.....	126	S6132SL.....	134
S151SL.....	163	S250.....	139	S36.....	136	S6036.....	134	S607SL.....	165	S6133SL.....	103
S154.....	121	S250SL.....	140	S369.....	112	S604.....	110	S607XC.....	143	S6134SL.....	113
S154SL.....	121	S255.....	163	S37.....	131	S604-A.....	110	S607XCSL.....	143	S6135SL.....	126
S155.....	128	S256.....	169	S38.....	107	S6041.....	168	S607XJ.....	143	S6136LSL.....	114
S155SL.....	129	S256XC.....	147	S400.....	131	S6041XC.....	146	S607XJSL.....	143	S6136RSL.....	114
S156.....	133	S256XJ.....	147	S4070SL.....	132	S6041XJ.....	146	S607XN.....	143	S626.....	133
S16.....	136	S256XN.....	147	S41.....	121	S6041XN.....	146	S607XNSL.....	143	S63.....	162
S160.....	133	S256XR.....	147	S416SL.....	131	S6041XR.....	146	S607XR.....	143	S668.....	107
S160SL.....	134	S260.....	140	S42.....	128	S6042.....	162	S607XRSL.....	143	S669.....	139
S161.....	133	S262.....	162	S426.....	131	S6042XC.....	142	S608.....	164	S6721G.....	123
S161SL.....	134	S262XC.....	142	S43.....	134	S6042XJ.....	142	S6080.....	168	S6721GSL.....	124
S162.....	134	S262XJ.....	142	S430.....	131	S6042XN.....	142	S6080XC.....	146	S6721R.....	123
S163.....	134	S262XN.....	142	S430SL.....	132	S6042XR.....	142	S6080XJ.....	146	S6721RSL.....	124
S17.....	131	S262XR.....	142	S450.....	131	S6043.....	139	S6080XN.....	146	S700.....	136
S198.....	165	S263SL.....	163	S450SL.....	132	S6044.....	136	S6080XR.....	146	S701G.....	124
S198SL.....	166	S263XCSL.....	143	S454.....	131	S6045.....	110	S6081.....	139	S701R.....	124
S20.....	121	S263XJSL.....	143	S4570S.....	105	S6045-A.....	110	S6082.....	128	S704.....	165
S200.....	171	S263XNSL.....	143	S547.....	136	S6046.....	131	S6083.....	136	S707.....	121
S2000.....	153	S263XRSL.....	143	S5870SL.....	129	S6047.....	107	S6084.....	131	S708.....	169

S708XC	147	S812	139	S8310SL	163	S85905	105	S8608XR	143	S9021R	123
S708XJ	147	S81208	161	S8311	162	S85906	119	S8609	116	S9021RSL	124
S708XN	147	S81225	148	S8311SL	163	S85907	107	S86721GSL	124	S902SL	134
S708XR	147	S813	139	S83120	169	S85908	121	S86721RSL	124	S90SL	153
S709	134	S81300SL	140	S831203	163	S85909	128	S8675SL	163	S90XC	146
S7125SL	163	S814	107	S831203XC	143	S85910SL	169	S867SL	134	S90XJ	146
S716	136	S8140	168	S831203XJ	143	S85910XC	147	S8704	165	S90XN	146
S716SL	136	S8140STC	170	S831203XN	143	S85910XJSL	147	S8707	121	S90XR	146
S721	129	S8140XC	146	S831203XR	143	S85910XNSL	147	S8708	169	S91	110
S726	136	S8140XJ	146	S83120XC	147	S85910XRSL	147	S8708XC	147	S91-A	110
S72SL	111	S8140XN	146	S83120XJ	147	S85911SL	119	S8708XJ	147	S912	131
S72SL-A	111	S8140XR	146	S83120XN	147	S85912SL	105	S8708XN	147	S916	107
S730	136	S8141	165	S83120XR	147	S85913SL	103	S8708XR	147	S916SL	108
S730SL	136	S81421GSL	124	S83121G	124	S85914SL	108	S8721	129	S918G	123
S735	131	S81421RSL	124	S83121R	124	S85915SL	111	S8735	131	S918R	123
S736	117	S8144	165	S8313	162	S85915SL-A	111	S8736	117	S919G	123
S750SL	136	S8145SL	166	S8313SL	163	S85916SL	113	S8752	164	S919R	123
S751SL	169	S814SL	108	S83141	108	S85917SL	121	S880	168	S92	162
S751XC	147	S815	107	S83142	134	S85918SL	117	S880SL	169	S920G	124
S751XJSL	147	S816	105	S83143	105	S85920SL	132	S880XC	146	S920R	124
S751XNSL	147	S817	112	S83144	102	S85922SL	129	S880XC	147	S921G	124
S751XRSL	147	S818	168	S83145	140	S85923SL	136	S880XJ	146	S921R	124
S752	164	S81828	161	S83147	131	S85924SL	165	S880XJSL	147	S922G	123
S754	136	S818XC	146	S83149	128	S85925SL	165	S880XN	146	S922R	123
S755	171	S818XJ	146	S83152	110	S85926SL	165	S880XNSL	147	S923G	123
S756SL	136	S818XN	146	S83152-A	110	S85927SL	105	S880XR	146	S923R	123
S757SL	132	S818XR	146	S83153	113	S85928SL	149	S880XRSL	147	S924G	124
S758SL	108	S82	162	S83154	121	S85930SL	132	S881	162	S924R	124
S761SL	169	S820	131	S83155	116	S85931SL	113	S881SL	163	S925	149
S766SL	136	S8200	171	S83156	119	S85932SL	121	S881XC	142	S926	107
S767SL	132	S82000-2C	152	S83157	126	S85933SL	111	S881XC	143	S92SL	152
S768GSL	124	S82000-3C	152	S83158	136	S85933SL-A	111	S881XJ	142	S92XC	142
S768RSL	124	S82000-4C	152	S8316	162	S85934SL	129	S881XJSL	143	S92XJ	142
S768SL	108	S82000-6C	152	S8317	163	S86	136	S881XN	142	S92XN	142
S770	168	S8201	171	S8318	162	S8600	171	S881XNSL	143	S92XR	142
S770XC	146	S8202	164	S8319	162	S8600XC	147	S881XR	142	S93	171
S770XJ	146	S8203	164	S832	162	S8600XJ	147	S881XRSL	143	S930	108
S770XN	146	S8204	164	S8320	162	S8600XN	147	S882	162	S930SL	108
S770XR	146	S8205	164	S832XC	142	S8600XR	147	S884	139	S9320	169
S771	105	S821	128	S832XJ	142	S8601	169	S884SL	140	S93203	163
S772	136	S822	110	S832XN	142	S8601SL	169	S886	136	S93203XC	143
S773	131	S822-A	110	S832XR	142	S8601XC	147	S886SL	136	S93203XJ	143
S774	128	S822XC	142	S833	110	S8601XJSL	147	S887	110	S93203XN	143
S80	168	S822XJ	142	S833-A	110	S8601XNSL	147	S887-A	110	S93203XR	143
S8000	153	S822XN	142	S834	139	S8601XRSL	147	S887SL	111	S9320XC	147
S8000-12	151	S822XR	142	S836	136	S8602	121	S887SL-A	111	S9320XJ	147
S8000-18	151	S828	161	S837	131	S8602SL	121	S888	107	S9320XN	147
S8000-9	152	S829	148	S84	139	S8604	110	S888SL	108	S9320XR	147
S803021G	123	S829SL	149	S84586SL	108	S8604-A	110	S891	121	S9321G	124
S803021R	123	S82SL	163	S85892	105	S8604SL	110	S891SL	121	S9321R	124
S806GSL	124	S82XC	142	S85892SL	105	S8604SL-A	110	S892	128	S9341	108
S806RSL	124	S82XC	143	S85893	112	S8605	164	S892SL	129	S9342	134
S807	163	S82XJ	142	S85893SL	113	S8605SL	165	S893	113	S9343	105
S807XC	142	S82XJSL	143	S85895	131	S8605XC	143	S894	105	S9344	102
S807XJ	142	S82XN	142	S85895SL	131	S8605XJ	143	S894SL	105	S9345	140
S807XN	142	S82XNSL	143	S85896	128	S8605XN	143	S895	112	S9347	131
S807XR	142	S82XR	142	S85896SL	129	S8605XR	143	S895SL	113	S9349	128
S808	161	S82XRSL	143	S85897	116	S8606	164	S896	169	S9352	110
S808SL	163	S830	168	S85898	116	S8606SL	165	S896XC	147	S9352-A	110
S80XC	146	S83000-2C	164	S85898SL	117	S8606XC	143	S896XJ	147	S9353	113
S80XJ	146	S83000-3C	164	S85899	102	S8606XJ	143	S896XN	147	S9354	121
S80XN	146	S83000-4C	164	S85899SL	103	S8606XN	143	S896XR	147	S9355	116
S80XR	146	S83000-6C	164	S85900	118	S8606XR	143	S897	171	S9356	119
S810	171	S83000F-2C	164	S85900SL	119	S8607	164	S89701	134	S9357	126
S81000	171	S83000F-3C	164	S85901	126	S8607SL	165	S8972	149	S9358	136
S81086SL	169	S83000F-4C	164	S85901G	123	S8607XC	143	S898	165	S936	108
S81086XC	147	S83000F-6C	164	S85901R	123	S8607XJ	143	S898SL	166	S94	139
S81086XJSL	147	S830XC	146	S85902	131	S8607XN	143	S90	168	S94SL	140
S81086XNSL	147	S830XJ	146	S85902SL	132	S8607XR	143	S901	148	S95	110
S81086XRSL	147	S830XN	146	S85903	114	S8608	164	S901SL	149	S95-A	110
S811	162	S830XR	146	S85903SL	114	S8608XC	143	S902	133	S950	108
S8113SL	140	S831	171	S85903RSL	114	S8608XJ	143	S9021G	123	S950SL	108
S81186SL	163	S8310	162	S85904	102	S8608XN	143	S9021GSL	124	S96	136

S960	171	Profiles	1035HD	181	1405SLHD	188	289HDXJ	185	721HD	182
S961	102	100	1036HD	176	1406HD	188	289HDXN	185	726HD	184
S961SL	103	102	1036SLHD	176	1408HD	188	289HDXR	185	730HD	184
S962	118	104	1037HD	176	1411HD	188	294HD	178	730SLHD	184
S962SL	119	105	1037SLHD	177	150HD	188	294HD-A	178	735HD	183
S963	102	108	1038HD	180	150SLHD	189	294SLHD	178	736HD	179
S963SL	103	118	1038SLHD	180	151HD	187	294SLHD-A	178	750SLHD	184
S964	118	128	1039HD	180	151SLHD	187	296HD	189	752HD	188
S964SL	119	130	1039SLHD	180	153HD	189	296HDXC	185	753HD	184
S965	102	131	103HD	185	154HD	187	296HDXJ	185	754HD	184
S966	118	137	1040HD	181	1920T	188	296HDXN	185	806GSL	181
S967	102	138	1040SLHD	181	19055T	178	296HDXR	185	806RSL	181
S968	118	139	1041HD	182	19055T-A	178	296SLHD	189	916SL	177
S969	102	198	1041SLHD	182	19060T	176	296SLHDXC	185	922G	181
S96SL	136	310	1042HD	177	19080T	177	296SLHDXJ	185	922R	181
S97	131	369	1043HD	176	19200T	188,189	296SLHDXN	185	923GHD	181
S970	119	610	1044HD	180	19210T	189	296SLHDXR	185	923RHD	181
S971	149	620	1045HD	181	19220T	188,189	3000-2C	187	924GHD	181
S972	105	626	1046HD	176	19520T	178	3000-3C	187	924RHD	181
S973	113	700	1046SLHD	176	19520T-A	178	3000-4C	187	926HD	177
S974	102	716	1047HD	180	19600T	176	3000-6C	187	930HD	177
S974SL	103	916	1048HD	181	19610T	176	309HD	176	930SLHD	177
S975	105	1006	1049HD	176	19620T	176	310SL	177	936HD	177
S975SL	105	1010	104XC	185	19720T	182	311HD	176	936SLHD	177
S976	118	1026	104XJ	185	19730T	182	311SLHD	177	950HD	177
S976SL	119	1027	104XN	185	19740T	180	369SL	178	950SLHD	177
S977	107	1028	104XR	185	19750T	180	371HD	178	953HD	177
S978	102	1029	1050HD	180	19800T	177	371SLHD	178	955HD	178
S979	105	1200	1051HD	183	19810T	177	372HD	178	955HD-A	178
S97SL	132	1201	1052HD	184	19820T	177	373HD	178	956SLHD	177
S980	118	1202	1053HD	180	203HD	189	374HD	178	957HD	189
S981	107	1203	1054HD	176	205HD	189	400HD	183	958HD	189
S982	121	03142HD	1055HD	177	206EHD	184	416SL	183	958HDXC	185
S983	128	1001HD	1089SLHD	187	206HD	188	426HD	182	958HDXJ	185
S984	102	1002HD	1101HD	188	206HDXC	185	430HD	182	958HDXN	185
S985	119	1004HD	1101XCHD	185	206HDXJ	185	430SLHD	183	958HDXR	185
S987	102	1005HD	1101XJHD	185	206HDXN	185	450HD	182	959HD	188
S987SL	103	1006SL	1101XNHD	185	206HDXR	185	450SLHD	183	959HDXC	185
S988	119	1007HD	1101XRHD	185	207GHD	181	453HD	182	959HDXCSL	185
S989	139	1007SLHD	1102HD	186	207RHD	181	454HD	183	959HDXJ	185
S990	102	1008HD	1107HD	180	2109HD	186	4572SLHD	187	959HDXJSL	185
S991	119	1009HD	1108HD	176	210HD	189	6023HD	187	959HDXN	185
S992	169	1009SLHD	1109HD	184	210SLHD	189	610SL	180	959HDXNSL	185
S992XC	147	100SL	1110HD	184	210SLHDXC	185	613HD	180	959HDXR	185
S992XJ	147	100XC SL	1111HD	181	210SLHDXJ	185	615HD	180	959HDXRSL	185
S992XN	147	100XJSL	1112HD	180	210SLHDXN	185	615SLHD	180	959SLHD	189
S992XR	147	100XNSL	1113HD	183	210SLHDXR	185	620SL	182	960HD	177
S993	136	100XRSL	1114HD	178	2110HD	186	623HD	182	961HD	187
S994	139	1010LSL	1114HD-A	178	2111HD	187	625HD	182	962HD	182
S995	119	1010RSL	1115HD	178	211HD	178	625SLHD	182	963HD	184
S996	102	1011HD	1116HD	179	211HD-A	178	626SL	183	964HD	184
S997	105	1012HD	1117HD	176	2321GHD	181	627HD	183	964SLHD	184
S998	126	1020HD	1118HD	182	2321RHD	181	628HD	183	965HD	178
S999	128	1020HDXC	1119HD	177	236HD	187	628SLHD	183	965HD-A	178
SART	113	1020HDXJ	1120HD	182	237HD	187	629HD	183	965SLHD	178
WLHRT	129	1020HDXN	1121HD	186	243HD	186	630HD	183	965SLHD-A	178
		1020HDXR	1122HD	187	250HD	184	631HD	183	966GHD	181
		1021HD	1123HD	187	250SLHD	185	632SL	187	966GSLHD	181
		1022HD	115HD	187	253HD	184	6720SLHD	187	966RHD	181
		1023HD	118XC	185	255HD	187	6721GHD	181	966RSLHD	181
		1024HD	118XJ	185	256HD	189	6721GSL	181	966SLHD	183
		1025HD	118XN	185	256HDXC	185	6721RHD	181	967HD	182
		1026SL	118XR	185	256HDXJ	185	6721RSL	181	967SLHD	183
		1027SL	130SL	186	256HDXN	185	7021GHD	181	968HD	178
		1029SL	132HD	186	256HDXR	185	7021RHD	181	969HD	189
		1030HD	132SLHD	186	260HD	185	704HD	188	970SLHD	189
		1030SLHD	138SL	185	262HD	187	707HD	180	971SLHD	178
		1031HD	139-A	178	263HD	187	708HD	189	974SLHD	184
		1031SLHD	139SL	178	263SLHD	187	708HDXC	185	975SLHD	177
		1032HD	139SL-A	178	289EHD	184	708HDXJ	185	977SLHD	183
		1032SLHD	1400SLHD	188	289ESLHD	185	708HDXN	185	978HD	189
		1033HD	1403HD	188	289HD	188	708HDXR	185	980HD	188
		1034HD	1405HD	188	289HDXC	185	716SL	184	980HDXC	185

980HDXJ 185
 980HDXN 185
 980HDXR 185
 982HD 187
 984HD 186
 985HD 184
 988HD 180
 989HD 182
 990HD 184
 991HD 177
 996HD 178
 996HD-A 178
 999HD 182
 ANRTG 181
 ANRTR 181
 AVRT 180
 BLHRT 177
 BSHRT 177
 BSRT 177
 CNHRT 183
 CNRT 183
 EMRT 179
 FWRT 179
 KNRT 183
 KSHRT 176
 SART 178
 WLHRT 182

Traditions

800 194
 808 192
 810 194
 818 194
 828 192
 829 191
 896 194
 100SL 194
 100XCSL 190
 100XJSL 190
 100XNSL 190
 100XRSL 190
 1200SL 192
 1201SL 192
 1202SL 192
 130SL 191
 198SL 193
 6184SL 193
 6185SL 193
 6186SL 193
 632SL 192
 818SL 194
 818XC 190
 818XCSSL 190
 818XJ 190
 818XJSL 190
 818XN 190
 818XNSL 190
 818XR 190
 818XRSL 190
 828SL 192
 829SL 191
 86184SL 193
 86185SL 193
 86186SL 193
 TS100 194
 TS102 194
 TS104 194
 TS104XC 190
 TS104XJ 190
 TS104XN 190
 TS104XR 190
 TS105 194
 TS108 192

TS115 192
 TS118 194
 TS118XC 190
 TS118XJ 190
 TS118XN 190
 TS118XR 190
 TS1200 192
 TS1201 192
 TS1202 192
 TS1203 192
 TS128 192
 TS130 191
 TS131 191
 TS132 191
 TS132SL 191
 TS1405SL 193
 TS1408 193
 TS1411 193
 TS150 194
 TS150SL 194
 TS151 192
 TS151SL 192
 TS153 194
 TS154 192
 TS198 193
 TS206 194
 TS206XC 190
 TS206XJ 190
 TS206XN 190
 TS206XR 190
 TS210 194
 TS210SL 194
 TS210XCSL 190
 TS210XJSL 190
 TS210XNSL 190
 TS210XRSL 190
 TS214 194
 TS236 192
 TS237 192
 TS243 191
 TS255 192
 TS256 194
 TS256XC 190
 TS256XJ 190
 TS256XN 190
 TS256XR 190
 TS262 192
 TS263 192
 TS263SL 192
 TS289 194
 TS289XC 190
 TS289XJ 190
 TS289XN 190
 TS289XR 190
 TS290 194
 TS291 194
 TS296 194
 TS296SL 194
 TS296XC 190
 TS296XCSL 190
 TS296XJ 190
 TS296XJSL 190
 TS296XN 190
 TS296XNSL 190
 TS296XR 190
 TS296XRSL 190
 TS3000-2C 193
 TS3000-3C 193
 TS3000-4C 193
 TS3000-6C 193
 TS704 193
 TS708 194
 TS708XC 190

TS708XJ 190
 TS708XN 190
 TS708XR 190
 TS752 193
 TS83000-2C 193
 TS83000-3C 193
 TS83000-4C 193
 TS83000-6C 193

Fire

Classic-Craft Mahogany Collection..

CCMF060 196
 CCMF701 196
 CCMF890 196

Classic-Craft Rustic Collection..

CCRF040 197
 CCRF8040 197
 CCRF040F 197
 CCRF8040F 197
 CCRF200 197
 CCRF8200 197
 CCRF200A 197
 CCRF8200A 197
 CCRF205 197
 CCRF8205 197
 CCRF205A 197
 CCRF8205A 197
 CCRF8220 197
 CCRF8220R 197
 CCRF8225 197
 CCRF8225R 197
 CCRF8005 197
 CCRF8005A 197

Classic-Craft Oak Collection..

CCF060 197
 CCF91 197
 CCF810 197
 CCF831 197

Classic-Craft Canvas Collection.

CCVF050 197
 CCVF205 197
 CCVF8205 197
 CCVF205A 197
 CCVF8205A 197
 CCVF220 197
 CCVF8220 197
 CCVF200 197
 CCVF831 198
 CCVF400 198
 CCVF060 198
 CCVF8060 198
 CCVF455 198
 CCVF455A 198

Fiber-Classic Mahogany Collection..

FMF31 198
 FMF755 198
 FMF205 198
 FMF220 198
 FMF600 198
 FMF134 198
 FMF60 198
 FMF860 198
 FMF100 198
 FMF8100 198

Fiber-Classic Oak Collection..

FCF31 198
 FCF809 198
 FCF808 198
 FCF862 198
 FCF134 198
 FCF160 198
 FCF8160 198
 FCF100 198
 FCF8100 198

Smooth-Star.

SSF93 198
 SSF220 198
 SSF8220 198
 SSF200 199
 SSF8200 199
 SSF205 199
 SSF8205 199
 SSF31 199
 SSF831 199
 SSF960 199
 SSF755 199
 SSF600 199
 SSF8600 199
 SSF11 199
 SSF160 199
 SSF8160 199
 SSF100 199
 SSF8100 199

Profiles..

100 199
 969HD 199
 978HD 199
 1005HD 199
 205HD 199
 957HD 199
 210HD 199
 203HD 199

Traditions

TS100 199
 TS214 199
 TS210 199
 TS290 199

Steel Edge

SE100 196
 SE210HD 196
 SE514 196
 SE978HD 196
 SE969HD 196
 SE1005HD 196

Pulse®

Ari

S2CL 202
 S2XC 202
 S2XJ 202
 S2XN 202
 S2XR 202
 S83CL 202
 S83XC 202
 S83XJ 202
 S83XN 202
 S83XR 202

Línea

S1 204
 S1ANG 204
 S1ANR 204
 S1AV 203
 S1BL 202
 S1BS 202
 S1CD 204
 S1CL 204
 S1EML 203
 S1EMR 203
 S1FW 203
 S1L 204
 S1LANG 204
 S1LANR 204
 S1LAV 203
 S1LBL 202
 S1LBS 202
 S1LCD 204
 S1LCL 204
 S1LEML 203
 S1LEMNR 203
 S1LFW 203
 S1LSA 203
 S1LSG 204
 S1LSN 202
 S1LSNA 202
 S1LTX 204
 S1LXC 204
 S1LXJ 204
 S1LXN 204
 S1LXR 204
 S1R 204
 S1RANG 204
 S1RANR 204
 S1RAV 203
 S1RBL 202
 S1RBS 202
 S1RCD 204
 S1RCL 204
 S1REML 203
 S1REMR 203
 S1RFW 203
 S1RSA 203
 S1RSG 204
 S1RSN 202
 S1RSNA 203
 S1RTX 204
 S1RXC 204
 S1RXJ 204
 S1RXN 204
 S1RXR 204
 S1SA 203
 S1SG 204
 S1SN 202
 S1SNA 203
 S1TX 204
 S1XC 204
 S1XJ 204
 S1XN 204
 S1XR 204

S81	204
S81BL	202
S81BS	202
S81CL	204
S81L	204
S81LBL	202
S81LBS	202
S81LCL	204
S81LSA	203
S81LSG	204
S81LSN	202
S81LSNA	202
S81LXC	204
S81LXJ	204
S81LXN	204
S81LXR	204
S81R	204
S81RBL	202
S81RBS	202
S81RCL	204
S81RSA	203
S81RSG	204
S81RSN	202
S81RSNA	203
S81RXC	204
S81RXJ	204
S81RXN	204
S81RXR	204
S81SA	203
S81SG	204
S81SN	202
S81SNA	203
S81XC	204
S81XJ	204
S81XN	204
S81XR	204
S810LXR	206
S810RCL	206
S810RXC	206
S810RXJ	206
S810RXN	206
S810RXXR	206
S810XC	206
S810XJ	206
S810XN	206
S810XR	206
S811CL	206
S811LCL	206
S811LXC	206
S811LXJ	206
S811LXN	206
S811LXR	206
S811RCL	206
S811RXC	206
S811RXJ	206
S811RXN	206
S811RXXR	206
S811XC	206
S811XJ	206
S811XN	206
S811XR	206
S84CL	205
S84CL	205
S84CL	205
S84LXC	205
S84LXJ	205
S84LXN	205
S84LXR	205
S84RCL	205
S84RXC	205
S84RXJ	205
S84RXN	205
S84RXXR	205
S84XC	205
S84XJ	205
S84XN	205
S84XR	205
S85CL	205
S85LCL	205
S85LXC	205
S85LXJ	205
S85LXN	205
S85LXR	205
S85RCL	205
S85RXC	205
S85RXJ	205
S85RXN	205
S85RXXR	205
S85XC	205
S85XJ	205
S85XN	205
S85XR	205
S86CL	205
S86LCL	205
S86LXC	205
S86LXJ	205
S86LXN	205
S86LXR	205
S86RCL	205
S86RXC	205
S86RXJ	205
S86RXN	205
S86RXXR	205
S86XC	205
S86XJ	205
S86XN	205
S86XR	205
S8CL	205
S8LCL	205
S8LXC	205

Echo

S4CL	205
S4LCL	205
S4LXC	205
S4LXJ	205
S4LXN	205
S4LXR	205
S4RCL	205
S4RXC	205
S4RXJ	205
S4RXN	205
S4RXXR	205
S4XC	205
S4XJ	205
S4XN	205
S4XR	205
S5CL	205
S5LCL	205
S5LXC	205
S5LXJ	205
S5LXN	205
S5LXR	205
S5RCL	205
S5RXC	205
S5RXJ	205
S5RXN	205
S5RXXR	205
S5XC	205
S5XJ	205
S5XN	205
S5XR	205
S810CL	206
S810LCL	206
S810LXC	206
S810LXJ	206
S810LXN	206

S8LXJ	205
S8LXN	205
S8LXR	205
S8RCL	205
S8RXC	205
S8RXJ	205
S8RXN	205
S8RXXR	205
S8XC	205
S8XJ	205
S8XN	205
S8XR	205
S9CL	205
S9LCL	205
S9LXC	205
S9LXJ	205
S9LXN	205
S9LXR	205
S9RCL	205
S9RXC	205
S9RXJ	205
S9RXN	205
S9RXXR	205
S9XC	205
S9XJ	205
S9XN	205
S9XR	205
Solei	
S7	206
S7CL	206
S7XC	206
S7XJ	206
S7XN	206
S7XR	206
S87	206
S87CL	206
S87XC	206
S87XJ	206
S87XN	206
S87XR	206
Sidelites	
S10CLSL	207
S10XCSL	207
S10XJSL	207
S10XNSL	207
S10XRSL	207
S3570SL	207
S4570SL	207
S4CLSL	207
S4XCSSL	207
S4XJSL	207
S4XNSL	207
S4XRSL	207
S5CLSL	207
S5XCSSL	207
S5XJSL	207
S5XNSL	207
S5XRSL	207
S601XCSSL	207
S601XJSL	207
S601XNSL	207
S601XRSL	207
S602SL	207
S604SL	207
S604SL-A	207
S6060LSL	207
S6060RSL	207
S6127SL	207
S6128SL	207
S6130SL	207
S6131SL	207
S6134SL	207
S6135SL	207
S806GSL	207
S806RSL	207
S81086XCSL	207
S81086XJSL	207
S81086XNSL	207
S81086XRSL	207
S810CSSL	207
S810XCSSL	207
S810XJSL	207
S810XNSL	207
S810XRSL	207
S811CSSL	207
S811XCSSL	207
S811XJSL	207
S811XNSL	207
S811XRSL	207
S84586SL	207
S84CLSL	207
S84XCSSL	207
S84XJSL	207
S84XNSL	207
S84XRSL	207
S85927SL	207
S85928SL	207
S85931SL	207
S85932SL	207
S85933SL	207
S85933SL-A	207
S85CLSL	207
S85XCSSL	207
S85XJSL	207
S85XNSL	207
S85XRSL	207
S86CLSL	207
S86XCSSL	207
S86XJSL	207
S86XNSL	207
S86XRSL	207
S9CLSL	207
S9XCSSL	207
S9XJSL	207
S9XNSL	207
S9XRSL	207

Patio

Classic-Craft. Mahogany Collection.

CCM100	210
--------	-----

Classic-Craft. Rustic Collection.

CCR30020	210
----------	-----

Classic-Craft. Oak Collection.

CC100	210
CC102	210

Classic-Craft. Canvas Collection.

CCV10015	210
CCV10020	210

Fiber-Classic. Mahogany Collection.

FCM10	213
FCM1200	212
FCM1200SL	212
FCM1201	212
FCM1201SL	212
FCM1202	212
FCM1202SL	212
FCM1203	212
FCM1208	212
FCM1209	212
FCM12101SL	213
FCM12102SL	212
FCM1211	212
FCM1212	212
FCM1283	213
FCM1284	212
FCM1285	212
FCM1286	212
FCM1286SL	212
FCM1289	213
FCM1289SL	213
FCM138	212
FCM141	212
FCM18	212
FCM198	213
FCM3000-2C	213
FCM3000-3C	213
FCM3000-4C	213
FCM3000-6C	213
FCM3000F-2C	213
FCM3000F-3C	213
FCM3000F-4C	213
FCM3000F-6C	213
FCM6124SL	213
FCM6125SL	213
FCM6126SL	213
FCM8115	212
FCM81200	213
FCM81200SL	213
FCM81208P	212
FCM81225	212
FCM81225SL	212
FCM81828	212
FCM81829	212
FCM828	212
FCM83000-2C	213
FCM83000-3C	213
FCM83000-4C	213
FCM83000-6C	213
FCM83000F-2C	213
FCM83000F-3C	213
FCM83000F-4C	213
FCM83000F-6C	213
FCM870	213
Fiber-Classic. Oak Collection.	
1283	216
1284	214
1285	214
1286	214
1289	215
2000	211
2009	210
2010	210
2050	210
8000	211
81200	216
81208	214
81225	214
81828	214
12101SL	216
12102SL	215
1286SL	214
8000-12	210
8000-18	210
8000-9	210
81200P	216
81200SL	216
81208P	214
81225P	214
81225SL	214
FC10	216
FC12	214
FC1200	214
FC1200SL	215
FC1201	214
FC1201SL	215
FC1202	214
FC1202SL	215
FC1203	214
FC1204	210
FC1205	210
FC1206	210
FC1207	210
FC1208	214
FC1209	214
FC1211	214
FC1212	214
FC1289SL	215
FC138	214
FC141	214
FC18	214
FC198	215
FC3000-2C	215
FC3000-3C	215
FC3000-4C	215
FC3000-6C	215
FC828	214
FC02000-2C	210
FC02000-3C	210
FC02000-4C	210
FC02000-6C	210
FC03000F-2C	215
FC03000F-3C	215
FC03000F-4C	215
FC03000F-6C	215
FC06184SL	215
FC06185SL	215
FC06186SL	215
FC082000-2C	210
FC082000-3C	210
FC082000-4C	210
FC082000-6C	210
FC083000F-2C	215
FC083000F-3C	215
FC083000F-4C	215
FC083000F-6C	215

FC083000P-2C.....	215	S829	216
FC083000P-3C.....	215	S83000-2C.....	218
FC083000P-4C.....	215	S83000-3C.....	218
FC083000P-6C.....	215	S83000-4C.....	218
Smooth-Star.		S83000-6C.....	218
19050T.....	218	S83000F-2C.....	218
19250T.....	218	S83000F-3C.....	218
S108	217	S83000F-4C.....	218
S1170SL.....	217	S83000F-6C.....	218
S118	218	S85924SL.....	218
S1200	217	S85925SL.....	218
S1200SL.....	217	S85926SL.....	218
S1201	216	S85928SL.....	216
S1201SL.....	217	Profiles.	
S1202	216	130.....	218
S1202SL.....	218	108.....	218
S1203	216	118.....	219
S1204	211	128.....	218
S1205	211	198.....	219
S1206	211	1200.....	218
S1207	211	1201.....	218
S1208	216	1202.....	218
S1209	216	1203.....	218
S1211	216	3000-2C.....	219
S1212	216	3000-3C.....	219
S128	216	3000-4C.....	219
S130	216	3000-6C.....	219
S140	218	Traditions	
S141	216	808.....	219
S198	218	818.....	219
S2000	211	828.....	219
S2000-2C.....	211	829.....	219
S2000-3C.....	211	TS108.....	219
S2000-4C.....	211	TS118.....	219
S2000-6C.....	211	TS1200.....	219
S2009	211	TS1201.....	219
S2010	211	TS1202.....	219
S2050	211	TS1203.....	219
S3000-2C.....	217	TS128.....	219
S3000-3C.....	217	TS130.....	219
S3000-4C.....	217	TS198.....	219
S3000-6C.....	217	TS3000-2C.....	219
S3000F-2C.....	217	TS3000-3C.....	219
S3000F-3C.....	217	TS3000-4C.....	219
S3000F-4C.....	217	TS3000-6C.....	219
S3000F-6C.....	218	TS83000-2C.....	219
S601SL.....	218	TS83000-3C.....	219
S6061	216	TS83000-4C.....	219
S6062	218	TS83000-6C.....	219
S6062SL.....	218		
S6063	217		
S6124SL.....	218		
S6125SL.....	218		
S6126SL.....	218		
S6128SL.....	216		
S8000	211		
S8000-12.....	211		
S8000-18.....	211		
S8000-9.....	211		
S808	217		
S81086SL.....	218		
S81186SL.....	217		
S81208	217		
S81225	216		
S8140	218		
S818	218		
S81828	217		
S82000-2C.....	211		
S82000-3C.....	211		
S82000-4C.....	211		
S82000-6C.....	211		
S828	217		



THERMA-TRU[®]
DOORS

www.thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Left: Pulse Línea, Sedona Glass, Doors – S1SN